


A Key to Methamphetamine-Related Literature

Draft Version 0.9.8
(May 1, 2006)



Compiled by: **Mark R. Hammer**
Bureau of Special Populations
Division of HIV Prevention
AIDS Institute
New York State Department of Health
(212) 417-4669
mrh01@health.state.ny.us

Document Description

This document is a comprehensive, thematic index of methamphetamine-related journal articles. In its electronic format, it contains links from cited articles to [PubMed](#), a resource of the [National Library of Medicine](#) maintained by the [National Center for Biotechnology Information](#). *A Key to Methamphetamine-Related Literature* is posted on the [New York State Department of Health's](#) web site at the following URL:
http://www.nyhealth.gov/diseases/aids/harm_reduction/crystalmeth/docs/meth_literature_index.pdf.

Instructions for Use

Viewing the Document

This document is best viewed with Adobe Reader®, which is freely available at the following web location:
<http://www.adobe.com/products/acrobat/readstep2.html>.

Navigating the Document

There are two guides for navigating through *A Key to Methamphetamine-Related Literature*: 1) the [Grouped Themes](#); and 2) the more comprehensive [Indexed Terms](#). These tools may be accessed either directly from the body of the document or via the Adobe Reader® Bookmarks. If the Bookmarks are not already visible on the left of your screen, you can view them by selecting View/Navigation Tabs/Bookmarks.

External Links and Resources

In order to access external links and resources, you must have an Internet connection and a browser. If you select a citation in this document with your mouse, you will be linked to PubMed where, in most instances, you will find an abstract for the article. From the PubMed site you may be able to conveniently link out to other resources, including the full text of the selected article, if you have an electronic subscription to the journal in which it appears. For more information regarding PubMed, you may want to consult PubMed's [Help](#) or its [Tutorial](#).

Contact Information

Recommendations for the improvement of this document or other comments may be made to the compiler, Mark Hammer, at mrh01@health.state.ny.us. No requests for the full text of articles nor for hardcopy of this document will be honored.

Disclaimer

The State of New York does not warrant or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information contained in this document. Reference in this document to the works of others does not imply any recommendation or endorsement of those works. Similarly, the absence of reference to other works does not imply any qualitative assessment of them. Nothing in this document constitutes advice with respect to the diagnosis or treatment of medical, psychological or substance use conditions. Persons seeking such advice should consult with appropriate professionals.

Acknowledgements

This work would not have been possible without the resources of three extraordinary libraries: the [National Library of Medicine](#), the [New York State Library](#) and the [Herbert W. Dickerman Library](#) in the [New York State Department of Health's Wadsworth Center](#).

The methamphetamine molecule incorporated in the cover image is courtesy of erowid.org.

GROUPED THEMES

ANIMAL STUDIES

Acupuncture	Dopamine Transporters	Overdose
Aggression and Violence	Eye Conditions and Injuries	Parkinsonism and Parkinson's Disease
Aging	Gender Factors	Pharmacological Interventions
Alcohol	Genetic Factors	Polydrug Use
Appetite	Heroin	Pregnancy
Behavioral Responses	HIV/Methamphetamine Interactions	Pulmonary and Thoracic Disease
Binge Use	Hyperactivity	Reproductive System
Brain, Electrical Activity in	Hyperthermia	Schizophrenia
Brain, Glucose Metabolism in	Immune Function	Seizures
Brain, Lipids in	Ketamine	Self-Inflicted Injury
Brain Hemorrhages and Strokes	Kidney Function and Disease	Sleep
Brain Imaging	Learning	Stereotypic Behaviors
Cardiovascular Effects and Disease	Marijuana	Tolerance
Cocaine	MDMA	Tremors
Copulation	Neurological Development and Adaptations	Usage Patterns
Craving	Neurotoxicity	Vascular Disease
Dopamine Depletion	Obesity	Withdrawal
Dopamine Receptors		

BEHAVIORAL CORRELATES (HUMAN)

Aggression and Violence	Hyperactivity	Sexual Risk Behaviors
Amotivational Syndrome	Impulsivity	Sleep
Binge Use	Relapse	Stereotypic Behaviors
Compulsivity	Self-Inflicted Injury	Withdrawal

GEOGRAPHY (UNITED STATES)

Alabama	Iowa	Sacramento
Arcata	Kentucky	San Antonio
Arizona	Los Angeles	San Diego
Arkansas	Maryland	San Francisco
Baltimore	Massachusetts	Samta Cruz
Berkeley	Miami	Seattle
Boston	Michigan	South Dakota
California	Milwaukee	Tacoma
Chicago	Minnesota	Tennessee
Colorado	Montana	Texas
Dallas	Nebraska	Tulsa
Denver	Nevada	Tuscon
Des Moines	New Jersey	United States Regional Differences
Florida	New Mexico	Utah
Fresno	New York City	Washington State
Georgia	New York State	Wisconsin
Hawaii	North Dakota	Wyoming
Honolulu	Ohio	
Houston	Oklahoma	
Illinois	Oregon	

GEOGRAPHY (OUTSIDE OF UNITED STATES)

Africa	Greece	Portugal
Asia	Hong Kong	Russia
Australia	Ireland	Slovak Republic
Austria	Italy	South Africa
Belgium	Japan	South Dakota
Brazil	Korea	Spain
Burma	Laos	Taiwan
Cambodia	Latvia	Thailand
Canada	Lithuania	Tijuana
China	Mexico	Toronto
Czech Republic	Netherlands	United Kingdom
Estonia	New Zealand	Vancouver (BC)
Europe	Pakistan	Victoria (BC)
Finland	Philippines	
Germany	Poland	

HIV AND STDs

Antiretroviral Therapy	HIV Brain Disease	HIV Replication
Brain, HIV and	HIV Counseling and Testing	Sexually Transmitted Diseases
Condoms	HIV Disclosure	Sexual Risk Behaviors
HIV, Methamphetamine	HIV-Positive Individuals	Treatment Adherence
Interactions with	HIV Prevention	

LEGAL ISSUES

Children, Methamphetamine- endangered	Incarceration, Alternatives to Incarceration and Incarcerated Individuals	Methamphetamine Laboratories and Manufacture
Crime	Law Enforcement	Methamphetamine Trafficking
Drug Courts and Court- Mandated Treatment		Precursor Regulation
		Policy Making

MEDICAL ISSUES

Antiretroviral Therapy	HIV and STDs	Pregnancy
Bone Density	Hypertension	Pulmonary and Thoracic Disease
Brain Hemorrhages and Strokes	Hyperthermia	Rhabdomyolysis
Burn Injuries	Immune Function	Self-Inflicted Injury
Cardiovascular Effects and Disease	Kidney Function and Disease	Skin and Soft Tissue Diseases and Disorders
Dental and Oral Health	Lead Poisoning	Urinary Conditions
Emergency Care	Liver Disease	Vaccination (Hepatitis A)
Eye Conditions and Injuries	Medical Care	Vascular Disease
Gastrointestinal System	Medical Uses	Withdrawal
Health Status	Metabolic Acidosis	
Hepatitis A	Mortality, Methamphetamine- Associated	
Hepatitis B	Nutrition	
Hepatitis C	Overdose	

NEUROLOGICAL, COGNITIVE AND PSYCHOLOGICAL ISSUES

Aggression and Violence
 Attention Deficity Hyperactivity Disorder
 Attention Deficits
 Auditory Stimuli, Response to
 Bipolar Disorder
 Brain, Electrical Activity in
 Brain, Glucose Metabolism in
 Brain Hemorrhages and Strokes
 Brain Imaging
 Cognitive Performance
 Craving
 Decision-Making and Judgment
 Dependence
 Depression
 Fear and Paranoia

Flashbacks
 Hallucinations
 HIV Brain Disease
 Hyperactivity
 Impulsivity
 Memory
 Mental Health and Illness
 Mood
 Motivations for Use
 Neurological Development and Adaptations
 Neurotoxicity
 Panic Disorder
 Parkinsonism and Parkinson's Disease

Pharmacokinetics and Pharmacodynamics
 Psychomotor Task Performance
 Psychosis
 Psychotherapy
 Reward Circuit
 Schizophrenia
 Seizures
 Self-Inflicted Injury
 Self-Perception
 Speech
 Stress
 Suicide and Suicidal Ideation
 Tolerance

OTHER SUBSTANCES

Adulterated and Contaminated Substances
 Alcohol
 Amyl Nitrite
 Benzodiazepines

Cocaine
 Erectile Dysfunction Drugs
 Flunitrazepam
 GHB
 Heroin and Other Opioids

Ketamine
 LSD
 Marijuana
 Nicotine
 Polydrug Use

POPULATIONS

African-Americans
 Aging
 Asians and Pacific Islanders
 Commercial Sex Workers
 Ethnography
 Former Methamphetamine Users
 Gay Men/Men Who Have Sex with Men

Gender Factors
 Heterosexuals
 Hispanics
 HIV-Positive Individuals
 Homeless Populations
 Incarcerated Individuals
 Injectors
 Native Americans

Rural Populations
 Smokers
 Snorters
 Transgendered Individuals
 Treatment, Methamphetamine Users in
 Women
 Young People

TREATMENT

Acupuncture
 Contingency Management
 Drug Courts and Court-Mandated Treatment
 Harm Reduction

Matrix Model
 Pharmacological Interventions
 Psychotherapy
 Treatment, Cognitive and Behavioral

Treatment, Methamphetamine Users in
 Treatment Preferences of Methamphetamine Users
 Treatment Readiness

USAGE

Binge Use
 Dependence
 Injection of Methamphetamine
 Oral Administration

Relapse
 Self-Regulation
 Smoking Methamphetamine

Snorting Methamphetamine
 Tolerance
 Usage Patterns

G R O U P E D T H E M E S

I N D E X E D T E R M S

Abstinence.....	1
Acupuncture.....	1
Acupuncture (animals).....	1
Addiction.....	1
Adulterated and Contaminated Substances.....	1
Africa.....	2
African-Americans.....	2
Aggression and Violence.....	3
Aggression and Violence (animals).....	3
Aging.....	3
Aging (animals).....	4
Alabama.....	4
Alcohol.....	4
Alcohol (animals).....	5
Amotivational Syndrome.....	5
Amyl Nitrite.....	6
Antiretroviral Therapy.....	6
Appetite.....	6
Appetite (animals).....	6
Arcata.....	7
Arizona.....	7
Arkansas.....	7
Asia.....	7
Asians and Pacific Islanders.....	11
Attention Deficit Hyperactivity Disorder.....	12
Attention Deficits.....	12
Auditory Stimuli.....	12
Australia.....	12
Austria.....	14
Automobiles, <i>see</i> Driving.....	14
Baltimore.....	14
Behavioral Interventions.....	14
Behavioral Responses (animals).....	14
Belgium.....	22
Benzodiazepines.....	22
Berkeley.....	22
Binge Use.....	22
Binge Use (animals).....	23

**I
N
D
E
X
E
D
T
E
R
M
S**

Bipolar Disorder.....	24
Bisexual Men	24
Blood Pressure	24
Bone Density.....	24
Boston.....	24
Brain, Ascorbic Acid Release in	24
Brain, Blood Flow in.....	25
Brain, Electrical Activity in	25
Brain, Electrical Activity in (animals)	25
Brain, Glucose Metabolism in.....	25
Brain, Glucose Metabolism in (animals).....	26
Brain, Hepatitis C and.....	26
Brain, HIV and.....	26
Brain, Lipids in	26
Brain, Lipids in (animals)	27
Brain, Neuroadaptations in.....	27
Brain, Neurotoxicity in	27
Brain Hemorrhages and Strokes.....	27
Brain Hemorrhages and Strokes (animals).....	27
Brain Imaging	27
Brain Imaging (animals)	29
Brazil.....	29
Burma.....	29
Burn Injuries	30
California	30
Cambodia	34
Canada	34
Cardiovascular Effects and Disease	35
Cardiovascular Effects and Disease (animals).....	36
Catecholamines.....	37
Chemical Structure.....	37
Chicago	38
Childhood Attention-Deficit Hyperactivity Disorder.....	38
Children, Methamphetamine-Endangered	38
Children, Methamphetamine Ingestion by	38
Child Welfare System	38
China.....	39
Circuit Parties and Raves	39
Clandestine Drug Laboratories	39
Club Drugs.....	39
Cocaine	39
Cocaine (animals)	41

A Key to Methamphetamine-Related Literature

Cognitive Performance	41
Colorado	43
Commercial Sex Work and Sex Workers	43
Compulsivity	44
Condoms	44
Contingency Management	45
Coordination	45
Copulation (animals).....	45
Craving.....	45
Craving (animals).....	46
Crime	46
Czech Republic	46
Dallas	47
Dangerousness	47
Deaths	47
Decision-Making and Judgment	47
Dental and Oral Health	47
Denver.....	48
Dependence.....	48
Depression.....	50
Dermatology	51
Des Moines	51
Dopamine.....	51
Dopamine Depletion (animals).....	53
Dopamine Pathways.....	54
Dopamine Receptors	54
Dopamine Receptors (animals).....	54
Dopamine Transporters.....	54
Dopamine Transporters (animals).....	55
Dosing.....	56
Driving.....	56
Drug Courts and Court-Mandated Treatment	56
Drug Dealing.....	57
Ecstasy	57
Education Level	57
Emergency Care.....	57
Epidemiology.....	58
Erectile Dysfunction Drugs.....	58
Estonia	58
Estrogen	58
Ethnography.....	59
Europe.....	59

**I
N
D
E
X
E
D
T
E
R
M
S**

Eye Conditions and Injuries.....	60
Eye Conditions and Injuries (animals).....	60
Fatalities.....	60
Fear and Paranoia.....	60
Finland.....	61
Flashbacks.....	61
Florida.....	62
Flunitrazepam.....	62
Food Deprivation.....	62
Former Methamphetamine Users.....	62
Fresno.....	63
GABA (gamma-amino-butyric acid).....	63
Gastrointestinal System.....	64
Gay Men/Men who Have Sex with Men.....	64
Gender Factors.....	68
Gender Factors (animals).....	69
Genetic Factors.....	69
Genetic Factors (animals).....	71
Georgia (USA).....	72
Germany.....	72
GHB.....	72
Greece.....	72
HAART.....	73
Hallucinations.....	73
Harm Reduction.....	73
Hawaii.....	73
Health Status.....	74
Hearing.....	74
Hepatitis A.....	74
Hepatitis B.....	74
Hepatitis C.....	75
Heroin and Other Opioids.....	76
Heroin and Other Opioids (animals).....	76
Heterosexuals.....	77
Hispanics.....	77
Historical Overview.....	78
HIV, Methamphetamine Interactions with.....	78
HIV, Methamphetamine Interactions with (animals).....	79
HIV Brain Disease.....	79
HIV Counseling and Testing.....	79
HIV Disclosure.....	80
HIV-Positive Individuals.....	80

A Key to Methamphetamine-Related Literature

HIV Prevention	82
HIV Replication	83
Homeless Populations	83
Hong Kong.....	84
Honolulu	84
Hospital Utilization.....	84
Houston.....	84
Hyperactivity.....	84
Hyperactivity (animals).....	84
Hypertension	86
Hyperthermia	86
Hyperthermia (animals)	87
Illinois	88
Immune Function	88
Immune Function (animals)	88
Impulsivity	88
Incarceration, Alternatives to	89
Incarceration and Incarcerated Individuals	89
India	89
Injection of Methamphetamine	89
Internet	93
Iowa	93
Ireland	93
Italy	93
Japan	93
Kentucky	96
Ketamine	96
Ketamine (animals).....	96
Kidney Function and Disease.....	96
Kidney Function and Disease (animals).....	97
Korea.....	97
Laboratories	97
Laos.....	97
Latinos	97
Latvia	97
Law Enforcement.....	97
Lead Poisoning.....	98
Learning (animals)	98
Lesbians	99
Lithuania	99
Liver Disease	99
Los Angeles	100

**I
N
D
E
X
E
D
T
E
R
M
S**

LSD.....	101
Lungs.....	102
Marijuana.....	102
Marijuana (animals).....	102
Maryland.....	102
Massachusetts.....	102
Matrix Model.....	102
MDMA.....	103
MDMA (animals).....	104
Medical Care.....	104
Medical Uses.....	105
Memory.....	106
Men.....	106
Mental Health and Illness.....	106
Metabolic Acidosis.....	108
Methamphetamine, Medical Uses for.....	108
Methamphetamine Abstinence Syndrome.....	108
Methamphetamine Laboratories and Manufacture.....	108
Methamphetamine Psychosis.....	110
Methamphetamine Toxicity.....	110
Methamphetamine Trafficking.....	110
Mexico.....	110
Miami.....	110
Michigan.....	110
Milwaukee.....	110
Minnesota.....	110
Monoamine Transporter Function and Depletion.....	111
Montana.....	111
Mood.....	111
Mortality, Methamphetamine-Associated.....	112
Motivations for Use.....	113
Motor Skills.....	114
Native Americans.....	114
Nebraska.....	114
Needle Exchange.....	114
Netherlands.....	114
Neurological Development and Adaptations.....	114
Neurological Development and Adaptations (animals).....	115
Neurotoxicity.....	116
Neurotoxicity (animals).....	118
Nevada.....	125
New Jersey.....	125

A Key to Methamphetamine-Related Literature

New Mexico	125
New York City	125
New York State (excluding New York City)	126
New Zealand	126
Nicotine and Tobacco	126
Night Shifts	126
Norepinephrine	126
North Dakota	127
Norway	127
Nutrition	127
Obesity	127
Obesity (animals)	128
Occupational Exposure	128
Ohio	128
Oklahoma	128
Opioid Receptors	128
Opioids	128
Oral Administration	128
Oral Health	129
Oregon	129
Overdose	129
Overdose (animals)	130
Pakistan	130
Panic Disorder	130
Paranoia	130
Parkinsonism and Parkinson's Disease	130
Parkinsonism and Parkinson's Disease (animals)	130
Performance	131
Pharmaceutical Formulations	131
Pharmacies	131
Pharmacokinetics and Pharmacodynamics	131
Pharmacological Interventions	132
Pharmacological Interventions (animals)	134
Philippines	136
Pleasure-Seeking Behaviors	136
Poland	136
Policy Making	136
Polydrug Use	136
Polydrug Use (animals)	138
Poppers	138
Portugal	138
Precursor Regulation	138

**I
N
D
E
X
E
D**

**T
E
R
M
S**

Pregnancy..... 138

Pregnancy (animals)..... 139

Prevalence, Methamphetamine 140

Primary Care 141

Prison 141

Prostitution..... 141

Psychomotor Task Performance 141

Psychomotor Task Performance (animals) 142

Psychosis..... 142

Psychosis (animals)..... 144

Psychotherapy 144

Pulmonary and Thoracic Disease..... 144

Pulmonary and Thoracic Disease (animals)..... 145

Raves..... 145

Reasons for Use 145

Recreational and Club Drugs 145

Relapse..... 146

Relapse (animals)..... 146

Repeated Behaviors..... 146

Reproductive System (animals) 146

Respiratory Disease..... 147

Review Articles..... 147

Reward Circuit..... 156

Rhabdomyolysis..... 156

Rohypnol..... 157

Rural Populations..... 157

Russia..... 157

Sacramento..... 157

San Antonio 158

San Diego..... 158

San Francisco 158

Santa Cruz..... 160

Schizophrenia..... 160

Schizophrenia (animals)..... 161

Seattle..... 161

Seizures..... 161

Seizures (animals)..... 161

Self-Inflicted Injury..... 161

Self-Inflicted Injury (animals)..... 161

Self-Perception..... 162

Self-Regulation 162

Serotonin 162

A Key to Methamphetamine-Related Literature

G R O U P E D T H E M E S

Setting	163
Sexual Arousal and Sexual Experiences	163
Sexual Intercourse (animals)	164
Sexually Transmitted Diseases	164
Sexual Risk Behaviors	164
Sex Work	168
Skin and Soft Tissue Diseases and Disorders	168
Sleep.....	169
Sleep (animals).....	169
Slovak Republic	169
Smoking Methamphetamine	169
Snorting Methamphetamine	170
Sound	170
South Africa	171
South Dakota.....	171
Spain	171
Speech.....	171
Stereotypic Behaviors	171
Stereotypic Behaviors (animals)	171
Stigma	175
Stress	175
Strokes	175
Suicide and Suicidal Ideation.....	175
Supervised Smoking Facilities.....	176
Syringe Exchange and Syringe Access	176
Tacoma.....	177
Taiwan	177
Teeth	178
Tennessee.....	178
Texas	178
Thailand	178
Therapeutic Uses.....	179
Tijuana	179
Tobacco.....	179
Tolerance.....	179
Tolerance (animals).....	180
Toronto.....	180
Toxicity.....	180
Transgendered Individuals.....	180
Trauma	180
Treatment	181
Treatment, Cognitive and Behavioral	181

**I
N
D
E
X
E
D
T
E
R
M
S**

Treatment, Methamphetamine Users in	182
Treatment (HIV) Adherence	184
Treatment Preferences of Methamphetamine Users.....	184
Treatment Readiness	184
Tremors.....	184
Tremors (animals).....	184
Tulsa.....	185
Tuscon.....	185
United Kingdom.....	185
United States Regional Variations	185
Urinary Conditions.....	185
Usage Patterns and Dosing.....	186
Usage Patterns and Dosing (animals).....	186
Utah.....	187
Vaccination, Drug Treatment.....	187
Vaccination, Hepatitis A.....	187
Vaccination, Hepatitis B	188
Vancouver (BC).....	188
Vascular Disease	188
Vascular Disease (animals).....	188
Viagra.....	189
Victoria (BC)	189
Violence	189
Vision.....	189
Washington State	189
Wisconsin.....	189
Withdrawal.....	189
Withdrawal (animals).....	190
Women.....	190
Wyoming.....	190
Young People.....	191

C I T A T I O N S

Abstinence

See [Former Methamphetamine Users; Methamphetamine Abstinence Syndrome](#)

Acupuncture

Russell, L. C., B. Sharp and B. Gilbertson (2000). "Acupuncture for addicted patients with chronic histories of arrest. A pilot study of the consortium treatment center." *J Subst Abuse Treat* 19(2): 199-205.

Shuaib, B. M. (1976). "Acupuncture treatment of drug dependence in Pakistan." *Am J Chin Med (Gard City N Y)* 4(4): 403-7.

Acupuncture (animals)

Liang, X. B., Y. Luo, et al. (2003). "Electro-acupuncture improves behavior and upregulates GDNF mRNA in MFB transected rats." *Neuroreport* 14(8): 1177-81.

Tian, D. R., X. D. Li, et al. (2005). "Up-regulation of the expression of cocaine and amphetamine-regulated transcript peptide by electroacupuncture in the arcuate nucleus of diet-induced obese rats." *Neurosci Lett* 383(1-2): 17-21.

Addiction

See [Dependence](#)

Adulterated and Contaminated Substances

Allcott, J. V., 3rd, R. A. Barnhart, et al. (1987). "Acute lead poisoning in two users of illicit methamphetamine." *JAMA* 258(4): 510-1.

Anonymous (1990). "From the Centers for Disease Control. Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *JAMA* 263(6): 797-8.

Anonymous (1989). "Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *MMWR Morb Mortal Wkly Rep* 38(48): 830-1.

Burton, B. T. (1991). "Heavy metal and organic contaminants associated with illicit methamphetamine production." *NIDA Res Monogr* 115: 47-59.

Cheng, W. C., N. L. Poon, et al. (2003). "Chemical profiling of 3,4-methylenedioxyamphetamine (MDMA) tablets seized in Hong Kong." *J Forensic Sci* 48(6): 1249-59.

Cole, J. C., M. Bailey, et al. (2002). "The content of ecstasy tablets: Implications for the study of their long-term effects." *Addiction* 97(12): 1531-6.

Dayrit, F. M. and M. C. Dumlao (2004). "Impurity profiling of methamphetamine hydrochloride drugs seized in the Philippines." *Forensic Sci Int* 144(1): 29-36.

Deloach-Banta, L. J. (1994). "Lichenoid drug eruption: Crystal methamphetamine or adulterants?" *Cutis* 53(2): 97-8.

Inoue, H., T. Kanamori, et al. (2003). "Methamphetamine impurity profiling using a 0.32 mm i.d. nonpolar capillary column." *Forensic Sci Int* 135(1): 42-7.

Irvine, R. J., M. Keane, et al. (2006). "Plasma drug concentrations and physiological measures in 'dance party' participants." *Neuropsychopharmacology* 31(2): 424-30.

Kalasinaky, K. S., J. Hugel, et al. (2004). "Use of MDA (the 'love drug') and methamphetamine in Toronto by unsuspecting users of ecstasy (MDMA)." *J Forensic Sci* 49(5): 1106-12.

Ku, Y. R., Y. S. Chang, et al. (1999). "Analysis and confirmation of synthetic anorexics in adulterated traditional Chinese medicines by high-performance capillary electrophoresis." *J Chromatogr A* 848(1-2): 537-43.

- Kuwayama, K., K. Tsujikawa, et al. (2005). "Identification of impurities and the statistical classification of methamphetamine using headspace solid phase microextraction and gas chromatography-mass spectrometry." *Forensic Sci Int*.
- Lambrechts, M. and K. E. Rasmussen (1984). "Leuckart-specific impurities in amphetamine and methamphetamine seized in Norway." *Bull Narc* 36(1): 47-57.
- Mitrevski, B. and Z. Zdravkovski (2005). "Rapid and simple method for direct determination of several amphetamines in seized tablets by GC--FID." *Forensic Sci Int* 152(2-3): 199-203.
- Norton, R. L., B. T. Burton, et al. (1996). "Blood lead of intravenous drug users." *J Toxicol Clin Toxicol* 34(4): 425-30.
- Puthaviriyakorn, V., N. Siriviriyasomboon, et al. (2002). "Identification of impurities and statistical classification of methamphetamine tablets (Ya-Ba) seized in Thailand." *Forensic Sci Int* 126(2): 105-13.
- Qi, Y., I. D. Evans, et al. (2006). "Australian Federal Police seizures of illicit crystalline methamphetamine ('ice') 1998-2002: Impurity analysis." *Forensic Sci Int*.
- Suzuki, S., H. Tsuchihashi, et al. (1988). "Analyses of impurities in methamphetamine by inductively coupled plasma mass spectrometry and ion chromatography." *J Chromatogr* 437(1): 322-7.
- Varner, K. J., N. D. Hein, et al. (2001). "Chloroephedrine: contaminant of methamphetamine synthesis with cardiovascular activity." *Drug Alcohol Depend* 64(3): 299-307.
- Windahl, K. L., M. J. McTigue, et al. (1995). "Investigation of the impurities found in methamphetamine synthesised from pseudoephedrine by reduction with hydriodic acid and red phosphorus." *Forensic Sci Int* 76(2): 97-114.

Africa

- Parry, C. D., A. Pluddemann, et al. (2005). "Cannabis and other drug use among trauma patients in three South African cities, 1999-2001." *S Afr Med J* 95(6): 429-32.
- Parry, C. D., B. Myers, et al. (2004). "Drug policy for methamphetamine use urgently needed." *S Afr Med J* 94(12): 964-5.

African-Americans

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Goldsamt, L. A., J. O'Brien, et al. (2005). "The relationship between club drug use and other drug use: A survey of New York City middle school students." *Subst Use Misuse* 40(9): 1539-55.
- Ide, S., H. Kobayashi, et al. (2004). "Gene polymorphisms of the mu opioid receptor in methamphetamine abusers." *Ann N Y Acad Sci* 1025: 316-24.
- Irwin, T. W. and J. Morgenstern (2005). "Drug-use patterns among men who have sex with men presenting for alcohol treatment: Differences in ethnic and sexual identity." *J Urban Health*.
- Maglione, M., B. Chao and M. D. Anglin (1998). "Methamphetamine abuse in California: Correlates of injection use." *AIDS and Behavior* 2(3): 257-261.
- Ompad, D. C., S. Galea, et al. (2004). "Club drug use among minority substance users in New York City." *J Psychoactive Drugs* 36(3): 397-9.
- Richard, A. J., V. Mosier, et al. (2002). "New syringe acquisition and multi-person use of syringes among illegal drug users." *J Public Health Policy* 23(3): 324-43.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.
- Simon, S. L., C. P. Domier, et al. (2002). "Cognitive performance of current methamphetamine and cocaine abusers." *J Addict Dis* 21(1): 61-74.
- Somlai, A. M., J. A. Kelly, et al. (2003). "Predictors of HIV sexual risk behaviors in a community sample of injection drug-using men and women." *AIDS Behav* 7(4): 383-93.
- Wohl, A. R., D. F. Johnson, et al. (2002). "HIV risk behaviors among African American men in Los Angeles County who self-identify as heterosexual." *J Acquir Immune Defic Syndr* 31(3): 354-60.

Aggression and Violence

See also [Self-Inflicted Injury](#); [Suicide and Suicidal Ideation](#); [Trauma](#)

- Assael, L. A. (2005). "Methamphetamine: An epidemic of oral health neglect, loss of access to care, abuse, and violence." *J Oral Maxillofac Surg* 63(9): 1253-4.
- Austin, A. A. (2004). "Alcohol, tobacco, other drug use, and violent behavior among Native Hawaiians: Ethnic pride and resilience." *Subst Use Misuse* 39(5): 721-46.
- Baskin-Sommers, A. and I. Sommers (2006). "The co-occurrence of substance use and high-risk behaviors." *J Adolesc Health* 38(5): 609-11.
- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Cartier, J., D. Farabee, et al. (2006). "Methamphetamine use, self-reported violent crime, and recidivism among offenders in California who abuse substances." *J Interpers Violence* 21(4): 435-45.
- Cohen, J. B., A. Dickow, et al. (2003). "Abuse and violence history of men and women in treatment for methamphetamine dependence." *Am J Addict* 12(5): 377-85.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Logan, B. K., C. L. Fligner, et al. (1998). "Cause and manner of death in fatalities involving methamphetamine." *J Forensic Sci* 43(1): 28-34.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Richards, J. R., S. W. Bretz, et al. (1999). "Methamphetamine abuse and emergency department utilization." *West J Med* 170(4): 198-202.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.
- Sekine, Y., Y. Ouchi, et al. (2006). "Brain serotonin transporter density and aggression in abstinent methamphetamine abusers." *Arch Gen Psychiatry* 63(1): 90-100.
- Senjo, S. R. (2005). "Trafficking in meth: An analysis of the differences between male and female dealers." *J Drug Educ* 35(1): 59-77.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Slade, M., L. J. Daniel, et al. (1991). "Application of forensic toxicology to the problem of domestic violence." *J Forensic Sci* 36(3): 708-13.
- Sommers, I., D. Baskin, et al. (2005). "Methamphetamine use among young adults: Health and social consequences." *Addict Behav*.
- Szuster, R. R. (1990). "Methamphetamine in psychiatric emergencies." *Hawaii Med J* 49(10): 389-91.
- Tominaga, G. T., G. Garcia, et al. (2004). "Toll of methamphetamine on the trauma system." *Arch Surg* 139(8): 844-7.
- Zweben, J. E., J. B. Cohen, et al. (2004). "Psychiatric symptoms in methamphetamine users." *Am J Addict* 13(2): 181-90.

Aggression and Violence (animals)

- Miczek, K. A. and J. M. O'Donnell (1978). "Intruder-evoked aggression in isolated and nonisolated mice: effects of psychomotor stimulants and L-dopa." *Psychopharmacology (Berl)* 57(1): 47-55.
- Shintomi, K. (1975). "Effects of psychotropic drugs on methamphetamine-induced behavioral excitation in grouped mice." *Eur J Pharmacol* 31(2): 195-206.
- Sokolov, B. P. and J. L. Cadet (2006). "Methamphetamine causes alterations in the MAP kinase-related pathways in the brains of mice that display increased aggressiveness." *Neuropsychopharmacology* 31(5): 956-66.
- Sokolov, B. P., C. W. Schindler, et al. (2004). "Chronic methamphetamine increases fighting in mice." *Pharmacol Biochem Behav* 77(2): 319-26.

Aging

See also [Neurological Development and Adaptations](#)

- Dawson, R., Jr., M. F. Beal, et al. (1995). "Excitotoxins, aging, and environmental neurotoxins: Implications for understanding human neurodegenerative diseases." *Toxicol Appl Pharmacol* 134(1): 1-17.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.

- Selden, L. S. (1991). "Neurotoxicity of methamphetamine: Mechanisms of action and issues related to aging." NIDA Res Monogr 115: 24-32.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." Addict Behav 30(7): 1370-81.
- Ujike, H. and M. Sato (2004). "Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis." Ann N Y Acad Sci 1025: 279-87.

Aging (animals)

See also Neurological Development and Adaptations (animals)

- Bowyer, J. F., B. Gough, et al. (1993). "Effects of a cold environment or age on methamphetamine-induced dopamine release in the caudate putamen of female rats." Pharmacol Biochem Behav 44(1): 87-98.
- Brummelte, S., T. Grund, et al. (2006). "Long-term effects of a single adult methamphetamine challenge: Minor impact on dopamine fibre density in limbic brain areas of gerbils." Behav Brain Funct 2: 12.
- Imam, S. Z. and S. F. Ali (2001). "Aging increases the susceptibility to methamphetamine-induced dopaminergic neurotoxicity in rats: Correlation with peroxynitrite production and hyperthermia." J Neurochem 78(5): 952-9.
- Kokoshka, J. M., A. E. Fleckenstein, et al. (2000). "Age-dependent differential responses of monoaminergic systems to high doses of methamphetamine." J Neurochem 75(5): 2095-102.
- Martin, J. C., D. D. Martin, et al. (1979). "Life span and pathology in offspring following nicotine and methamphetamine exposure." Exp Aging Res 5(6): 509-22.
- Martin, J. C., D. C. Martin, et al. (1976). "Growth, development and activity in rat offspring following maternal drug exposure." Exp Aging Res 2(3): 235-51.
- Sabol, K. E., J. B. Richards, et al. (2000). "The effects of high-dose methamphetamine in the aging rat: Differential reinforcement of low-rate 72-s schedule behavior and neurochemistry." J Pharmacol Exp Ther 294(3): 850-63.
- Shibata, S., Y. Minamoto, et al. (1994). "Aging impairs methamphetamine-induced free-running and anticipatory locomotor activity rhythms in rats." Neurosci Lett 172(1-2): 107-10.
- Teuchert-Noodt, G. and R. R. Dawirs (1991). "Age-related toxicity in prefrontal cortex and caudate-putamen complex of gerbils (Meriones unguiculatus) after a single dose of methamphetamine." Neuropharmacology 30(7): 733-43.
- Truong, J. G., D. G. Wilkins, et al. (2005). "Age-dependent methamphetamine-induced alterations in vesicular monoamine transporter-2 function: Implications for neurotoxicity." J Pharmacol Exp Ther 314(3): 1087-92.
- Tsuchida, K., H. Ujike, et al. (1994). "Ontogeny of enhanced striatal dopamine release in rats with methamphetamine-induced behavioral sensitization." Pharmacol Biochem Behav 47(1): 161-9.
- Vorhees, C. V., T. M. Reed, et al. (2005). "Periadolescent rats (P41-50) exhibit increased susceptibility to D-methamphetamine-induced long-term spatial and sequential learning deficits compared to juvenile (P21-30 or P31-40) or adult rats (P51-60)." Neurotoxicol Teratol 27(1): 117-34.
- Vorhees, C. V., S. L. Inman-Wood, et al. (2000). "Adult learning deficits after neonatal exposure to D-methamphetamine: Selective effects on spatial navigation and memory." J Neurosci 20(12): 4732-9.
- Wagner, G. C. and S. L. Walsh (1991). "Evaluation of the effects of inhibition of monoamine oxidase and senescence on methamphetamine-induced neuronal damage." Int J Dev Neurosci 9(2): 171-4.
- Williams, M. T., M. S. Moran, et al. (2004). "Behavioral and growth effects induced by low dose methamphetamine administration during the neonatal period in rats." Int J Dev Neurosci 22(5-6): 273-83.

Alabama

- Davis, G. G. and C. I. Swalwell (1996). "The incidence of acute cocaine or methamphetamine intoxication in deaths due to ruptured cerebral (berry) aneurysms." J Forensic Sci 41(4): 626-8.
- Davis, G. G. and C. I. Swalwell (1994). "Acute aortic dissections and ruptured berry aneurysms associated with methamphetamine abuse." J Forensic Sci 39(6): 1481-5.

Alcohol

See also Polydrug Use

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." Matern Child Health J: 1-10.

- Austin, A. A. (2004). "Alcohol, tobacco, other drug use, and violent behavior among Native Hawaiians: Ethnic pride and resilience." *Subst Use Misuse* 39(5): 721-46.
- Baskin-Sommers, A. and I. Sommers (2006). "The co-occurrence of substance use and high-risk behaviors." *J Adolesc Health* 38(5): 609-11.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Caetano, R. and C. Weisner (1995). "The association between DSM-III-R alcohol dependence, psychological distress and drug use." *Addiction* 90(3): 351-9.
- Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl.*
- Irwin, T. W. and J. Morgenstern (2005). "Drug-use patterns among men who have sex with men presenting for alcohol treatment: Differences in ethnic and sexual identity." *J Urban Health.*
- Katsumata, S., K. Sato, et al. (1993). "Sudden death due presumably to internal use of methamphetamine." *Forensic Sci Int* 62(3): 209-15.
- Lawton-Craddock, A., S. J. Nixon, et al. (2003). "Cognitive efficiency in stimulant abusers with and without alcohol dependence." *Alcohol Clin Exp Res* 27(3): 457-64.
- Marshall, G. A., C. M. Dixon, et al. (1991). "Substance abuse-related spontaneous bladder rupture: Report of 2 cases and review of the literature." *J Urol* 145(1): 135-7.
- Matsumoto, T., A. Kamijo, et al. (2005). "Childhood histories of attention-deficit hyperactivity disorders in Japanese methamphetamine and inhalant abusers: Preliminary report." *Psychiatry Clin Neurosci* 59(1): 102-5.
- Maxwell, J. C. and R. T. Spence (2005). "Profiles of club drug users in treatment." *Subst Use Misuse* 40(9): 1409-26.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From "Candy Kids" to "Chemi-Kids": A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9): 1503-23.
- Mendelson, J., R. T. Jones, et al. (1995). "Methamphetamine and ethanol interactions in humans." *Clin Pharmacol Ther* 57(5): 559-68.
- Okudaira, K., T. Yabana, et al. (1994). "[Clinical problems of alcoholics with a history of methamphetamine abuse]." *Arukuru Kenkyuto Yakubutsu Ison* 29(3): 185-9.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend.*
- Yamamura, T., S. Hisida, et al. (1991). "Alcohol addiction of methamphetamine abusers in Japan." *J Forensic Sci* 36(3): 754-64.
- Yamamura, T., H. Hasegawa, et al. (1987). "[Alcohol intake on methamphetamine abusers]." *Nippon Hoigaku Zasshi* 41(1): 21-30.
- Yamasaki, M., H. Suwaki, et al. (1992). "Patterns of alcohol abuse from the viewpoint of multiple substance abuse." *Arukuru Kenkyuto Yakubutsu Ison* 27(5): 540-52.
- Yamauchi, J., S. Marukawa, et al. (2000). "[Simultaneous administration of ethanol emphasizes the effect of methamphetamine on central nervous system in rat with high alcohol preference]." *Nihon Arukuru Yakubutsu Igakkai Zasshi* 35(1): 28-47.

Alcohol (animals)

- Yamamura, T., S. Hishida, et al. (1992). "Effects of methamphetamine and ethanol on learning and brain neurotransmitters in rats." *Pharmacol Biochem Behav* 42(3): 389-400.
- Yamamura, T., S. Hishida, et al. (1987). "[Interaction of alcohol and methamphetamine with acute high dose administration to rats]." *Arukuru Kenkyuto Yakubutsu Ison* 22(4): 286-99.
- Yamauchi, J., S. Marukawa, et al. (2000). "[Simultaneous administration of ethanol emphasizes the effect of methamphetamine on central nervous system in rat with high alcohol preference]." *Nihon Arukuru Yakubutsu Igakkai Zasshi* 35(1): 28-47.

Amotivational Syndrome

- Ashizawa, T., T. Saito, et al. (1996). "[A case of amotivational syndrome as a residual symptom after methamphetamine abuse]." *Nihon Arukuru Yakubutsu Igakkai Zasshi* 31(5): 451-61.

Amyl Nitrite*See also Polydrug Use*

- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.

Antiretroviral Therapy

- Antoniou, T. and A. L. Tseng (2002). "Interactions between recreational drugs and antiretroviral agents." *Ann Pharmacother* 36(10): 1598-1613.
- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Ellis, R. J., M. E. Childers, et al. (2003). "Increased human immunodeficiency virus loads in active methamphetamine users are explained by reduced effectiveness of antiretroviral therapy." *J Infect Dis* 188(12): 1820-6.
- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.
- Hales, G., N. Roth, et al. (2000). "Possible fatal interaction between protease inhibitors and methamphetamine." *Antivir Ther* 5(1): 19.
- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.
- Pritzker, D., A. Kanungo, et al. (2002). "Designer drugs that are potent inhibitors of CYP2D6." *J Clin Psychopharmacol* 22(3): 330-2.
- Reback, C. J., S. Larkins, et al. (2003). "Methamphetamine abuse as a barrier to HIV medication adherence among gay and bisexual men." *AIDS Care* 15(6): 775-85.

Appetite

- Bray, G. A. (1993). "Use and abuse of appetite-suppressant drugs in the treatment of obesity." *Ann Intern Med* 119(7 Pt 2): 707-13.
- Hart, C. L., A. S. Ward, et al. (2001). "Methamphetamine self-administration by humans." *Psychopharmacology (Berl)* 157(1): 75-81.
- Herting, R. L. and G. Dillon (1966). "Acute clinical assay for appetite suppression." *J New Drugs* 6(4): 232-6.
- LeRiche, W. H. and A. Csima (1967). "Trial of appetite suppressant. Study of a short-acting and sustained release appetite suppressant on patients paired by initial weight." *Appl Ther* 9(3): 260-2.
- Linquette, A. and P. Fossati (1971). "[Hunger control with benzphetamine hydrochloride in the treatment of obesity]." *Lille Med* 16: Suppl 2:620-4.
- Matthews, C. (1970). "Overweight relapse: Effects of training and methamphetamine with pentobarbital." *Curr Ther Res Clin Exp* 12(1): 34-9.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.

Appetite (animals)

- Achat-Mendes, C., S. F. Ali, et al. (2005). "Differential effects of amphetamines-induced neurotoxicity on appetitive and aversive Pavlovian conditioning in mice." *Neuropsychopharmacology* 30(6): 1128-37.
- Bittner, S. E., G. C. Wagner, et al. (1981). "Effects of a high-dose treatment of methamphetamine on caudate dopamine and anorexia in rats." *Pharmacol Biochem Behav* 14(4): 481-6.
- Crowley, W. R., G. Ramoz, et al. (2005). "Differential effects of methamphetamine on expression of neuropeptide Y mRNA in hypothalamus and on serum leptin and ghrelin concentrations in ad libitum-fed and schedule-fed rats." *Neuroscience* 132(1): 167-73.
- Ginawi, O. T., A. A. Al-Majed, et al. (2005). "Ondansetron, a selective 5-HT3 antagonist, antagonizes methamphetamine-induced anorexia in mice." *Pharmacol Res* 51(3): 255-9.
- Madden, L. J., C. T. Flynn, et al. (2005). "Modeling human methamphetamine exposure in nonhuman primates: Chronic dosing in the rhesus macaque leads to behavioral and physiological abnormalities." *Neuropsychopharmacology* 30(2): 350-9.
- Maickel, R. P. and S. A. Johnson (1973). "Effects of various anorexigenic agents on open field behavior of rats." *Res Commun Chem Pathol Pharmacol* 6(2): 733-9.

Mattei, R. and E. A. Carlini (1996). "A comparative study of the anorectic and behavioral effects of fenproporex on male and female rats." *Braz J Med Biol Res* 29(8): 1025-30.

Arcata

Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.

Arizona

Cunningham, J. K. and L. M. Liu (2005). "Impacts of federal precursor chemical regulations on methamphetamine arrests." *Addiction* 100(4): 479-88.

Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.

Kashani, J. and A. M. Ruha (2004). "Methamphetamine toxicity secondary to intravaginal body stuffing." *J Toxicol Clin Toxicol* 42(7): 987-9.

Kolecki, P. (1998). "Inadvertent methamphetamine poisoning in pediatric patients." *Pediatr Emerg Care* 14(6): 385-7.

Nagorka, A. R. and P. S. Bergeson (1998). "Infant methamphetamine toxicity posing as scorpion envenomation." *Pediatr Emerg Care* 14(5): 350-1.

Arkansas

Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Penn, C. L. (2006). "Meth abuse in Arkansas." *J Ark Med Soc* 102(8): 218-9.

Asia

Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.

Ando, E., M. Hayashida, et al. (2004). "[GC-MS analysis of methamphetamine and amphetamine in hair of Thai drug addicts]." *Nihon Arukoru Yakubutsu Igakkai Zasshi* 39(3): 168-79.

Ashizawa, T., T. Saito, et al. (1996). "[A case of amotivational syndrome as a residual symptom after methamphetamine abuse]." *Nihon Arukoru Yakubutsu Igakkai Zasshi* 31(5): 451-61.

Barrett, M. E. (2003). "Correlates of illicit drug use in Karen villages in Northern Thailand." *Subst Use Misuse* 38(11-13): 1615-49.

Beyrer, C., M. H. Razak, et al. (2004). "Methamphetamine users in northern Thailand: Changing demographics and risks for HIV and STD among treatment-seeking substance abusers." *Int J STD AIDS* 15(10): 697-704.

Buavirat, A., K. Page-Shafer, et al. (2003). "Risk of prevalent HIV infection associated with incarceration among injecting drug users in Bangkok, Thailand: Case-control study." *BMJ* 326(7384): 308.

Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.

Chen, C. K., S. K. Lin, et al. (2005). "Morbidity risk for psychiatric disorder among the relatives of methamphetamine users with and without psychosis." *Am J Med Genet B Neuropsychiatr Genet* 136(1): 87-91.

Chen, C. K., X. Hu, et al. (2004). "Association analysis of dopamine D2-like receptor genes and methamphetamine abuse." *Psychiatr Genet* 14(4): 223-226.

Chen, C. K., S. K. Lin, et al. (2003). "Pre-morbid characteristics and co-morbidity of methamphetamine users with and without psychosis." *Psychol Med* 33(8): 1407-14.

Cheng, J. Y., D. T. Chan, et al. (2005). "An epidemiological study on alcohol/drugs related fatal traffic crash cases of deceased drivers in Hong Kong between 1996 and 2000." *Forensic Sci Int* 153(2-3): 196-201.

Cheng, C. Y., C. J. Hong, et al. (2005). "Brain-derived neurotrophic factor (Val66Met) genetic polymorphism is associated with substance abuse in males." *Brain Res Mol Brain Res* 140(1-2): 86-90.

Cho, B. I. (1991). "Trends and patterns of methamphetamine abuse in the Republic of Korea." *NIDA Res Monogr* 115: 99-108.

Chomchai, C., N. Na Manomom, et al. (2004). "Methamphetamine abuse during pregnancy and its health impact on neonates born at Siriraj Hospital, Bangkok, Thailand." *Southeast Asian J Trop Med Public Health* 35(1): 228-31.

Chung, H., M. Park, et al. (2004). "Recent trends of drug abuse and drug-associated deaths in Korea." *Ann N Y Acad Sci* 1025: 458-64.

- Chung, H. (1998). "Drug abuse trends and epidemiological aspects of drug associated deaths in Korea." *J Toxicol Sci* 23 Suppl 2: 197-200.
- Farrell, M., J. Marsden, et al. (2002). "Methamphetamine: Drug use and psychoses becomes a major public health issue in the Asia Pacific region." *Addiction* 97(7): 771-2.
- Fukunaga, T., Y. Mizoi, et al. (1987). "Methamphetamine concentrations in blood, urine, and organs of fatal cases after abuse." *Nippon Hoigaku Zasshi* 41(4): 328-34.
- Greberman, S. B. and K. Wada (1994). "Social and legal factors related to drug abuse in the United States and Japan." *Public Health Rep* 109(6): 731-7.
- Harano, M., N. Uchimura, et al. (2004). "A polymorphism of DRD2 gene and brain atrophy in methamphetamine psychosis." *Ann N Y Acad Sci* 1025: 307-15.
- Hashimoto, T., K. Hashimoto, et al. (2005). "A functional glutathione S-transferase P1 gene polymorphism is associated with methamphetamine-induced psychosis in Japanese population." *Am J Med Genet B Neuropsychiatr Genet* 135(1): 5-9.
- Hirabayashi, N., K. Wada, et al. (2004). "Prevalence of substance abuse among patients with physical diseases seen in an emergency room in Japan." *Am J Addict* 13(4): 398-404.
- Hong, C. J., C. Y. Cheng, et al. (2003). "Association study of the dopamine and serotonin transporter genetic polymorphisms and methamphetamine abuse in Chinese males." *J Neural Transm* 110(4): 345-51.
- Horiguchi, T., S. Hori, et al. (1999). "A case of traumatic shock complicated by methamphetamine intoxication." *Intensive Care Med* 25(7): 758-60.
- Ide, S., H. Kobayashi, et al. (2006). "Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms." *Pharmacogenomics* J.
- Ide, S., H. Kobayashi, et al. (2004). "Gene polymorphisms of the mu opioid receptor in methamphetamine abusers." *Ann N Y Acad Sci* 1025: 316-24.
- Ikeda, M., N. Iwata, et al. (2005). "Positive association of AKT1 haplotype to Japanese methamphetamine use disorder." *Int J Neuropsychopharmacol*: 1-5.
- Inada, T., Y. Iijima, et al. (2004). "No association found between the type 1 sigma receptor gene polymorphisms and methamphetamine abuse in the Japanese population: a collaborative study by the Japanese Genetics Initiative for Drug Abuse." *Ann N Y Acad Sci* 1025: 27-33.
- Ishigami, A., S. Kubo, et al. (2003). "The application of immunohistochemical findings in the diagnosis in methamphetamine-related death-two forensic autopsy cases." *J Med Invest* 50(1-2): 112-6.
- Itoh, K., K. Hashimoto, et al. (2005). "Association study between brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan." *Am J Med Genet B Neuropsychiatr Genet* 132(1): 70-3.
- Iwanami, A., D. Kuwakado, et al. (1997). "Relapse of panic disorder induced by a single intravenous methamphetamine injection." *J Anxiety Disord* 11(1): 113-6.
- Iwanami, A., N. Kato, et al. (1991). "P300 in methamphetamine psychosis." *Biol Psychiatry* 30(7): 726-30.
- Iwata, N., T. Inada, et al. (2004). "No association is found between the candidate genes of t-PA/plasminogen system and Japanese methamphetamine-related disorder: A collaborative study by the Japanese Genetics Initiative for Drug Abuse." *Ann N Y Acad Sci* 1025: 34-8.
- Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.
- Kamijo, Y., K. Soma, M. Nishida, A. Namera and T. Ohwada (2002). "Acute liver failure following intravenous methamphetamine." *Vet Hum Toxicol* 44(4): 216-7.
- Katsumata, S., K. Sato, et al. (1993). "Sudden death due presumably to internal use of methamphetamine." *Forensic Sci Int* 62(3): 209-15.
- Katsuragawa, Y. (1999). "Effect of methamphetamine abuse on the bone quality of the calcaneus." *Forensic Sci Int* 101(1): 43-8.
- Kobayashi, H., S. Ide, J. Hasegawa, H. Ujike, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, M. Iyo, H. W. Shen, K. Ikeda and I. Sora (2004). "Study of association between {alpha}-synuclein gene polymorphism and methamphetamine psychosis/dependence." *Ann N Y Acad Sci* 1025: 325-334.
- Koizumi, H., K. Hashimoto, C. Kumakiri, E. Shimizu, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, I. Sora, H. Ujike, N. Takei and M. Iyo (2004). "Association between the glutathione S-transferase m1 gene deletion and female methamphetamine abusers." *Am J Med Genet* 126B(1): 43-5.
- Kojima, T., I. Une, M. Yashiki, J. Noda, K. Sakai and K. Yamamoto (1984). "A fatal methamphetamine poisoning associated with hyperpyrexia." *Forensic Sci Int* 24(1): 87-93.
- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.
- Li, T., C. K. Chen, et al. (2004). "Association analysis of the DRD4 and COMT genes in methamphetamine abuse." *Am J Med Genet* 129B(1): 120-4.

- Lin, S. K., D. Ball, et al. (2004). "Psychiatric comorbidity and gender differences of persons incarcerated for methamphetamine abuse in Taiwan." *Psychiatry Clin Neurosci* 58(2): 206-12.
- Lin, S. K., C. K. Chen, et al. (2003). "Gender-specific contribution of the GABA(A) subunit genes on 5q33 in methamphetamine use disorder." *Pharmacogenomics J* 3(6): 349-55.
- Liu, H. C., S. K. Lin, et al. (2004). "DAT polymorphism and diverse clinical manifestations in methamphetamine abusers." *Psychiatr Genet* 14(1): 33-7.
- Matoba, R., S. Onishi, et al. (1984). "[Sudden death in methamphetamine abusers: a histological study of the heart]." *Nippon Hoigaku Zasshi* 38(2): 199-205.
- Matsumoto, T., A. Kamijo, et al. (2005). "Childhood histories of attention-deficit hyperactivity disorders in Japanese methamphetamine and inhalant abusers: Preliminary report." *Psychiatry Clin Neurosci* 59(1): 102-5.
- Matsumoto, T., A. Yamaguchi, et al. (2005). "Drug preferences in illicit drug abusers with a childhood tendency of attention deficit/hyperactivity disorder: A study using the Wender Utah Rating Scale in a Japanese prison." *Psychiatry Clin Neurosci* 59(3): 311-8.
- Matsumoto, T., A. Kamijo, et al. (2002). "Methamphetamine in Japan: The consequences of methamphetamine abuse as a function of route of administration." *Addiction* 97(7): 809-17.
- McGrath, C. and B. Chan (2005). "Oral health sensations associated with illicit drug abuse." *Br Dent J* 198(3): 159-62; discussion 147; quiz 174.
- McGregor, C., M. Srisurapanont, et al. (2005). "The nature, time course and severity of methamphetamine withdrawal." *Addiction* 100(9): 1320-9.
- Mori, A., H. Suzuki, et al. (1992). "[Three cases of acute methamphetamine intoxication--Analysis of optically active methamphetamine]." *Nippon Hoigaku Zasshi* 46(4): 266-70.
- Morita, Y., H. Ujike, et al. (2005). "A nonsynonymous polymorphism in the human fatty acid amide hydrolase gene did not associate with either methamphetamine dependence or schizophrenia." *Neurosci Lett* 376(3): 182-7.
- Morita, Y., H. Ujike, et al. (2005). "The X-box binding protein 1 (XBP1) gene is not associated with methamphetamine dependence." *Neurosci Lett* 383(1-2): 194-8.
- Nagata, T., J. Oshima, et al. (2003). "Repetitive self-mutilation among Japanese eating disorder patients with drug use disorder: Comparison with patients with methamphetamine use disorder." *J Nerv Ment Dis* 191(5): 319-23.
- Nakatani, Y. and T. Hara (1998). "Disturbance of consciousness due to methamphetamine abuse. A study of 2 patients." *Psychopathology* 31(3): 131-7.
- Newton, P. N., W. Chierakul, et al. (2003). "Malaria and amphetamine 'horse tablets' in Thailand." *Trop Med Int Health* 8(1): 17-8.
- Nishida, N., N. Ikeda, et al. (2003). "Sudden unexpected death of a methamphetamine abuser with cardiopulmonary abnormalities: A case report." *Med Sci Law* 43(3): 267-71.
- Nishiyama, T., M. Ikeda, et al. (2005). "Haplotype association between GABAA receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder." *Pharmacogenomics J* 5(2): 89-95.
- Obert, J. L., E. D. London, et al. (2002). "Incorporating brain research findings into standard treatment: An example using the Matrix Model." *J Subst Abuse Treat* 23(2): 107-13.
- Ogai, Y., A. Haraguchi, et al. (2005). "[Control of craving for methamphetamine: Development of scales for dependence and search for medicines for treatment]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 25(5): 227-33.
- Okudaira, K., T. Yabana, et al. (1994). "[Clinical problems of alcoholics with a history of methamphetamine abuse]." *Arukuru Kenkyuto Yakubutsu Ison* 29(3): 185-9.
- Poshyachinda, V. (1993). "Drug injecting and HIV infection among the population of drug abusers in Asia." *Bull Narc* 45(1): 77-90.
- Puthaviriyakorn, V., N. Siriviriyasomboon, et al. (2002). "Identification of impurities and statistical classification of methamphetamine tablets (Ya-Ba) seized in Thailand." *Forensic Sci Int* 126(2): 105-13.
- Razak, M. H., J. Jittiwutikarn, et al. (2003). "HIV prevalence and risks among injection and noninjection drug users in northern Thailand: Need for comprehensive HIV prevention programs." *J Acquir Immune Defic Syndr* 33(2): 259-66.
- Sato, M. (2002). "[Basic and clinical studies on methamphetamine-related psychosis]." *Seishin Shinkeigaku Zasshi* 104(3): 179-90.
- Sato, M., Y. Numachi, et al. (1992). "Relapse of paranoid psychotic state in methamphetamine model of schizophrenia." *Schizophr Bull* 18(1): 115-22.
- Sato, M. (1992). "A lasting vulnerability to psychosis in patients with previous methamphetamine psychosis." *Ann N Y Acad Sci* 654: 160-70.
- Sato, M., C. C. Chen, et al. (1983). "Acute exacerbation of paranoid psychotic state after long-term abstinence in patients with previous methamphetamine psychosis." *Biol Psychiatry* 18(4): 429-40.
- Sattah, M. V., S. Supawitkul, et al. (2002). "Prevalence of and risk factors for methamphetamine use in northern Thai youth: results of an audio-computer-assisted self-interviewing survey with urine testing." *Addiction* 97(7): 801-8.

- Sekine, Y., Y. Ouchi, et al. (2006). "Brain serotonin transporter density and aggression in abstinent methamphetamine abusers." *Arch Gen Psychiatry* 63(1): 90-100.
- Shaw, K. P. (1999). "Human methamphetamine-related fatalities in Taiwan during 1991-1996." *J Forensic Sci* 44(1): 27-31.
- Shimazono, Y. and E. Matsushima (1995). "Behavioral and neuroimaging studies on schizophrenia in Japan." *Psychiatry Clin Neurosci* 49(1): 3-11.
- Shuaib, B. M. (1976). "Acupuncture treatment of drug dependence in Pakistan." *Am J Chin Med (Gard City N Y)* 4(4): 403-7.
- Simbulan, N. P., A. S. Aguilar, et al. (2001). "High-risk behaviors and the prevalence of sexually transmitted diseases among women prisoners at the women state penitentiary in Metro Manila." *Soc Sci Med* 52(4): 599-608.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Sribanditmongkol, P., M. Chokjamsai, et al. (2000). "Methamphetamine overdose and fatality: 2 cases report." *J Med Assoc Thai* 83(9): 1120-3.
- Srisurapanont, M., R. Ali, et al. (2003). "Psychotic symptoms in methamphetamine psychotic in-patients." *Int J Neuropsychopharmacol* 6(4): 347-52.
- Suwanwela, C. and V. Poshyachinda (1986). "Drug abuse in Asia." *Bull Narc* 38(1-2): 41-53.
- Tsai, S. J., C. Y. Cheng, et al. (2002). "No association for D2 and D4 dopamine receptor polymorphisms and methamphetamine abuse in Chinese males." *Psychiatr Genet* 12(1): 29-33.
- Ujike, H. and M. Sato (2004). "Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis." *Ann N Y Acad Sci* 1025: 279-87.
- van Griensvan, F., J. Keawkungwal, et al. (2004). "Lack of increased HIV risk behavior among injection drug users participating in the AIDS VAX B/E HIV vaccine trial in Bangkok, Thailand." *AIDS* 18(2): 295-301.
- van Griensven, F., S. Supawitkul, et al. (2001). "Rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection." *Pediatrics* 108(1): E13.
- Verachai, V., T. Phutiprawan, et al. (2005). "HIV infection among substance abusers in Thanyarak Institute On Drug Abuse, Thailand, 1987-2002." *J Med Assoc Thai* 88(1): 76-9.
- Verachai, V., T. Phutiprawan, et al. (2002). "Prevalence and genotypes of hepatitis C virus infection among drug addicts and blood donors in Thailand." *Southeast Asian J Trop Med Public Health* 33(4): 849-51.
- Verachai, V., S. Dechongkit, et al. (2001). "Drug addicts treatment for ten years in Thanyarak Hospital (1989-1998)." *J Med Assoc Thai* 84(1): 24-9.
- Vitsupakorn, K., S. Teerawatsakul, et al. (2003). "The validity of peer responses as a tool for screening at-risk students: a preliminary analysis." *Southeast Asian J Trop Med Public Health* 34(3): 682-6.
- Vongsheree, S., P. Sri-Ngam, et al. (2001). "High HIV-1 prevalence among methamphetamine users in central Thailand, 1999-2000." *J Med Assoc Thai* 84(9): 1263-7.
- Wada, K. (2004). "[HCV infection among narcotics/methamphetamine abusers]." *Nippon Rinsho* 62 Suppl 7(Pt 1): 326-9.
- Wada, K., S. B. Greberman, et al. (1999). "HIV and HCV infection among drug users in Japan." *Addiction* 94(7): 1063-9.
- Wada, K. (1994). "Cocaine abuse in Japan." *Arukuru Kenkyuto Yakubutsu Ison* 29(2): 83-91.
- Yamamoto, K., H. Watanabe, et al. (1991). "[3 fatalities after communal use of methamphetamine]." *Arch Kriminol* 188(3-4): 72-6.
- Yamamura, T., H. Hasegawa, et al. (1987). "[Alcohol intake on methamphetamine abusers]." *Nippon Hoigaku Zasshi* 41(1): 21-30.
- Yamasaki, M., H. Suwaki, et al. (1992). "Patterns of alcohol abuse from the viewpoint of multiple substance abuse." *Arukuru Kenkyuto Yakubutsu Ison* 27(5): 540-52.
- Yen, C. F. and M. Y. Chong (2006). "Comorbid psychiatric disorders, sex, and methamphetamine use in adolescents: A case-control study." *Compr Psychiatry* 47(3): 215-20.
- Yen, C. F. and Y. C. Su (2006). "The associations of early-onset methamphetamine use with psychiatric morbidity among Taiwanese adolescents." *Subst Use Misuse* 41(1): 35-44.
- Yen, C. F. and Y. P. Chang (2005). "Relapse antecedents for methamphetamine use and related factors in Taiwanese adolescents." *Psychiatry Clin Neurosci* 59(1): 77-82.
- Yen, C. F., C. H. Ko, et al. (2005). "Areca quid chewing and methamphetamine use in Taiwanese adolescents." *Public Health* 119(1): 50-4.
- Yen, C. F. and B. L. Shieh (2005). "Suicidal ideation and correlates in Taiwanese adolescent methamphetamine users." *J Nerv Ment Dis* 193(7): 444-9.
- Yen, C. F. (2004). "Relationship between methamphetamine use and risky sexual behavior in adolescents." *Kaohsiung J Med Sci* 20(4): 160-5.

- Yoon, S. J., C. U. Pae, et al. (2005). "Ghrelin precursor gene polymorphism and methamphetamine dependence in the Korean population." *Neurosci Res* 53(4): 391-5.
- Yoshizawa, H. (2002). "Hepatocellular carcinoma associated with hepatitis C virus infection in Japan: Projection to other countries in the foreseeable future." *Oncology* 62 Suppl 1: 8-17.
- Yui, K., K. Goto and S. Ikemoto (2004). "The role of noradrenergic and dopaminergic hyperactivity in the development of spontaneous recurrence of methamphetamine psychosis and susceptibility to episode recurrence." *Ann N Y Acad Sci* 1025: 296-306.
- Yui, K., S. Ikemoto, et al. (2003). "Susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *J Clin Psychopharmacol* 23(5): 525-8.
- Yui, K., S. Ikemoto, et al. (2002). "Factors for susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Ann N Y Acad Sci* 965: 292-304.
- Yui, K., S. Ikemoto, et al. (2002). "Spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory states in female subjects: Susceptibility to psychotic states and implications for relapse of schizophrenia." *Pharmacopsychiatry* 35(2): 62-71.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.
- Yui, K., K. Goto, et al. (2000). "Stress induced spontaneous recurrence of methamphetamine psychosis: The relation between stressful experiences and sensitivity to stress." *Drug Alcohol Depend* 58(1-2): 67-75.
- Yui, K., K. Goto, et al. (2000). "Increased sensitivity to stress in spontaneous recurrence of methamphetamine psychosis: noradrenergic hyperactivity with contribution from dopaminergic hyperactivity." *J Clin Psychopharmacol* 20(2): 165-74.
- Yui, K., T. Ishiguro, et al. (1999). "Spontaneous recurrence of methamphetamine psychosis: increased sensitivity to stress associated with noradrenergic hyperactivity and dopaminergic change." *Eur Arch Psychiatry Clin Neurosci* 249(2): 103-11.
- Yui, K., T. Ishiguro, et al. (1998). "Factors affecting the development of spontaneous recurrence of methamphetamine psychosis." *Acta Psychiatr Scand* 97(3): 220-7.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.
- Yui, K., K. Goto, et al. (1997). "Noradrenergic activity and spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 44(2-3): 183-7.
- Yui, K., T. Ishiguro, et al. (1997). "Precipitating factors in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 134(3): 303-8.
- Yui, K., K. Goto, et al. (1997). "Noradrenergic activity and spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 44(2-3): 183-7.
- Yukitake, A. (1983). "Amphetamine psychosis in Tokyo--Its clinical features and social problems." *Folia Psychiatr Neurol Jpn* 37(2): 115-20.
- Zhu, B. L., T. Ishikawa, et al. (2005). "Postmortem cardiac troponin T levels in the blood and pericardial fluid. Part 1. Analysis with special regard to traumatic causes of death." *Leg Med (Tokyo)*.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Asians and Pacific Islanders

See also Hawaii

- Austin, A. A. (2004). "Alcohol, tobacco, other drug use, and violent behavior among Native Hawaiians: Ethnic pride and resilience." *Subst Use Misuse* 39(5): 721-46.
- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Nemoto, T., D. Operario, et al. (2002). "Risk behaviors of Filipino methamphetamine users in San Francisco: Implications for prevention and treatment of drug use and HIV." *Public Health Rep* 117 Suppl 1: S30-8.
- Operario, D. and T. Nemoto (2005). "Sexual risk behavior and substance use among a sample of Asian Pacific Islander transgendered women." *AIDS Educ Prev* 17(5): 430-43.
- Ramamoorthy, Y., R. F. Tyndale, et al. (2001). "Cytochrome P450 2D6.1 and cytochrome P450 2D6.10 differ in catalytic activity for multiple substrates." *Pharmacogenetics* 11(6): 477-87.

Attention Deficit Hyperactivity Disorder

See also Hyperactivity

- Gordon, S. M., F. Tulak, et al. (2004). "Prevalence and characteristics of adolescents patients with co-occurring ADHD and substance dependence." *J Addict Dis* 23(4): 31-40.
- Jaffe, C., K. R. Bush, et al. (2005). "A comparison of methamphetamine-dependent inpatients childhood attention deficit hyperactivity disorder symptomatology." *J Addict Dis* 24(3): 133-52.
- Kalbag, A. S. and F. R. Levin (2005). "Adult ADHD and substance abuse: Diagnostic and treatment issues." *Subst Use Misuse* 40(13-14): 1955-81.
- Lin, S. J., S. Y. Crawford, et al. (2005). "Trend and area variation in amphetamine prescription usage among children and adolescents in Michigan." *Soc Sci Med* 60(3): 617-26.
- Matsumoto, T., A. Kamijo, et al. (2005). "Childhood histories of attention-deficit hyperactivity disorders in Japanese methamphetamine and inhalant abusers: Preliminary report." *Psychiatry Clin Neurosci* 59(1): 102-5.
- Matsumoto, T., A. Yamaguchi, et al. (2005). "Drug preferences in illicit drug abusers with a childhood tendency of attention deficit/hyperactivity disorder: A study using the Wender Utah Rating Scale in a Japanese prison." *Psychiatry Clin Neurosci* 59(3): 311-8.
- Popper, C. W. (1997). "Antidepressants in the treatment of attention-deficit/hyperactivity disorder." *J Clin Psychiatry* 58 Suppl 14: 14-29; discussion 30-1.
- Sim, T., S. L. Simon, C. P. Domier, K. Richardson, R. A. Rawson and W. Ling (2002). "Cognitive deficits among methamphetamine users with attention deficit hyperactivity disorder symptomatology." *J Addict Dis* 21(1): 75-89.

Attention Deficits

- Iwanami, A., R. Kanamori, et al. (1995). "Reduced attention-related negative potentials in methamphetamine psychosis." *J Nerv Ment Dis* 183(11): 693-7.
- Johnson, B. A., N. Ait-Daoud, et al. (2000). "Effects of isradipine, a dihydropyridine-class calcium channel antagonist, on D-methamphetamine-induced cognitive and physiological changes in humans." *Neuropsychopharmacology* 22(5): 504-12.
- Levine, A. J., D. J. Hardy, et al. (2006). "The effect of recent stimulant use on sustained attention in HIV-infected adults." *J Clin Exp Neuropsychol* 28(1): 29-42.
- McKetin, R. and N. Solowij (1999). "Event-related potential indices of auditory selective attention in dependent amphetamine users." *Biol Psychiatry* 45(11): 1488-97.
- McKetin, R. and R. P. Mattick (1998). "Attention and memory in illicit amphetamine users: Comparison with non-drug-using controls." *Drug Alcohol Depend* 50(2): 181-4.
- Nordahl, T. E., R. Salo, et al. (2003). "Neuropsychological effects of chronic methamphetamine use on neurotransmitters and cognition: A review." *J Neuropsychiatry Clin Neurosci* 15(3): 317-25.
- Salo, R., T. E. Nordahl, et al. (2005). "A dissociation in attentional control: Evidence from methamphetamine dependence." *Biol Psychiatry* 57(3): 310-3.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.

Auditory Stimuli

See Sound

Australia

- Baker, A. and S. Dawe (2005). "Amphetamine use and co-occurring psychological problems: Review of the literature and implications for treatment." *Australian Psychologist* 40(2): 88-95.
- Baker, A., N. K. Lee, et al. (2004). "Drug use patterns and mental health of regular amphetamine users during a reported 'heroin drought'." *Addiction* 99(7): 875-84.
- Bartu, A., N. C. Freeman, et al. (2004). "Mortality in a cohort of opiate and amphetamine users in Perth, Western Australia." *Addiction* 99(1): 53-60.
- Caldicott, D. G., P. E. Pigou, et al. (2005). "Clandestine drug laboratories in Australia and the potential for harm." *Aust N Z J Public Health* 29(2): 155-62.
- Darke, S., S. Kaye, et al. (1999). "Transitions between the injection of heroin and amphetamines." *Addiction* 94(12): 1795-803.

- Darke, S. and W. Hall (1995). "Levels and correlates of polydrug use among heroin users and regular amphetamine users." *Drug Alcohol Depend* 39(3): 231-5.
- Darke, S., J. Ross, et al. (1995). "Injecting and sexual risk-taking behaviour among regular amphetamine users." *AIDS Care* 7(1): 19-26.
- Darke, S., J. Cohen, et al. (1994). "Transitions between routes of administration of regular amphetamine users." *Addiction* 89(9): 1077-83.
- Darke, S., J. Ross, et al. (1994). "The use of benzodiazepines among regular amphetamine users." *Addiction* 89(12): 1683-90.
- Darke, S., W. Hall, et al. (1992). "Benzodiazepine use and HIV risk-taking behaviour among injecting drug users." *Drug Alcohol Depend* 31(1): 31-6.
- Degenhardt, L. (2005). "Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?" *Culture, Health & Sexuality* 7(6): 599-614.
- Degenhardt, L., C. Day, et al. (2005). "Effects of a sustained heroin shortage in three Australian States." *Addiction* 100(7): 908-20.
- Degenhardt, L. J., E. Conroy, et al. (2005). "The effect of a reduction in heroin supply on fatal and non-fatal drug overdoses in New South Wales, Australia." *Med J Aust* 182(1): 20-3.
- Drummer, O. H., J. Gerostamoulos, et al. (2003). "The incidence of drugs in drivers killed in Australian road traffic crashes." *Forensic Sci Int* 134(2-3): 154-62.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Hall, W., S. Darke, et al. (1993). "Patterns of drug use and risk-taking among injecting amphetamine and opioid drug users in Sydney, Australia." *Addiction* 88(4): 509-16.
- Hando, J., L. Topp, et al. (1997). "Amphetamine-related harms and treatment preferences of regular amphetamine users in Sydney, Australia." *Drug Alcohol Depend* 46(1-2): 105-13.
- Irvine, R. J., M. Keane, et al. (2006). "Plasma drug concentrations and physiological measures in 'dance party' participants." *Neuropsychopharmacology* 31(2): 424-30.
- Kaye, S. and S. Darke (2000). "A comparison of the harms associated with the injection of heroin and amphetamines." *Drug Alcohol Depend* 58(1-2): 189-95.
- Longo, M. C., S. M. Henry-Edwards, et al. (2004). "Impact of the heroin 'drought' on patterns of drug use and drug-related harms." *Drug Alcohol Rev* 23(2): 143-50.
- McKetin, R. and R. P. Mattick (1998). "Attention and memory in illicit amphetamine users: Comparison with non-drug-using controls." *Drug Alcohol Depend* 50(2): 181-4.
- Qi, Y., I. D. Evans, et al. (2006). "Australian Federal Police seizures of illicit crystalline methamphetamine ('ice') 1998-2002: Impurity analysis." *Forensic Sci Int*.
- Roxburgh, A., L. Degenhardt, et al. (2005). "Drug use and risk behaviours among injecting drug users: A comparison between sex workers and non-sex workers in Sydney, Australia." *Harm Reduct J* 2(1): 7.
- Shearer, J. and L. R. Gowing (2004). "Pharmacotherapies for problematic psychostimulant use: A review of current research." *Drug Alcohol Rev* 23(2): 203-11.
- Shearer, J., A. Wodak, et al. (2003). "Pilot randomized double blind placebo-controlled study of dexamphetamine for cocaine dependence." *Addiction* 98(8): 1137-41.
- Shearer, J., J. Sherman, et al. (2002). "Substitution therapy for amphetamine users." *Drug Alcohol Rev* 21(2): 179-85.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Silber, B. Y., K. Papafotiou, et al. (2005). "An evaluation of the sensitivity of the standardised field sobriety tests to detect the presence of amphetamine." *Psychopharmacology (Berl)*: 1-7.
- Srisurapanont, M., R. Ali, et al. (2003). "Psychotic symptoms in methamphetamine psychotic in-patients." *Int J Neuropsychopharmacol* 6(4): 347-52.
- Topp, L., C. Day, et al. (2003). "Changes in patterns of drug injection concurrent with a sustained reduction in the availability of heroin in Australia." *Drug Alcohol Depend* 70(3): 275-86.
- Topp, L., L. Degenhardt, et al. (2002). "The emergence of potent forms of methamphetamine in Sydney, Australia: A case study of the IDRS as a strategic early warning system." *Drug Alcohol Rev* 21(4): 341-348.
- Topp, L. and S. Darke (1997). "The applicability of the dependence syndrome to amphetamine." *Drug Alcohol Depend* 48(2): 113-8.
- Windahl, K. L., M. J. McTigue, et al. (1995). "Investigation of the impurities found in methamphetamine synthesised from pseudoephedrine by reduction with hydriodic acid and red phosphorus." *Forensic Sci Int* 76(2): 97-114.
- White, B., C. Day, et al. (2005). "Prevalence of injecting drug use and associated risk behavior among regular ecstasy users in Australia." *Drug Alcohol Depend*.

Worth, H. and P. Rawstorne (2005). "Crystallizing the HIV epidemic: Methamphetamine, unsafe sex, and gay diseases of the will." *Arch Sex Behav* 34(5): 483-6.

Austria

March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

Automobiles, see [Driving](#)

Baltimore

Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

Behavioral Interventions

See Treatment, Cognitive and Behavioral

Behavioral Responses (animals)

See also Learning (animals)

- Abekawa, T., T. Ohmori, et al. (1997). "Effect of no synthesis inhibition on striatal dopamine release and stereotyped behavior induced by a single administration of methamphetamine." *Prog Neuropsychopharmacol Biol Psychiatry* 21(5): 831-8.
- Abekawa, T., T. Ohmori, et al. (1995). "Effects of nitric oxide (NO) synthesis inhibition on the development of supersensitivity to stereotypy and locomotion stimulating effects of methamphetamine." *Brain Res* 679(2): 200-4.
- Abekawa, T., T. Ohmori, et al. (1994). "Effect of NO synthase inhibition on behavioral changes induced by a single administration of methamphetamine." *Brain Res* 666(1): 147-50.
- Achat-Mendes, C., S. F. Ali, et al. (2005). "Differential effects of amphetamines-induced neurotoxicity on appetitive and aversive Pavlovian conditioning in mice." *Neuropsychopharmacology* 30(6): 1128-37.
- Akita, H., M. Hashimoto, et al. (1990). "[Behavioral characteristics associated with acoustic stimulation and the neurochemical alterations of monoaminergic systems in rat brain at the steady state of repeated methamphetamine administration]." *Nippon Yakurigaku Zasshi* 95(6): 327-33.
- Akiyama, K., H. Ujike, et al. (1998). "Effect of 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(f)quinoxaline on methamphetamine- and cocaine-induced behavioral sensitization." *Pharmacol Biochem Behav* 61(4): 419-26.
- Akiyama, K., T. Ishihara, et al. (1996). "Effect of acute and chronic administration of methamphetamine on activator protein-1 binding activities in the rat brain regions." *Ann N Y Acad Sci* 801: 13-28.
- Ali, S. F., K. J. Kordsmeier, et al. (1995). "Drug-induced circling preference in rats. Correlation with monoamine levels." *Mol Neurobiol* 11(1-3): 145-54.
- Andretic, R., B. van Swinderen, et al. (2005). "Dopaminergic modulation of arousal in *Drosophila*." *Curr Biol* 15(13): 1165-75.
- Anggadiredja, K., M. Nakamichi, et al. (2004). "Endocannabinoid system modulates relapse to methamphetamine seeking: Possible mediation by the arachidonic acid cascade." *Neuropsychopharmacology* 29(8): 1470-8.
- Anggadiredja, K., K. Sakimura, et al. (2004). "Naltrexone attenuates cue- but not drug-induced methamphetamine seeking: A possible mechanism for the dissociation of primary and secondary reward." *Brain Res* 1021(2): 272-6.
- Araki, H., T. Yamamoto, et al. (2002). "Effect of methamphetamine and imipramine on cerebral ischemia-induced hyperactivity in Mongolian gerbils." *Jpn J Pharmacol* 88(3): 293-9.
- Araki, H., T. Yamamoto, et al. (2001). "Chronic methamphetamine administration inhibits cerebral ischemia-induced hyperactivity in Mongolian gerbils." *Physiol Behav* 74(1-2): 127-31.
- Araki, H., K. Kawashima, et al. (1984). "The difference in the site of actions of tricyclic antidepressants and methamphetamine on the duration of the immobility in the behavioral despair test." *Jpn J Pharmacol* 35(1): 67-72.
- Atkins, A. L., M. L. Helms, et al. (2001). "Stereotypic behaviors in mice selectively bred for high and low methamphetamine-induced stereotypic chewing." *Psychopharmacology (Berl)* 157(1): 96-104.
- Balsara, J. J., T. R. Bapat, et al. (1985). "Effect of ergometrine on methamphetamine and apomorphine stereotypy in the guinea-pig." *J Pharm Pharmacol* 37(7): 514-7.
- Balsara, J. J., N. V. Nandal, et al. (1984). "Effects of naloxone on methamphetamine and apomorphine stereotypy and on haloperidol catalepsy in rats." *Psychopharmacology (Berl)* 82(3): 237-40.

- Balsara, J. J., T. R. Bapat, et al. (1982). "Small doses of apomorphine induce catalepsy and antagonize methamphetamine stereotypy in rats." *Psychopharmacology (Berl)* 78(2): 192-4.
- Balsara, J. J., M. P. Muley, et al. (1981). "Effects of baclofen on dopamine-dependent behaviors in mice." *Psychopharmacology (Berl)* 75(4): 396-9.
- Balsara, J. J., J. H. Jadhav, et al. (1979). "Effect of drugs influencing central serotonergic mechanisms on methamphetamine-induced stereotyped behavior in the rat." *Psychopharmacology (Berl)* 64(3): 303-7.
- Belcher, A. M., J. O'Dell S, et al. (2006). "A sensitizing regimen of methamphetamine causes impairments in a novelty preference task of object recognition." *Behav Brain Res*.
- Belcher, A. M., S. J. O'Dell, et al. (2005). "Impaired object recognition memory following methamphetamine, but not p-chloroamphetamine- or d-amphetamine-induced neurotoxicity." *Neuropsychopharmacology* 30(11): 2026-34.
- Bende, M. M., T. R. Bapat, et al. (1990). "Effects of yohimbine on dopamine dependent behaviours in rats and mice." *Indian J Physiol Pharmacol* 34(3): 195-200.
- Bevins, R. A. and J. L. Peterson (2004). "Individual differences in rats' reactivity to novelty and the unconditioned and conditioned locomotor effects of methamphetamine." *Pharmacol Biochem Behav* 79(1): 65-74.
- Birman, S. (2005). "Arousal mechanisms: Speedy flies don't sleep at night." *Curr Biol* 15(13): R511-3.
- Bittner, S. E., G. C. Wagner, et al. (1981). "Effects of a high-dose treatment of methamphetamine on caudate dopamine and anorexia in rats." *Pharmacol Biochem Behav* 14(4): 481-6.
- Brady, A. M., S. D. Glick, et al. (2005). "Selective disruption of nucleus accumbens gating mechanisms in rats behaviorally sensitized to methamphetamine." *J Neurosci* 25(28): 6687-95.
- Byrnes-Blake, K. A., E. M. Laurenzana, et al. (2005). "Monoclonal IgG affinity and treatment time alters antagonism of (+)-methamphetamine effects in rats." *Eur J Pharmacol* 521(1-3): 86-94.
- Camp, D. M., K. E. Browman, et al. (1994). "The effects of methamphetamine and cocaine on motor behavior and extracellular dopamine in the ventral striatum of Lewis versus Fischer 344 rats." *Brain Res* 668(1-2): 180-93.
- Carney, J. M., R. W. Landrum, et al. (1991). "Establishment of chronic intravenous drug self-administration in the C57BL/6J mouse." *Neuroreport* 2(8): 477-80.
- Chen, P. C. and J. C. Chen (2005). "Enhanced Cdk5 activity and p35 translocation in the ventral striatum of acute and chronic methamphetamine-treated rats." *Neuropsychopharmacology* 30(3): 538-49.
- Chiu, C. T., T. Ma, et al. (2005). "Attenuation of methamphetamine-induced behavioral sensitization in mice by systemic administration of naltrexone." *Brain Res Bull* 67(1-2): 100-9.
- Clemens, K. J., J. L. Cornish, et al. (2005). "MDMA ('Ecstasy') and methamphetamine combined: Order of administration influences hyperthermic and long-term adverse effects in female rats." *Neuropharmacology* 49(2): 195-207.
- Consroe, P., B. Jones, et al. (1976). "EEG and behavioral effects of delta9-tetrahydrocannabinol in combination with stimulant drugs in rabbits." *Psychopharmacology (Berl)* 50(1): 47-52.
- Crowley, W. R., G. Ramoz, et al. (2005). "Differential effects of methamphetamine on expression of neuropeptide Y mRNA in hypothalamus and on serum leptin and ghrelin concentrations in ad libitum-fed and schedule-fed rats." *Neuroscience* 132(1): 167-73.
- Dai, H., T. Okuda, et al. (2005). "Blockage of histamine H1 receptor attenuates social isolation-induced disruption of prepulse inhibition: A study in H1 receptor gene knockout mice." *Psychopharmacology (Berl)*: 1-9.
- Daberkow, D. P., R. P. Kesner, et al. (2005). "Relation between methamphetamine-induced monoamine depletions in the striatum and sequential motor learning." *Pharmacol Biochem Behav* 81(1): 198-204.
- Davidson, C., T. H. Lee, et al. (2005). "Acute and chronic continuous methamphetamine have different long-term behavioral and neurochemical consequences." *Neurochem Int* 46(3): 189-203.
- Ellinwood, E. H., Jr. and M. M. Kilbey (1975). "Amphetamine stereotypy: the influence of environmental factors and prepotent behavioral patterns on its topography and development." *Biol Psychiatry* 10(1): 3-16.
- Eradiri, O. L. and M. S. Starr (1999). "Striatal dopamine depletion and behavioural sensitization induced by methamphetamine and 3-nitropropionic acid." *Eur J Pharmacol* 386(2-3): 217-26.
- Evans, H. L. (1971). "Behavioral effects of methamphetamine and -methyltyrosine in the rat." *J Pharmacol Exp Ther* 176(1): 244-54.
- Fang, Y. R., T. Abekawa, et al. (2005). "Effect of the protein kinase C inhibitor, staurosporine, on the high dose of methamphetamine-induced behavioral sensitization to dizocilpine (MK-801)." *Psychopharmacology (Berl)* 180(1): 100-6.
- Finnegan, K. T., L. Calder, et al. (1993). "Effects of L-type calcium channel antagonists on the serotonin-depleting actions of MDMA in rats." *Brain Res* 603(1): 134-8.
- Fog, R. (1972). "On stereotypy and catalepsy: Studies on the effect of amphetamines and neuroleptics in rats." *Acta Neurol Scand Suppl* 50: 3-66.

- Friedman, S. D., E. Castaneda, et al. (1998). "Long-term monoamine depletion, differential recovery, and subtle behavioral impairment following methamphetamine-induced neurotoxicity." *Pharmacol Biochem Behav* 61(1): 35-44.
- Fujio, M., T. Nakagawa, et al. (2005). "Facilitative effect of a glutamate transporter inhibitor (2S,3S)-3-[3-(4-(Trifluoromethyl)benzoylamino]benzyloxy]aspartate on the expression of methamphetamine-induced behavioral Sensitization in Rats." *J Pharmacol Sci*.
- Fujio, M., T. Nakagawa, et al. (2005). "Gene transfer of GLT-1, a glutamate transporter, into the nucleus accumbens shell attenuates methamphetamine- and morphine-induced conditioned place preference in rats." *Eur J Neurosci* 22(11): 2744-54.
- Fukuzako, H., I. Nagatomo, et al. (1988). "Alterations of accumbens neuronal activity in freely moving rats following methamphetamine." *Jpn J Psychiatry Neurol* 42(2): 331-5.
- Gada, V. P., V. V. Joshi, et al. (1984). "Antagonism of apomorphine-induced cage climbing behaviour and methamphetamine stereotypy by fenfluramine in mice." *Indian J Physiol Pharmacol* 28(4): 326-30.
- Gasbarri, A., A. Sulli, et al. (1997). "The dopaminergic mesencephalic projections to the hippocampal formation in the rat." *Prog Neuropsychopharmacol Biol Psychiatry* 21(1): 1-22.
- Gatch, M. B., M. Selvig, et al. (2005). "GABAergic modulation of the discriminative stimulus effects of methamphetamine." *Behav Pharmacol* 16(4): 261-6.
- Gentry, W. B., A. U. Ghafoor, et al. (2004). "(+)-Methamphetamine-induced spontaneous behavior in rats depends on route of (+)METH administration." *Pharmacol Biochem Behav* 79(4): 751-60.
- Ginawi, O. T., A. A. Al-Majed, et al. (2004). "Involvement of some 5-HT receptors in methamphetamine-induced locomotor activity in mice." *J Physiol Pharmacol* 55(2): 357-69.
- Glickstein, S. B. and C. Schmauss (2004). "Effect of methamphetamine on cognition and repetitive motor behavior of mice deficient for dopamine D2 and D3 receptors." *Ann N Y Acad Sci* 1025: 110-8.
- Glickstein, S. B. and C. Schmauss (2004). "Focused motor stereotypies do not require enhanced activation of neurons in striosomes." *J Comp Neurol* 469(2): 227-38.
- Golembiowska, K. and A. Zylewska (2000). "Effect of adenosine kinase, adenosine deaminase and transport inhibitors on striatal dopamine and stereotypy after methamphetamine administration." *Neuropharmacology* 39(11): 2124-32.
- Green, A. R. and P. H. Kelly (1976). "Evidence concerning the involvement of 5-hydroxytryptamine in the locomotor activity produced by amphetamine or tranylecypromine plus L-DOPA." *Br J Pharmacol* 57(1): 141-7.
- Hada, H. and K. Miyamoto (1990). "Enhancing effects of sound on methamphetamine-induced behavioral aberrations in the rat: a model of relapse of schizophrenia-like symptoms." *Jpn J Psychiatry Neurol* 44(3): 619-27.
- Halladay, A. K., A. Kusnecov, et al. (2003). "Relationship between methamphetamine-induced dopamine release, hyperthermia, self-injurious behaviour and long term dopamine depletion in BALB/c and C57BL/6 mice." *Pharmacol Toxicol* 93(1): 33-41.
- Hamamura, T., K. Akiyama, et al. (1991). "Co-administration of either a selective D1 or D2 dopamine antagonist with methamphetamine prevents methamphetamine-induced behavioral sensitization and neurochemical change, studied by in vivo intracerebral dialysis." *Brain Res* 546(1): 40-6.
- Harrod, S. B., L. P. Dvoskin, et al. (2001). "Lobeline attenuates d-methamphetamine self-administration in rats." *J Pharmacol Exp Ther* 298(1): 172-9.
- Hassler, R. and A. Wagner (1975). "Locomotor activity and speed of movements in relation to monoamine-acting drugs." *Int J Neurol* 10(1-4): 80-97.
- Hayase, T., Y. Yamamoto, et al. (2006). "Behavioral effects of ketamine and toxic interactions with psychostimulants." *BMC Neurosci* 7(1): 25.
- Hayase, T., Y. Yamamoto, et al. (2005). "Persistent anxiogenic effects of a single or repeated doses of cocaine and methamphetamine: Interactions with endogenous cannabinoid receptor ligands." *Behav Pharmacol* 16(5-6): 395-404.
- He, J., H. Xu, et al. (2005). "Chronic administration of quetiapine alleviates the anxiety-like behavioural changes induced by a neurotoxic regimen of dl-amphetamine in rats." *Behav Brain Res* 160(1): 178-87.
- Hirose, A., T. Kato, et al. (1990). "Pharmacological actions of SM-9018, a new neuroleptic drug with both potent 5-hydroxytryptamine2 and dopamine2 antagonistic actions." *Jpn J Pharmacol* 53(3): 321-9.
- Holman, R. B., G. R. Elliott, et al. (1975). "Neuroregulators and sleep mechanisms." *Annu Rev Med* 26: 499-520.
- Inaji, M., T. Okauchi, et al. (2005). "Correlation between quantitative imaging and behavior in unilaterally 6-OHDA-lesioned rats." *Brain Res* 1064(1-2): 136-45.
- Iorio, L. C., A. Barnett, et al. (1983). "SCH 23390, a potential benzazepine antipsychotic with unique interactions on dopaminergic systems." *J Pharmacol Exp Ther* 226(2): 462-8.
- Ishikawa, A., T. Kadota, et al. (2005). "Essential role of D1 but not D2 receptors in methamphetamine-induced impairment of long-term potentiation in hippocampal-prefrontal cortex pathway." *Eur J Neurosci* 22(7): 1713-9.

- Itzhak, Y. and S. F. Ali (2006). "Role of nitrenergic system in behavioral and neurotoxic effects of amphetamine analogs." *Pharmacol Ther* 109(1-2): 246-62.
- Itzhak, Y. and S. F. Ali (2002). "Behavioral consequences of methamphetamine-induced neurotoxicity in mice: Relevance to the psychopathology of methamphetamine addiction." *Ann N Y Acad Sci* 965: 127-35.
- Iwabuchi, K., Y. Kubota, et al. (2004). "Methamphetamine and brain histamine: A study using histamine-related gene knockout mice." *Ann N Y Acad Sci* 1025: 129-34.
- Izumi, K., M. Nomoto, et al. (1984). "Phenytoin potentiates methamphetamine-induced behavior in mice." *Pharmacol Biochem Behav* 20(5): 803-6.
- Janowsky, A., C. Mah, et al. (2001). "Mapping genes that regulate density of dopamine transporters and correlated behaviors in recombinant inbred mice." *J Pharmacol Exp Ther* 298(2): 634-43.
- Joshi, V. V., J. J. Balsara, et al. (1981). "Effect of L-histidine and chlorcyclizine on apomorphine-induced climbing behaviour and methamphetamine stereotypy in mice." *Eur J Pharmacol* 69(4): 499-502.
- Kabai, P., A. Liker, et al. (1999). "Methamphetamine-induced stereotypies in newly-hatched decerebrated domestic chicks." *Neurochem Res* 24(12): 1563-9.
- Kadota, T. and K. Kadota (2004). "Neurotoxic morphological changes induced in the medial prefrontal cortex of rats behaviorally sensitized to methamphetamine." *Arch Histol Cytol* 67(3): 241-51.
- Kamei, H., T. Nagai, et al. (2006). "Repeated methamphetamine treatment impairs recognition memory through a failure of novelty-induced ERK1/2 activation in the prefrontal cortex of mice." *Biol Psychiatry* 59(1): 75-84.
- Kamens, H. M., S. Burkhart-Kasch, et al. (2005). "Sensitivity to psychostimulants in mice bred for high and low stimulation to methamphetamine." *Genes Brain Behav* 4(2): 110-25.
- Kashiwabara, K. (1983). "[A long-term qualitative behavioral change following chronic methamphetamine administration in Japanese monkeys (*Macaca fuscata*)]." *Yakubutsu Seishin Kodo* 3(3): 137-48.
- Kawakami, Y., K. Suemaru, et al. (1996). "[Behavioral changes induced by repeated administration of mazindol, an anorexiant, in rats]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 16(4): 139-43.
- Kelly, P. H. and R. J. Miller (1975). "The interaction of neuroleptic and muscarinic agents with central dopaminergic systems." *Br J Pharmacol* 54(1): 115-21.
- Khanzode, S. D., S. M. Mahakalkar, et al. (1996). "Effect of pre-treatment of some calcium channel blockers on catalepsy and stereotypic behaviour in rats." *Indian J Physiol Pharmacol* 40(2): 159-62.
- Kifune, A. and S. Tadokoro (1991). "[Modification of stereotypy-producing and ambulation-increasing effects following repeated administration of methamphetamine in rats]." *Yakubutsu Seishin Kodo* 11(3): 207-14.
- Kim, J. S., R. Hassler, et al. (1970). "Abnormal movements and rigidity induced by harmaline in relation to striatal acetylcholine, serotonin, and dopamine." *Exp Neurol* 29(2): 189-200.
- Kita, T., Y. Matsunari, et al. (2000). "Methamphetamine-induced striatal dopamine release, behavior changes and neurotoxicity in BALB/c mice." *Int J Dev Neurosci* 18(6): 521-30.
- Kita, T., Y. Matsunari, et al. (2000). "Evaluation of the effects of alpha-phenyl-N-tert-butyl nitron pretreatment on the neurobehavioral effects of methamphetamine." *Life Sci* 67(13): 1559-71.
- Kitaichi, K., M. Fukuda, et al. (2005). "Behavioral changes following antisense oligonucleotide-induced reduction of organic cation transporter-3 in mice." *Neurosci Lett* 382(1-2): 195-200.
- Kitaichi, K., Y. Morishita, et al. (2001). "[Pharmacokinetic behavioral changes of methamphetamine in methamphetamine-sensitized animal model]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 21(5): 133-44.
- Kitamura, O., S. Wee, et al. (2006). "Escalation of methamphetamine self-administration in rats: A dose-effect function." *Psychopharmacology (Berl)* 186(1): 48-53.
- Kitanaka, N., J. Kitanaka, et al. (2005). "Repeated clorgyline treatment inhibits methamphetamine-induced behavioral sensitization in mice." *Neurochem Res* 30(4): 445-51.
- Kitanaka, N., J. Kitanaka, et al. (2005). "Inhibition of methamphetamine-induced hyperlocomotion in mice by clorgyline, a monoamine oxidase-a inhibitor, through alteration of the 5-hydroxytryptamine turnover in the striatum." *Neuroscience* 130(2): 295-308.
- Koshikawa, N., S. Aoki, et al. (1986). "Effects of sulphiride injected into the dorsal striatum and the nucleus accumbens on dopamine-mediated oral stereotypy and hyperlocomotion in rats." *J Nihon Univ Sch Dent* 28(2): 109-16.
- Kruzich, P. J. and J. Xi (2006). "Differences in extinction responding and reinstatement of methamphetamine-seeking behavior between Fischer 344 and Lewis rats." *Pharmacol Biochem Behav*.
- Kubota, Y., C. Ito, et al. (2002). "Increased methamphetamine-induced locomotor activity and behavioral sensitization in histamine-deficient mice." *J Neurochem* 83(4): 837-45.
- Kuczenski, R. and D. S. Segal (2001). "Caudate-putamen and nucleus accumbens extracellular acetylcholine responses to methamphetamine binges." *Brain Res* 923(1-2): 32-8.

- Kuczenski, R., D. S. Segal, et al. (1995). "Hippocampus norepinephrine, caudate dopamine and serotonin, and behavioral responses to the stereoisomers of amphetamine and methamphetamine." *J Neurosci* 15(2): 1308-17.
- Kuribara, H. (1998). "Importance of initial environments in the development of ambulatory sensitization to methamphetamine and cocaine in mice." *J Pharm Pharmacol* 50(3): 303-9.
- Kuribara, H. (1997). "Effects of postmethamphetamine treatment with restraint on ambulatory sensitization to methamphetamine in mice." *Brain Res Bull* 43(1): 97-100.
- Kuribara, H. (1996). "Inhibitory effect of restraint on induction of behavioral sensitization to methamphetamine and cocaine in mice." *Pharmacol Biochem Behav* 54(2): 327-31.
- Kuribara, H. (1995). "Haloperidol and restraint differently inhibit the induction of sensitization to the ambulation-increasing effect of methamphetamine in mice." *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(3): 253-63.
- Kuribara, H., T. Asami, et al. (1990). "Behavioral study on mersopropylamine (CBM36-733) by ambulatory activity in mice: repeated administration and interaction with methamphetamine." *Jpn J Pharmacol* 54(2): 163-70.
- Latties, V. G. (1975). "The role of discriminative stimuli in modulating drug action." *Fed Proc* 34(9): 1880-8.
- Li, J. X., R. Han, et al. (2005). "Different effects of valproate on methamphetamine- and cocaine-induced behavioral sensitization in mice." *Behav Brain Res* 161(1): 125-32.
- Li, M., W. D. Wessinger, et al. (2005). "Effects of amphetamine-CNS depressant combinations and of other CNS stimulants in four-choice drug discriminations." *J Exp Anal Behav* 84(1): 77-97.
- Liang, J. H., K. Wang, et al. (2006). "Potentiating effect of tramadol on methamphetamine-induced behavioral sensitization in mice." *Psychopharmacology (Berl)*: 1-10.
- Lobo, L. L., R. de Medeiros, et al. (1995). "Atropine increases pilocarpine-induced yawning behavior in paradoxical sleep deprived rats." *Pharmacol Biochem Behav* 52(3): 485-8.
- Ma, J. and L. S. Leung (2004). "Schizophrenia-like behavioral changes after partial hippocampal kindling." *Brain Res* 997(1): 111-8.
- Ma, J. and L. S. Leung (2000). "Relation between hippocampal gamma waves and behavioral disturbances induced by phencyclidine and methamphetamine." *Behav Brain Res* 111(1-2): 1-11.
- Machiyama, Y. (1992). "Chronic methamphetamine intoxication model of schizophrenia in animals." *Schizophr Bull* 18(1): 107-13.
- Madden, L. J., C. T. Flynn, et al. (2005). "Modeling human methamphetamine exposure in nonhuman primates: Chronic dosing in the rhesus macaque leads to behavioral and physiological abnormalities." *Neuropsychopharmacology* 30(2): 350-9.
- Maickel, R. P. and S. A. Johnson (1973). "Effects of various anorexigenic agents on open field behavior of rats." *Res Commun Chem Pathol Pharmacol* 6(2): 733-9.
- Martin, J. C. and E. H. Ellinwood, Jr. (1973). "Conditioned aversion to a preferred solution following methamphetamine injections." *Psychopharmacologia* 29(3): 253-61.
- Mattei, R. and E. A. Carlini (1996). "A comparative study of the anorectic and behavioral effects of fenproporex on male and female rats." *Braz J Med Biol Res* 29(8): 1025-30.
- Mickley, K. R. and D. E. Dluzen (2004). "Dose-response effects of estrogen and tamoxifen upon methamphetamine-induced behavioral responses and neurotoxicity of the nigrostriatal dopaminergic system in female mice." *Neuroendocrinology* 79(6): 305-16.
- Miczek, K. A. and J. M. O'Donnell (1978). "Intruder-evoked aggression in isolated and nonisolated mice: effects of psychomotor stimulants and L-dopa." *Psychopharmacology (Berl)* 57(1): 47-55.
- Middaugh, L. D. (1989). "Prenatal amphetamine effects on behavior: Possible mediation by brain monoamines." *Ann N Y Acad Sci* 562: 308-18.
- Milesi-Halle, A., H. P. Hendrickson, et al. (2005). "Sex- and dose-dependency in the pharmacokinetics and pharmacodynamics of (+)-methamphetamine and its metabolite (+)-amphetamine in rats." *Toxicol Appl Pharmacol* 209(3): 203-13.
- Miller, D. K., M. M. Dopheide, et al. (2005). "Dietary cadmium exposure attenuates D-amphetamine-evoked [3H]dopamine release from striatal slices and methamphetamine-induced hyperactivity." *Pharmacol Biochem Behav* 80(4): 557-66.
- Misslin, R., P. Ropartz, et al. (1984). "Impairment of responses to novelty by apomorphine and its antagonism by neuroleptics in mice." *Psychopharmacology (Berl)* 82(1-2): 113-7.
- Miyamoto, Y., K. Yamada, et al. (2004). "Behavioural adaptations to addictive drugs in mice lacking the NMDA receptor epsilon1 subunit." *Eur J Neurosci* 19(1): 151-8.
- Miyauchi, T., K. Kikuchi, et al. (1981). "Further studies on the potentiating effect of lithium chloride on methamphetamine-induced stereotypy in mice." *Jpn J Pharmacol* 31(1): 61-8.
- Mizoguchi, H., Y. Noda, et al. (2005). "[Evaluation methods for the discriminative stimulus and possible mechanisms of discriminative stimulus effects of methamphetamine in the rat]." *Nippon Yakurigaku Zasshi* 126(1): 17-23.
- Mizugaki, M. (1996). "[Alterations in brain distribution of methamphetamine in methamphetamine-sensitized animals.]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 16(5): 187-91.

- Moffett, M. C. and N. E. Goeders (2005). "Neither non-contingent electric footshock nor administered corticosterone facilitate the acquisition of methamphetamine self-administration." *Pharmacol Biochem Behav* 80(2): 333-9.
- Mori, A., K. Okuyama, et al. (2002). "Alteration of methamphetamine-induced striatal dopamine release in mint-1 knockout mice." *Neurosci Res* 43(3): 251-7.
- Mori, T., S. Ito, et al. (2006). "Effects of mu-, delta- and kappa-opioid receptor agonists on methamphetamine-induced self-injurious behavior in mice." *Eur J Pharmacol* 532(1-2): 81-87.
- Morton, A. J., M. A. Hickey, et al. (2001). "Methamphetamine toxicity in mice is potentiated by exposure to loud music." *Neuroreport* 12(15): 3277-81.
- Muley, M. P., J. J. Balsara, et al. (1979). "Effect of L-histidine pretreatment on methamphetamine induced stereotyped behaviour in rats." *Indian J Physiol Pharmacol* 23(4): 291-6.
- Nagai, T., Y. Noda, et al. (2005). "The role of tissue plasminogen activator in methamphetamine-related reward and sensitization." *J Neurochem* 92(3): 660-7.
- Nakagawa, T., M. Fujio, et al. (2005). "Effect of MS-153, a glutamate transporter activator, on the conditioned rewarding effects of morphine, methamphetamine and cocaine in mice." *Behav Brain Res* 156(2): 233-9.
- Nakagawa, N., T. Hishinuma, et al. (2003). "Brain and heart specific alteration of methamphetamine (MAP) distribution in MAP-sensitized rat." *Biol Pharm Bull* 26(4): 506-9.
- Nakajima, A., K. Yamada, et al. (2004). "Anatomical substrates for the discriminative stimulus effects of methamphetamine in rats." *J Neurochem* 91(2): 308-17.
- Nakajima, H., R. Shigehara, et al. (1981). "[Effect of alpha-methyl-para-tyrosine on "methamphetamine-induced stereotype and hypermotility" of reserpinized rats (author's transl)]." *Nippon Yakurigaku Zasshi* 78(6): 557-69.
- Nakamura, K., Y. Ozawa, et al. (1985). "[Behavioral and pharmacological studies of methamphetamine-induced stereotypy of mice by the open field method]." *Yakugaku Zasshi* 105(8): 775-83.
- Namima, M., K. Sugihara, et al. (1999). "Quantitative analysis of the effects of lithium on the reverse tolerance and the c-Fos expression induced by methamphetamine in mice." *Brain Res Brain Res Protoc* 4(1): 11-8.
- Narita, M., H. Akai, et al. (2005). "Involvement of mitogen-stimulated p70-S6 kinase in the development of sensitization to the methamphetamine-induced rewarding effect in rats." *Neuroscience* 132(3): 553-60.
- Narita, M., M. Miyatake, et al. (2005). "Long-lasting change in brain dynamics induced by methamphetamine: enhancement of protein kinase C-dependent astrocytic response and behavioral sensitization." *J Neurochem* 93(6): 1383-92.
- Nguyen, E. C., K. A. McCracken, et al. (2005). "Involvement of sigma (σ) receptors in the acute actions of methamphetamine: receptor binding and behavioral studies." *Neuropharmacology* 49(5): 638-45.
- Nishio, M., Y. Kuroki, et al. (2003). "Role of hippocampal alpha(2A)-adrenergic receptor in methamphetamine-induced hyperlocomotion in the mouse." *Neurosci Lett* 341(2): 156-60.
- Nomura, Y., S. Ashikari, et al. (1982). "[Effect of dopamine intracerebrally injected by the Valzelli method on methamphetamine-stereotypy and hypermotility]." *Yakubutsu Seishin Kodo* 2(1): 25-37.
- Numachi, Y., S. Yoshida, et al. (2000). "Two inbred strains of rats, Fischer 344 and Lewis, showed differential behavior and brain expression of corticosterone receptor mRNA induced by methamphetamine." *Ann N Y Acad Sci* 914: 33-45.
- Ogura, H., Y. Furuya, et al. (1998). "Peptide N- and P/Q-type Ca²⁺ blockers inhibit stimulant-induced hyperactivity in mice." *Peptides* 19(6): 1017-22.
- Ohmori, T., T. Abekawa, et al. (1997). "[Context-dependent sensitization: reconsideration and a hypothesis]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 17(2): 61-8.
- Ohmori, T., T. Abekawa, et al. (1996). "The role of glutamate in behavioral and neurotoxic effects of methamphetamine." *Neurochem Int* 29(3): 301-7.
- Ohmori, T., T. Abekawa, et al. (1995). "Scopolamine prevents augmentation of stereotypy induced by chronic methamphetamine treatment." *Psychopharmacology (Berl)* 121(2): 158-63.
- Okabe, C., H. Takeshima, et al. (2005). "Methamphetamine sensitization in nociceptin receptor knockout mice: Locomotor and c-fos expression." *Eur J Pharmacol* 507(1-3): 57-67.
- Okabe, C. and N. P. Murphy (2004). "Short-term effects of the nociceptin receptor antagonist Compound B on the development of methamphetamine sensitization in mice: A behavioral and c-fos expression mapping study." *Brain Res* 1017(1-2): 1-12.
- Ozawa, K., K. Hashimoto, et al. (2006). "Immune activation during pregnancy in mice leads to dopaminergic hyperfunction and cognitive impairment in the offspring: A neurodevelopmental animal model of schizophrenia." *Biol Psychiatry* 59(6): 546-54.
- Ozawa, H. and T. Miyauchi (1977). "Potentiating effect of lithium chloride on methamphetamine-induced stereotypy in mice." *Eur J Pharmacol* 41(2): 213-6.
- Parker, L. A. (1995). "Rewarding drugs produce taste avoidance, but not taste aversion." *Neurosci Biobehav Rev* 19(1): 143-57.
- Ranaldi, R. and K. Poeggel (2002). "Baclofen decreases methamphetamine self-administration in rats." *Neuroreport* 13(9): 1107-10.

- Ranaldi, R. and R. A. Wise (2000). "Intravenous self-administration of methamphetamine-heroin (speedball) combinations under a progressive-ratio schedule of reinforcement in rats." *Neuroreport* 11(12): 2621-3.
- Randrup, A., G. Sorensen, et al. (1988). "Stereotyped behaviour in animals induced by stimulant drugs or by a restricted cage environment: Relation to disintegrated behaviour, brain dopamine and psychiatric disease." *Yakubutsu Seishin Kodo* 8(2): 313-27.
- Rhodes, J. S., A. E. Ryabinin, et al. (2005). "Patterns of brain activation associated with contextual conditioning to methamphetamine in mice." *Behav Neurosci* 119(3): 759-71.
- Roth, M. E. and M. E. Carroll (2004). "Sex differences in the acquisition of IV methamphetamine self-administration and subsequent maintenance under a progressive ratio schedule in rats." *Psychopharmacology (Berl)* 172(4): 443-9.
- Saito, T. R., S. Aoki, et al. (1991). "Effects of methamphetamine on copulatory behavior in male rats." *Jikken Dobutsu* 40(4): 447-52.
- Sano, H., Y. Totsuka, et al. (1982). "[Methamphetamine-stereotypy and hypermotility] in rats chronically treated with reserpine--the effect of intracerebral injection of chlorpromazine]." *Nippon Yakurigaku Zasshi* 80(2): 113-24.
- Schuster, C. R. and M. W. Fischman (1975). "Amphetamine toxicity: Behavioral and neuropathological indexes." *Fed Proc* 34(9): 1845-51.
- Segal, D. S., R. Kuczenski, et al. (2005). "Prolonged exposure of rats to intravenous methamphetamine: Behavioral and neurochemical characterization." *Psychopharmacology (Berl)* 180(3): 501-12.
- Segal, D. S. and R. Kuczenski (1997). "Repeated binge exposures to amphetamine and methamphetamine: Behavioral and neurochemical characterization." *J Pharmacol Exp Ther* 282(2): 561-73.
- Seiden, L. S. and M. S. Kleven (1989). "Methamphetamine and related drugs: Toxicity and resulting behavioral changes in response to pharmacological probes." *NIDA Res Monogr* 94: 146-60.
- Shimazu, S., A. Minami, et al. (2005). "Antidepressant-like effects of selegiline in the forced swim test." *Eur Neuropsychopharmacol* 15(5): 563-71.
- Shin, E. J., T. Nabeshima, et al. (2005). "Ginsenosides attenuate methamphetamine-induced behavioral side effects in mice via activation of adenosine A2A receptors: possible involvements of the striatal reduction in AP-1 DNA binding activity and proenkephalin gene expression." *Behav Brain Res* 158(1): 143-57.
- Shibata, S., Y. Minamoto, et al. (1994). "Aging impairs methamphetamine-induced free-running and anticipatory locomotor activity rhythms in rats." *Neurosci Lett* 172(1-2): 107-10.
- Shintomi, K. (1975). "Effects of psychotropic drugs on methamphetamine-induced behavioral excitation in grouped mice." *Eur J Pharmacol* 31(2): 195-206.
- Shuto, T., M. Kuroiwa, et al. (2006). "Reversal of methamphetamine-induced behavioral sensitization by repeated administration of a dopamine D(1) receptor agonist." *Neuropharmacology*.
- Slamberova, R., M. Pomotlova, et al. (2006). "Postnatal development of rat pups is altered by prenatal methamphetamine exposure." *Prog Neuropsychopharmacol Biol Psychiatry* 30(1): 82-8.
- Slamberova, R., P. Charousova, et al. (2005). "Maternal behavior is impaired by methamphetamine administered during pre-mating, gestation and lactation." *Reprod Toxicol* 20(1): 103-10.
- Slamberova, R., P. Charousova, et al. (2005). "Methamphetamine administration during gestation impairs maternal behavior." *Dev Psychobiol* 46(1): 57-65.
- Slamberova, R., M. Pomotlova, et al. (2005). "Postnatal development of rat pups is altered by prenatal methamphetamine exposure." *Prog Neuropsychopharmacol Biol Psychiatry*.
- Slamberova, R., M. Pomotlova, et al. (2005). "Learning in the Place navigation task, not the New-learning task, is altered by prenatal methamphetamine exposure." *Brain Res Dev Brain Res* 157(2): 217-9.
- Sokolov, B. P. and J. L. Cadet (2005). "Methamphetamine causes alterations in the MAP kinase-related pathways in the brains of mice that display increased aggressiveness." *Neuropsychopharmacology*.
- Sokolov, B. P., C. W. Schindler, et al. (2004). "Chronic methamphetamine increases fighting in mice." *Pharmacol Biochem Behav* 77(2): 319-26.
- Tadokoro, S. and H. Kuribara (1990). "[Modification of the behavioral effects of drugs after repeated administration--Special reference to the reverse tolerance of amphetamines]." *Nippon Yakurigaku Zasshi* 95(5): 229-38.
- Takahashi, M. and S. Tokuyama (1998). "Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants." *Methods Find Exp Clin Pharmacol* 20(1): 77-84.
- Takeuchi, S., E. Jodo, et al. (1999). "Effects of repeated administration of methamphetamine on P3-like potentials in rats." *Int J Psychophysiol* 32(3): 183-92.
- Takigawa, M., H. Wang, K. Hamada, T. Shiratani and K. Takenouchi (2000). "Directed coherence of EEG on ICSS rats with methamphetamine-induced hyperactivity and stereotyped behavior." *Ann N Y Acad Sci* 914: 311-5.

- Tatsuta, T., N. Kitanaka, et al. (2005). "Effects of monoamine oxidase inhibitors on methamphetamine-induced stereotypy in mice and rats." *Neurochem Res* 30(11): 1377-85.
- Tokuyama, S. and M. Takahashi (2001). "[Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants]." *Nippon Yakurigaku Zasshi* 117(3): 195-201.
- Tsuchida, K., H. Ujike, et al. (1994). "Ontogeny of enhanced striatal dopamine release in rats with methamphetamine-induced behavioral sensitization." *Pharmacol Biochem Behav* 47(1): 161-9.
- Ungard, J. T., M. Beekman, et al. (2000). "Modification of behavioral effects of drugs in mice by neuroactive steroids." *Psychopharmacology (Berl)* 148(4): 336-43.
- Veenstra-Vanderweele, J., A. Qadir, et al. (2005). "Association between the casein kinase 1 epsilon gene region and subjective response to d-amphetamine." *Neuropsychopharmacology*.
- Vorhees, C. V., T. M. Reed, et al. (2005). "Periadolescent rats (P41-50) exhibit increased susceptibility to D-methamphetamine-induced long-term spatial and sequential learning deficits compared to juvenile (P21-30 or P31-40) or adult rats (P51-60)." *Neurotoxicol Teratol* 27(1): 117-34.
- Vorhees, C. V., S. L. Inman-Wood, et al. (2000). "Adult learning deficits after neonatal exposure to D-methamphetamine: Selective effects on spatial navigation and memory." *J Neurosci* 20(12): 4732-9.
- Wagner, G. C., N. Avena, et al. (2004). "Risperidone reduction of amphetamine-induced self-injurious behavior in mice." *Neuropharmacology* 46(5): 700-8.
- Williams, M. T., M. S. Moran, et al. (2004). "Behavioral and growth effects induced by low dose methamphetamine administration during the neonatal period in rats." *Int J Dev Neurosci* 22(5-6): 273-83.
- Williams, M. T., T. L. Blankenmeyer, et al. (2003). "Long-term effects of neonatal methamphetamine exposure in rats on spatial learning in the Barnes maze and on cliff avoidance, corticosterone release, and neurotoxicity in adulthood." *Brain Res Dev Brain Res* 147(1-2): 163-75.
- Witkin, J. M. (1993). "Blockade of the locomotor stimulant effects of cocaine and methamphetamine by glutamate antagonists." *Life Sci* 53(24): PL405-10.
- Witkin, J. M., G. A. Ricaurte, et al. (1990). "Behavioral effects of N-methylamphetamine and N,N-dimethylamphetamine in rats and squirrel monkeys." *J Pharmacol Exp Ther* 253(2): 466-74.
- Wolthuis, O. L., B. Groen, et al. (1994). "A simple automated test to measure exploratory and motor activity of marmosets." *Pharmacol Biochem Behav* 47(4): 879-81.
- Wolthuis, O. L., H. De Vroome, et al. (1975). "Automatically determined effects of lithium, scopolamine and methamphetamine on motor activity of rats." *Pharmacol Biochem Behav* 3(3): 515-8.
- Wolthuis, O. L. (1971). "Experiments with UCB 6215, a drug which enhances acquisition in rats: Its effects compared with those of metamphetamine." *Eur J Pharmacol* 16(3): 283-97.
- Yamamoto, T. and S. Ueki (1975). "Behavioral effects of 2,5-dimethoxy-4-methylamphetamine (DOM) in rats and mice." *Eur J Pharmacol* 32(02): 156-62.
- Yamamura, T., S. Hishida, et al. (1993). "Effects of daily administration of methamphetamine on multiple active/passive avoidance performance in rats." *Behav Brain Res* 53(1-2): 105-12.
- Yamamura, T., S. Hishida, et al. (1992). "Effects of methamphetamine and ethanol on learning and brain neurotransmitters in rats." *Pharmacol Biochem Behav* 42(3): 389-400.
- Yamanaka, Y., R. Takano, et al. (1986). "Methamphetamine-induced behavioral alterations following repeated administration of methamphetamine." *Jpn J Pharmacol* 41(2): 147-54.
- Yamanaka, Y., T. Yamamoto, et al. (1983). "Methamphetamine-induced behavioral effects and releases of brain catecholamines and brain concentrations of methamphetamine in mice." *Jpn J Pharmacol* 33(1): 33-40.
- Yamauchi, J., S. Marukawa, et al. (2000). "[Simultaneous administration of ethanol emphasizes the effect of methamphetamine on central nervous system in rat with high alcohol preference]." *Nihon Arukoru Yakubutsu Igakkai Zasshi* 35(1): 28-47.
- Yamamoto, J. (1998). "Relationship between hippocampal theta-wave frequency and emotional behaviors in rabbits produced with stresses or psychotropic drugs." *Jpn J Pharmacol* 76(1): 125-7.
- Yamazaki, Y., N. Shinohara, et al. (2004). "Visual discrimination of normal and drug induced behavior in quails (*Coturnix coturnix japonica*)." *Anim Cogn* 7(2): 128-32.
- Yan, Y., A. Nitta, et al. (2006). "Relapse of methamphetamine-seeking behavior in C57BL/6J mice demonstrated by a reinstatement procedure involving intravenous self-administration." *Behav Brain Res*.
- Yan, Y., T. Mizuno, et al. (2004). "Nefiracetam attenuates methamphetamine-induced discriminative stimulus effects in rats." *Ann N Y Acad Sci* 1025: 274-8.
- Yanaura, S., Y. Abe, et al. (1976). "[Conditioning of emotional behavior originating at the hypothalamus. (2) Effects of drugs on conflict-induced behavior models]." *Nippon Yakurigaku Zasshi* 72(3): 351-61.

- Yanaura, S., Y. Abe, et al. (1976). "[Conditioning of emotional behavior caused by hypothalamic stimulation (4). Effects of drugs on conditioned avoidance and escape behavior]." *Nippon Yakurigaku Zasshi* 72(6): 701-8.
- Yang, J. (2004). "[The study developments about changes of methamphetamine-induced genes' transcriptions and translations]." *Fa Yi Xue Za Zhi* 20(3): 185-8.
- Yasar, S., J. Gaal, et al. (2006). "A comparison of drug-seeking behavior maintained by D-amphetamine, L-deprenyl (selegiline), and D-deprenyl under a second-order schedule in squirrel monkeys." *Psychopharmacology (Berl)* 183(4): 413-21.
- Yasar, S., J. Gaal, et al. (2005). "Discriminative stimulus and reinforcing effects of p-fluoro-L-deprenyl in monkeys." *Psychopharmacology (Berl)* 182(1): 95-103.
- Yoshida, K., A. Morimoto, et al. (1993). "Cardiovascular, thermal and behavioral sensitization to methamphetamine in freely moving rats." *J Pharmacol Exp Ther* 267(3): 1538-43.
- Yui, K. and S. Ikemoto (2004). "[Stress sensitization induced by stressor and methamphetamine]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 24(3): 151-7.
- Yui, K., T. Miura, et al. (1996). "Effects of repeated treatment with methamphetamine plus scopolamine and methamphetamine on behavioral sensitization and conditioning." *Behav Brain Res* 80(1-2): 169-75.
- Yui, K. and T. Miura (1996). "Behavioral responses induced by repeated treatment with methamphetamine alone and in combination with scopolamine in rats." *Neuropsychobiology* 33(1): 21-7.
- Yui, K., T. Miura, et al. (1995). "Methamphetamine plus scopolamine potentiates behavioral sensitization and conditioning." *Eur J Pharmacol* 279(2-3): 135-42.
- Yui, K., T. Miura, et al. (1995). "Comparison of behavioural effects of repeated treatment with methamphetamine plus scopolamine and methamphetamine alone on behavioural sensitization and conditioned response." *J Pharm Pharmacol* 47(10): 852-6.
- Yui, K., T. Miura, et al. (1994). "Stereotyped behavioral responses to an auditory stimulus in the course of repeated treatment with methamphetamine plus scopolamine and methamphetamine in rats." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(3): 169-78.
- Yui, K. and T. Miura (1991). "[Cholinergic modulation on stereotyped behavior and behavioral hypersensitivity (reverse tolerance) in rats]." *Yakubutsu Seishin Kodo* 11(2): 141-56.
- Zeng, N., A. Nakajima, J. He, A. Nitta, K. Yamada and T. Nabeshima (2004). "Fos expression associated with the discriminative stimulus effects of methamphetamine in rats." *Ann N Y Acad Sci* 1025: 236-41.
- Zhang, Y., T. M. Loonam, et al. (2001). "Comparison of cocaine- and methamphetamine-evoked dopamine and glutamate overflow in somatodendritic and terminal field regions of the rat brain during acute, chronic, and early withdrawal conditions." *Ann N Y Acad Sci* 937: 93-120.
- Zhao, R. J., R. S. Woo, et al. (2003). "Orphanin FQ/nociceptin blocks methamphetamine place preference in rats." *Neuroreport* 14(18): 2383-5.

Belgium

- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

Benzodiazepines

- Darke, S., J. Ross, et al. (1994). "The use of benzodiazepines among regular amphetamine users." *Addiction* 89(12): 1683-90.
- Darke, S., W. Hall, et al. (1992). "Benzodiazepine use and HIV risk-taking behaviour among injecting drug users." *Drug Alcohol Depend* 31(1): 31-6.

Berkeley

- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Zweben, J. E., J. B. Cohen, et al. (2000). "Conducting trials in community settings: The provider perspective." *J Psychoactive Drugs* 32(2): 193-9.

Binge Use

- Halkitis, P. N. and M. T. Shrem (2006). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav* 31(3): 549-52.
- Semple, S. J., J. Zians, et al. (2005). "Impulsivity and methamphetamine use." *J Subst Abuse Treat* 29(2): 85-93.
- Semple, S. J., T. L. Patterson, et al. (2003). "Binge use of methamphetamine among HIV-positive men who have sex with men: Pilot data and HIV prevention implications." *AIDS Educ Prev* 15(2): 133-47.

Binge Use (animals)

- Cho, A. K., W. P. Melega, et al. (2001). "Relevance of pharmacokinetic parameters in animal models of methamphetamine abuse." *Synapse* 39(2): 161-6.
- Kuczenski, R. and D. S. Segal (2001). "Caudate-putamen and nucleus accumbens extracellular acetylcholine responses to methamphetamine binges." *Brain Res* 923(1-2): 32-8.
- Moszczynska, A., S. Turenne, et al. (1998). "Rat striatal levels of the antioxidant glutathione are decreased following binge administration of methamphetamine." *Neurosci Lett* 255(1): 49-52.
- Segal, D. S., R. Kuczenski, et al. (2005). "Prolonged exposure of rats to intravenous methamphetamine: Behavioral and neurochemical characterization." *Psychopharmacology (Berl)* 180(3): 501-12.
- Segal, D. S., R. Kuczenski, et al. (2003). "Escalating dose methamphetamine pretreatment alters the behavioral and neurochemical profiles associated with exposure to a high-dose methamphetamine binge." *Neuropsychopharmacology* 28(10): 1730-40.
- Segal, D. S. and R. Kuczenski (1999). "Escalating dose-binge stimulant exposure: Relationship between emergent behavioral profile and differential caudate-putamen and nucleus accumbens dopamine responses." *Psychopharmacology (Berl)* 142(2): 182-92.
- Segal, D. S. and R. Kuczenski (1997). "Repeated binge exposures to amphetamine and methamphetamine: Behavioral and neurochemical characterization." *J Pharmacol Exp Ther* 282(2): 561-73.
- Semba, J., N. Tanaka, et al. (2001). "Neonatal phencyclidine treatment selectively attenuates mesolimbic dopamine function in adult rats as revealed by methamphetamine-induced behavior and c-fos mRNA expression in the brain." *Synapse* 40(1): 11-8.
- Semba, J., H. Watanabe, et al. (2000). "Neonatal treatment with L-name (NG-nitro-L-arginine methyl ester) attenuates stereotyped behavior induced by acute methamphetamine but not development of behavioral sensitization to methamphetamine." *Prog Neuropsychopharmacol Biol Psychiatry* 24(6): 1017-23.
- Shimosato, K. and S. Watanabe (1989). "Modification of behavioral responses to methamphetamine evoked by the stimulant's metabolite p-hydroxynorephedrine in rats." *Pharmacol Biochem Behav* 33(2): 423-9.
- Slamberova, R., P. Charousova, et al. (2005). "Methamphetamine administration during gestation impairs maternal behavior." *Dev Psychobiol* 46(1): 57-65.
- Subarnas, A., T. Tadano, et al. (1993). "Pharmacological properties of beta-amyryn palmitate, a novel centrally acting compound, isolated from *Lobelia inflata* leaves." *J Pharm Pharmacol* 45(6): 545-50.
- Sumiyoshi, T., M. Tsunoda, et al. (2004). "Enhanced locomotor activity in rats with excitotoxic lesions of the entorhinal cortex, a neurodevelopmental animal model of schizophrenia: Behavioral and in vivo microdialysis studies." *Neurosci Lett* 364(2): 124-9.
- Suzuki, H., T. Shishido, et al. (1997). "Changes of behavior and monoamine metabolites in the rat brain after repeated methamphetamine administration: Effects of duration of repeated administration." *Prog Neuropsychopharmacol Biol Psychiatry* 21(2): 359-69.
- Suzuki, T., H. J. Fan Chiang, et al. (1987). "Effects of quinidine and cimetidine on methamphetamine stereotypy in rats." *J Pharmacobiodyn* 10(3): 152-5.
- Suzuki, T., H. J. Chiang, et al. (1986). "Studies on the mechanism of interaction between methamphetamine and quinine in rats." *J Pharmacobiodyn* 9(3): 234-8.
- Szumliński, K. K., M. Y. Balogun, et al. (2000). "Interactions between iboga agents and methamphetamine sensitization: studies of locomotion and stereotypy in rats." *Psychopharmacology (Berl)* 151(2-3): 234-41.
- Tadokoro, S. and H. Kuribara (1990). "[Modification of the behavioral effects of drugs after repeated administration--special reference to the reverse tolerance of amphetamines]." *Nippon Yakurigaku Zasshi* 95(5): 229-38.
- Takahashi, S., T. Miwa, et al. (2000). "Involvement of sigma 1 receptors in methamphetamine-induced behavioral sensitization in rats." *Neurosci Lett* 289(1): 21-4.
- Takigawa, M., H. Wang, et al. (2000). "Directed coherence of EEG on ICSS rats with methamphetamine-induced hyperactivity and stereotyped behavior." *Ann N Y Acad Sci* 914: 311-5.
- Takigawa, M., H. Maeda, et al. (1993). "A dual approach to self-stimulation and locomotor trace affected by chronic methamphetamine treatment for an animal model of schizophrenia." *Can J Physiol Pharmacol* 71(5-6): 321-5.
- Ujike, H., A. Kanzaki, et al. (1992). "Sigma (sigma) antagonist BMY 14802 prevents methamphetamine-induced sensitization." *Life Sci* 50(16): PL129-34.
- Ujike, H., H. Tsuchida, et al. (1992). "Competitive and non-competitive N-methyl-D-aspartate antagonists fail to prevent the induction of methamphetamine-induced sensitization." *Life Sci* 50(22): 1673-81.
- Ujike, H., K. Akiyama, et al. (1990). "D-2 but not D-1 dopamine agonists produce augmented behavioral response in rats after subchronic treatment with methamphetamine or cocaine." *Psychopharmacology (Berl)* 102(4): 459-64.
- Ujike, H., T. Onoue, et al. (1989). "Effects of selective D-1 and D-2 dopamine antagonists on development of methamphetamine-induced behavioral sensitization." *Psychopharmacology (Berl)* 98(1): 89-92.

- Varner, K. J., B. A. Ogden, et al. (2002). "Cardiovascular responses elicited by the "binge" administration of methamphetamine." *J Pharmacol Exp Ther* 301(1): 152-9.
- Wagner, G. C., N. Avena, et al. (2004). "Risperidone reduction of amphetamine-induced self-injurious behavior in mice." *Neuropharmacology* 46(5): 700-8.
- Wakamatsu, Y., M. Iwasaki, et al. (1974). "Proceedings: Influence of L-DOPA on brain noradrenaline contents and stereotypy in methamphetaminized rats." *Jpn J Pharmacol* 24(0): s:61.
- Wallace, T. L., G. A. Gudelsky, et al. (2001). "Neurotoxic regimen of methamphetamine produces evidence of behavioral sensitization in the rat." *Synapse* 39(1): 1-7.
- Wallace, T. L., G. A. Gudelsky, et al. (1999). "Methamphetamine-induced neurotoxicity alters locomotor activity, stereotypic behavior, and stimulated dopamine release in the rat." *J Neurosci* 19(20): 9141-8.
- Weihmuller, F. B., S. J. O'Dell, et al. (1991). "MK-801 attenuates the dopamine-releasing but not the behavioral effects of methamphetamine: an in vivo microdialysis study." *Brain Res* 549(2): 230-5.
- Witkin, J. M., N. Savtchenko, et al. (1999). "Behavioral, toxic, and neurochemical effects of sydnocarb, a novel psychomotor stimulant: comparisons with methamphetamine." *J Pharmacol Exp Ther* 288(3): 1298-310.
- Yamauchi, J., S. Marukawa, et al. (2000). "[Simultaneous administration of ethanol emphasizes the effect of methamphetamine on central nervous system in rat with high alcohol preference]." *Nihon Arukoru Yakubutsu Igakkai Zasshi* 35(1): 28-47.
- Yoshida, S., Y. Numachi, et al. (2000). "The absence of impairment of cliff avoidance reaction induced by subchronic methamphetamine treatment in inbred strains of mice." *Tohoku J Exp Med* 190(3): 205-12.
- Yoshida, S., Y. Numachi, et al. (1998). "Impairment of cliff avoidance reaction induced by subchronic methamphetamine administration and restraint stress: Comparison between two inbred strains of rats." *Prog Neuropsychopharmacol Biol Psychiatry* 22(6): 1023-32.
- Yoshida, S., Y. Numachi, et al. (1995). "[Reverse-tolerance phenomenon in methamphetamine-induced behavioral stereotypy and impairment of cliff avoidance reaction after subchronic methamphetamine administration in rats]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(5): 397-403.
- Yui, K., T. Miura, et al. (1994). "Stereotyped behavioral responses to an auditory stimulus in the course of repeated treatment with methamphetamine plus scopolamine and methamphetamine in rats." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(3): 169-78.
- Zhu, J. P., W. Xu, et al. (2006). "Methamphetamine-induced striatal apoptosis in the mouse brain: Comparison of a binge to an acute bolus drug administration." *Neurotoxicology* 27(1): 131-6.

Bipolar Disorder

- Camacho, A. and H. S. Akiskal (2005). "Proposal for a bipolar-stimulant spectrum: Temperament, diagnostic validation and therapeutic outcomes with mood stabilizers." *J Affect Disord* 85(1-2): 217-30.
- Won, M., Y. Minabe, et al. (2003). "Manic-switch induced by fluvoxamine in abstinent pure methamphetamine abusers." *J Psychiatry Neurosci* 28(2): 134-5.

Bisexual Men

See [Gay Men/Men who Have Sex with Men](#)

Blood Pressure

See [Hypertension](#)

Bone Density

- Katsuragawa, Y. (1999). "Effect of methamphetamine abuse on the bone quality of the calcaneus." *Forensic Sci Int* 101(1): 43-8.

Boston

- Seage, G. R., 3rd, K. H. Mayer, et al. (1998). "The social context of drinking, drug use, and unsafe sex in the Boston Young Men Study." *J Acquir Immune Defic Syndr Hum Retrovirol* 17(4): 368-75.

Brain, Ascorbic Acid Release in

- Gu, P. F., J. Y. Yang, et al. (2005). "Frontal decortication eliminates drug-induced ascorbic acid release in the striatum but not the nucleus accumbens of freely moving rats." *Brain Res* 1033(2): 194-201.

Brain, Blood Flow in

Hwang, J., I. K. Lyoo, et al. (2006). "Decreased cerebral blood flow of the right anterior cingulate cortex in long-term and short-term abstinent methamphetamine users." *Drug Alcohol Depend* 82(2): 177-81.

Brain, Electrical Activity in

- Iwanami, A., N. Kuroki, et al. (1998). "P3a of event-related potential in chronic methamphetamine dependence." *J Nerv Ment Dis* 186(12): 746-51.
- Iwanami, A., I. Suga, et al. (1994). "P300 component of event-related potentials in methamphetamine psychosis and schizophrenia." *Prog Neuropsychopharmacol Biol Psychiatry* 18(3): 465-75.
- Iwanami, A., I. Suga, et al. (1993). "Event-related potentials in methamphetamine psychosis during an auditory discrimination task. A preliminary report." *Eur Arch Psychiatry Clin Neurosci* 242(4): 203-8.
- Iwanami, A., N. Kato, et al. (1991). "P300 in methamphetamine psychosis." *Biol Psychiatry* 30(7): 726-30.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Newton, T. F., A. D. Kalechstein, et al. (2004). "Association between quantitative EEG and neurocognition in methamphetamine-dependent volunteers." *Clin Neurophysiol* 115(1): 194-8.
- Newton, T. F., I. A. Cook, et al. (2003). "Quantitative EEG abnormalities in recently abstinent methamphetamine dependent individuals." *Clin Neurophysiol* 114(3): 410-5.

Brain, Electrical Activity in (animals)

- Consroe, P., B. Jones, et al. (1976). "EEG and behavioral effects of delta9-tetrahydrocannabinol in combination with stimulant drugs in rabbits." *Psychopharmacology (Berl)* 50(1): 47-52.
- Edgar, D. M. and W. F. Seidel (1997). "Modafinil induces wakefulness without intensifying motor activity or subsequent rebound hypersomnolence in the rat." *J Pharmacol Exp Ther* 283(2): 757-69.
- Jodo, E., Y. Suzuki, et al. (2003). "Different effects of phencyclidine and methamphetamine on firing activity of medial prefrontal cortex neurons in freely moving rats." *Brain Res* 962(1-2): 226-31.
- Kopell, B. S., W. K. Wittner, et al. (1974). "The effects of methamphetamine and secobarbital on the contingent negative variation amplitude." *Psychopharmacologia* 34(1): 55-62.
- Ma, J. and L. S. Leung (2000). "Relation between hippocampal gamma waves and behavioral disturbances induced by phencyclidine and methamphetamine." *Behav Brain Res* 111(1-2): 1-11.
- Nakagawa, T., K. Ukai, et al. (2000). "Effect of dopaminergic drugs on the reserpine-induced lowering of hippocampal theta wave frequency in rats." *Nihon Shinkei Seishin Yakurigaku Zasshi* 20(2): 71-6.
- Takigawa, M., H. Wang, K. Hamada, T. Shiratani and K. Takenouchi (2000). "Directed coherence of EEG on ICSS rats with methamphetamine-induced hyperactivity and stereotyped behavior." *Ann N Y Acad Sci* 914: 311-5.
- Wang, H. D., M. Takigawa, et al. (2002). "A shift in information flow between prefrontal cortex and the ventral tegmental area in methamphetamine-sensitized rats." *Int J Psychophysiol* 44(3): 251-9.
- Yamamoto, J. (1998). "Relationship between hippocampal theta-wave frequency and emotional behaviors in rabbits produced with stresses or psychotropic drugs." *Jpn J Pharmacol* 76(1): 125-7.
- Yamamoto, J. (1997). "Cortical and hippocampal EEG power spectra in animal models of schizophrenia produced with methamphetamine, cocaine, and phencyclidine." *Psychopharmacology (Berl)* 131(4): 379-87.

Brain, Glucose Metabolism in

- Goldstein, R. Z., N. D. Volkow, et al. (2002). "The orbitofrontal cortex in methamphetamine addiction: Involvement in fear." *Neuroreport* 13(17): 2253-7.
- Gouzoulis-Mayfrank, E., M. Schreckenberger, et al. (1999). "Neurometabolic effects of psilocybin, 3,4-methylenedioxylethylamphetamine (MDE) and d-methamphetamine in healthy volunteers. A double-blind, placebo-controlled PET study with [¹⁸F]FDG." *Neuropsychopharmacology* 20(6): 565-81.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Frontal glucose hypometabolism in abstinent methamphetamine users." *Neuropsychopharmacology* 30(7): 1383-91.
- London, E. D., S. M. Berman, et al. (2005). "Cerebral metabolic dysfunction and impaired vigilance in recently abstinent methamphetamine abusers." *Biol Psychiatry* 58(10): 770-8.
- London, E. D., S. L. Simon, et al. (2004). "Mood disturbances and regional cerebral metabolic abnormalities in recently abstinent methamphetamine abusers." *Arch Gen Psychiatry* 61(1): 73-84.

- Volkow, N. D., L. Chang, et al. (2001). "Low level of brain dopamine D2 receptors in methamphetamine abusers: Association with metabolism in the orbitofrontal cortex." *Am J Psychiatry* 158(12): 2015-21.
- Volkow, N. D., L. Chang, et al. (2001). "Higher cortical and lower subcortical metabolism in detoxified methamphetamine abusers." *Am J Psychiatry* 158(3): 383-9.
- Voytek, B., S. M. Berman, et al. (2005). "Differences in regional brain metabolism associated with marijuana abuse in methamphetamine abusers." *Synapse* 57(2): 113-5.
- Wang, G. J., N. D. Volkow, et al. (2004). "Partial recovery of brain metabolism in methamphetamine abusers after protracted abstinence." *Am J Psychiatry* 161(2): 242-8.

Brain, Glucose Metabolism in (animals)

- Huang, Y. H., S. J. Tsai, et al. (1999). "Effects of repeated high-dose methamphetamine on local cerebral glucose utilization in rats." *Neuropsychopharmacology* 21(3): 427-34.
- Manning, D. H., R. H. Strang, et al. (1974). "Changes in cerebral carbohydrate metabolism in the rat after acute and chronic treatment with, and withdrawal of, methamphetamine." *Biochem Pharmacol* 23(7): 1205-9.
- Pontieri, F. E., A. M. Crane, et al. (1990). "Metabolic mapping of the effects of intravenous methamphetamine administration in freely moving rats." *Psychopharmacology (Berl)* 102(2): 175-82.
- Wakayama, A., K. Kataoka, et al. (1993). "Evaluation of masked neurological disorders in the chronic stage after middle cerebral artery occlusion in rats--methamphetamine-induced rotation and regional glucose metabolism in basal ganglia." *Neurol Med Chir (Tokyo)* 33(12): 801-8.

Brain, Hepatitis C and

- Taylor, M. J., S. L. Letendre, et al. (2004). "Hepatitis C virus infection is associated with reduced white matter N-acetylaspartate in abstinent methamphetamine users." *J Int Neuropsychol Soc* 10(1): 110-3.
- van Gorp, W. G. and C. H. Hinkin (2005). "Triple trouble: Cognitive deficits from hepatitis C, HIV, and methamphetamine." *Neurology* 64(8): 1328-9.

Brain, HIV and

- Carey, C. L., S. P. Woods, et al. (2006). "Additive deleterious effects of methamphetamine dependence and immunosuppression on neuropsychological functioning in HIV infection." *AIDS Behav* 10(2): 185-90.
- Everall, I., S. Salaria, et al. (2005). "Methamphetamine stimulates interferon inducible genes in HIV infected brain." *J Neuroimmunol* 170(1-2): 158-71.
- Flora, G., Y. W. Lee, A. Nath, B. Hennig, W. Maragos and M. Toborek (2003). "Methamphetamine potentiates HIV-1 tat protein-mediated activation of redox-sensitive pathways in discrete regions of the brain." *Exp Neurol* 179(1): 60-70.
- Jones, K. (2005). "Methamphetamine, the brain, HIV, and mental health." *Focus* 20(6): 1-5.
- Langford, D., A. Adame, et al. (2003). "Patterns of selective neuronal damage in methamphetamine-user AIDS patients." *J Acquir Immune Defic Syndr* 34(5): 467-74.
- Nath, A., W. F. Maragos, et al. (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.
- Nath, A., C. Anderson, et al. (2000). "Neurotoxicity and dysfunction of dopaminergic systems associated with AIDS dementia." *J Psychopharmacol* 14(3): 222-7.
- Theodore, S., W. A. Cass, et al. (2006). "Involvement of cytokines in human immunodeficiency virus-1 protein Tat and methamphetamine interactions in the striatum." *Exp Neurol*.
- van Gorp, W. G. and C. H. Hinkin (2005). "Triple trouble: Cognitive deficits from hepatitis C, HIV, and methamphetamine." *Neurology* 64(8): 1328-9.

Brain, Lipids in

- Hayashi, T. and T. P. Su (2005). "The potential role of sigma-1 receptors in lipid transport and lipid raft reconstitution in the brain: Implication for drug abuse." *Life Sci* 77(14): 1612-24.
- Ross, B. M., A. Moszczynska, et al. (2002). "Decreased activity of brain phospholipid metabolic enzymes in human users of cocaine and methamphetamine." *Drug Alcohol Depend* 67(1): 73-9.

Brain, Lipids in (animals)

- Acikgoz, O., S. Gonenc, et al. (2000). "The effects of single dose of methamphetamine on lipid peroxidation levels in the rat striatum and prefrontal cortex." *Eur Neuropsychopharmacol* 10(5): 415-8.
- Acikgoz, O., S. Gonenc, et al. (1998). "Methamphetamine causes lipid peroxidation and an increase in superoxide dismutase activity in the rat striatum." *Brain Res* 813(1): 200-2.
- Gluck, M. R., L. Y. Moy, et al. (2001). "Parallel increases in lipid and protein oxidative markers in several mouse brain regions after methamphetamine treatment." *J Neurochem* 79(1): 152-60.

Brain, Neuroadaptations in

See Neurological Development and Adaptations; Neurological Development and Adaptations (animals)

Brain, Neurotoxicity in

See Neurotoxicity; Neurotoxicity (animals)

Brain Hemorrhages and Strokes

- Berankova, K., V. Habrdova, et al. (2005). "Methamphetamine in hair and interpretation of forensic findings in a fatal case." *Forensic Sci Int* 153(1): 93-7.
- Davis, G. G. and C. I. Swalwell (1996). "The incidence of acute cocaine or methamphetamine intoxication in deaths due to ruptured cerebral (berry) aneurysms." *J Forensic Sci* 41(4): 626-8.
- Davis, G. G. and C. I. Swalwell (1994). "Acute aortic dissections and ruptured berry aneurysms associated with methamphetamine abuse." *J Forensic Sci* 39(6): 1481-5.
- Ellis, K. L. and J. Speed (1998). "Pharmacologic management of movement disorder after midbrain haemorrhage." *Brain Inj* 12(7): 623-8.
- Johnson, B. A., L. T. Wells, et al. (2005). "Isradipine decreases the hemodynamic response of cocaine and methamphetamine results from two human laboratory studies: Results from two human laboratory studies." *Am J Hypertens* 18(6): 813-22.
- Karch, S. B., B. G. Stephens, et al. (1999). "Methamphetamine-related deaths in San Francisco: Demographic, pathologic, and toxicologic profiles." *J Forensic Sci* 44(2): 359-68.
- McGee, S. M., D. N. McGee, et al. (2004). "Spontaneous intracerebral hemorrhage related to methamphetamine abuse: Autopsy findings and clinical correlation." *Am J Forensic Med Pathol* 25(4): 334-7.
- Ogasawara, K., A. Ogawa, et al. (1986). "[Intracerebral hemorrhage and characteristic angiographic changes associated with methamphetamine--a case report]." *No To Shinkei* 38(10): 967-71.
- Ohta, K., M. Mori, et al. (2005). "Delayed ischemic stroke associated with methamphetamine use." *J Emerg Med* 28(2): 165-7.
- Perez, J. A., Jr., E. L. Arsura, et al. (1999). "Methamphetamine-related stroke: Four cases." *J Emerg Med* 17(3): 469-71.
- Yarnell, P. R. (1977). "'Speed': headache and hematoma." *Headache* 17(2): 69-70.
- Yu, Y. J., D. R. Cooper, et al. (1983). "Cerebral angiitis and intracerebral hemorrhage associated with methamphetamine abuse. Case report." *J Neurosurg* 58(1): 109-11.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Brain Hemorrhages and Strokes (animals)

- Rumbaugh, C. L., R. T. Bergeron, et al. (1971). "Cerebral vascular changes secondary to amphetamine abuse in the experimental animal." *Radiology* 101(2): 345-51.
- Wang, A. M., J. N. Suojanen, et al. (1990). "Cocaine- and methamphetamine-induced acute cerebral vasospasm: an Angiographic study in rabbits." *AJNR Am J Neuroradiol* 11(6): 1141-6.

Brain Imaging

- Bae, S. C., I. K. Lyoo, et al. (2006). "Increased white matter hyperintensities in male methamphetamine abusers." *Drug Alcohol Depend* 81(1): 83-8.
- Bagorda, F., G. Teuchert-Noodt, et al. (2006). "Isolation rearing or methamphetamine traumatization induce a "dysconnection" of prefrontal efferents in gerbils: Implications for schizophrenia." *J Neural Transm* 113(3): 365-79.

- Chang, L. and W. Haning (2006). "Insights from recent positron emission tomographic studies of drug abuse and dependence." *Curr Opin Psychiatry* 19(3): 246-252.
- Chang, L., T. Ernst, et al. (2005). "Additive effects of HIV and chronic methamphetamine use on brain metabolite abnormalities." *Am J Psychiatry* 162(2): 361-9.
- Chang, L., C. Cloak, et al. (2005). "Enlarged striatum in abstinent methamphetamine abusers: A possible compensatory response." *Biol Psychiatry* 57(9): 967-74.
- Chang, L., L. M. Smith, et al. (2004). "Smaller subcortical volumes and cognitive deficits in children with prenatal methamphetamine exposure." *Psychiatry Res* 132(2): 95-106.
- Chang, L., T. Ernst, et al. (2002). "Perfusion MRI and computerized cognitive test abnormalities in abstinent methamphetamine users." *Psychiatry Res* 114(2): 65-79.
- Doudet, D. J. and J. E. Holden (2003). "Sequential versus nonsequential measurement of density and affinity of dopamine d2 receptors with [^{11c}]raclopride: Effect of methamphetamine." *J Cereb Blood Flow Metab* 23(12): 1489-94.
- Goldstein, R. Z., N. D. Volkow, et al. (2002). "The orbitofrontal cortex in methamphetamine addiction: Involvement in fear." *Neuroreport* 13(17): 2253-7.
- Gouzoulis-Mayfrank, E., M. Schreckenberger, et al. (1999). "Neurometabolic effects of psilocybin, 3,4-methylenedioxyethylamphetamine (MDE) and d-methamphetamine in healthy volunteers. A double-blind, placebo-controlled PET study with [^{18F}]FDG." *Neuropsychopharmacology* 20(6): 565-81.
- Harano, M., N. Uchimura, et al. (2004). "A polymorphism of DRD2 gene and brain atrophy in methamphetamine psychosis." *Ann N Y Acad Sci* 1025: 307-15.
- Hwang, J., I. K. Lyoo, et al. (2006). "Decreased cerebral blood flow of the right anterior cingulate cortex in long-term and short-term abstinent methamphetamine users." *Drug Alcohol Depend* 82(2): 177-81.
- Iyo, M., Y. Sekine and N. Mori (2004). "Neuromechanism of developing methamphetamine psychosis: A neuroimaging study." *Ann N Y Acad Sci* 1025: 288-95.
- Jernigan, T. L., A. C. Gamst, et al. (2005). "Effects of methamphetamine dependence and HIV infection on cerebral morphology." *Am J Psychiatry* 162(8): 1461-72.
- Johanson, C. E., K. A. Frey, et al. (2006). "Cognitive function and nigrostriatal markers in abstinent methamphetamine abusers." *Psychopharmacology (Berl)* 185(3): 327-38.
- Kim, S. J., I. K. Lyoo, et al. (2006). "Prefrontal grey-matter changes in short-term and long-term abstinent methamphetamine abusers." *Int J Neuropsychopharmacol* 9(2): 221-8.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Frontal glucose hypometabolism in abstinent methamphetamine users." *Neuropsychopharmacology* 30(7): 1383-91.
- Kleinschmidt, A., H. Bruhn, et al. (1999). "Effects of sedation, stimulation, and placebo on cerebral blood oxygenation: a magnetic resonance neuroimaging study of psychotropic drug action." *NMR Biomed* 12(5): 286-92.
- Leeds, N. E., V. Malhotra, et al. (1983). "The radiology of drug addiction affecting the brain." *Semin Roentgenol* 18(3): 227-33.
- London, E. D., S. M. Berman, et al. (2005). "Cerebral metabolic dysfunction and impaired vigilance in recently abstinent methamphetamine abusers." *Biol Psychiatry* 58(10): 770-8.
- London, E. D., S. L. Simon, et al. (2004). "Mood disturbances and regional cerebral metabolic abnormalities in recently abstinent methamphetamine abusers." *Arch Gen Psychiatry* 61(1): 73-84.
- Nath, A., W. F. Maragos, et al. (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.
- Nordahl, T. E., R. Salo, et al. (2005). "Methamphetamine users in sustained abstinence: A proton magnetic resonance spectroscopy study." *Arch Gen Psychiatry* 62(4): 444-52.
- Nordahl, T. E., R. Salo, et al. (2002). "Low N-acetyl-aspartate and high choline in the anterior cingulum of recently abstinent methamphetamine-dependent subjects: a preliminary proton MRS study. Magnetic resonance spectroscopy." *Psychiatry Res* 116(1-2): 43-52.
- Oh, J. S., I. K. Lyoo, et al. (2005). "Shape changes of the corpus callosum in abstinent methamphetamine users." *Neurosci Lett* 384(1-2): 76-81.
- Paulus, M. P., S. F. Tapert, et al. (2005). "Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse." *Arch Gen Psychiatry* 62(7): 761-8.
- Paulus, M. P., N. Hozack, et al. (2003). "Decision making by methamphetamine-dependent subjects is associated with error-rate-independent decrease in prefrontal and parietal activation." *Biol Psychiatry* 53(1): 65-74.
- Paulus, M. P., N. E. Hozack, et al. (2002). "Behavioral and functional neuroimaging evidence for prefrontal dysfunction in methamphetamine-dependent subjects." *Neuropsychopharmacology* 26(1): 53-63.
- Sekine, Y., Y. Ouchi, et al. (2006). "Brain serotonin transporter density and aggression in abstinent methamphetamine abusers." *Arch Gen Psychiatry* 63(1): 90-100.

- Sekine, Y., M. Iyo, Y. Ouchi, T. Matsunaga, H. Tsukada, H. Okada, E. Yoshikawa, M. Futatsubashi, N. Takei and N. Mori (2001). "Methamphetamine-related psychiatric symptoms and reduced brain dopamine transporters studied with PET." *Am J Psychiatry* 158(8): 1206-14.
- Shimazono, Y. and E. Matsushima (1995). "Behavioral and neuroimaging studies on schizophrenia in Japan." *Psychiatry Clin Neurosci* 49(1): 3-11.
- Thompson, P. M., K. M. Hayashi, S. L. Simon, J. A. Geaga, M. S. Hong, Y. Sui, J. Y. Lee, A. W. Toga, W. Ling and E. D. London (2004). "Structural abnormalities in the brains of human subjects who use methamphetamine." *J Neurosci* 24(26): 6028-36.
- Volkow, N. D., J. S. Fowler and G. J. Wang (2002). "Role of dopamine in drug reinforcement and addiction in humans: Results from imaging studies." *Behav Pharmacol* 13(5-6): 355-66.
- Volkow, N. D., L. Chang, et al. (2001). "Low level of brain dopamine D2 receptors in methamphetamine abusers: Association with metabolism in the orbitofrontal cortex." *Am J Psychiatry* 158(12): 2015-21.
- Volkow, N. D., L. Chang, et al. (2001). "Higher cortical and lower subcortical metabolism in detoxified methamphetamine abusers." *Am J Psychiatry* 158(3): 383-9.
- Vollm, B. A., I. E. de Araujo, P. J. Cowen, E. T. Rolls, M. L. Kringselbach, K. A. Smith, P. Jezzard, R. J. Heal and P. M. Matthews (2004). "Methamphetamine activates reward circuitry in drug naive human subjects." *Neuropsychopharmacology* 29(9): 1715-22.
- Voytek, B., S. M. Berman, et al. (2005). "Differences in regional brain metabolism associated with marijuana abuse in methamphetamine abusers." *Synapse* 57(2): 113-5.
- Wang, G. J., N. D. Volkow, et al. (2004). "Similarity between obesity and drug addiction as assessed by neurofunctional imaging: a concept review." *J Addict Dis* 23(3): 39-53.
- Wang, G. J., N. D. Volkow, L. Chang, E. Miller, M. Sedler, R. Hitzemann, W. Zhu, J. Logan, Y. Ma and J. S. Fowler (2004). "Partial recovery of brain metabolism in methamphetamine abusers after protracted abstinence." *Am J Psychiatry* 161(2): 242-8.
- Watanabe, T. and K. Yanai (2001). "Studies on functional roles of the histaminergic neuron system by using pharmacological agents, knockout mice and positron emission tomography." *Tohoku J Exp Med* 195(4): 197-217.

Brain Imaging (animals)

- Cloak, C. C., L. Chang, T. Ernst, M. C. Barr, S. Huitron-Resendiz, M. Sanchez-Alavez, T. R. Phillips and S. Henriksen (2004). "Methamphetamine and AIDS: 1HMRS studies in a feline model of human disease." *J Neuroimmunol* 147(1-2): 16-20.
- Doudet, D. J. and J. E. Holden (2003). "Sequential versus nonsequential measurement of density and affinity of dopamine d2 receptors with [¹¹C]raclopride: Effect of methamphetamine." *J Cereb Blood Flow Metab* 23(12): 1489-94.
- Hashimoto, K., H. Tsukada, S. Nishiyama, D. Fukumoto, T. Kakiuchi, E. Shimizu and M. Iyo (2004). "Effects of N-acetyl-L-cysteine on the reduction of brain dopamine transporters in monkey treated with methamphetamine." *Ann N Y Acad Sci* 1025: 231-5.
- Huang, Y. H., S. J. Tsai, et al. (1999). "Effects of repeated high-dose methamphetamine on local cerebral glucose utilization in rats." *Neuropsychopharmacology* 21(3): 427-34.
- Inaji, M., T. Okauchi, et al. (2005). "Correlation between quantitative imaging and behavior in unilaterally 6-OHDA-lesioned rats." *Brain Res* 1064(1-2): 136-45.
- Ishida, Y., K. Kawai, et al. (2005). "Alteration of striatal [¹¹C]raclopride and 6-[¹⁸F]fluoro-L-3,4-dihydroxyphenylalanine uptake precedes development of methamphetamine-induced rotation following unilateral 6-hydroxydopamine lesions of medial forebrain bundle in rats." *Neurosci Lett* 389(1): 30-4.
- Mizugaki, M. (1996). "[Alterations in brain distribution of methamphetamine in methamphetamine-sensitized animals]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 16(5): 187-91.
- Nakamura, H. (2001). "[Positron emission tomography (PET) study of the alterations in brain pharmacokinetics of methamphetamine in methamphetamine sensitized animals]." *Yakugaku Zasshi* 121(8): 585-91.
- Neto, P. R. (2005). "Activation of striatal dopamine receptors by psychostimulants: Chemical anatomy, autonomic and behavioural effects." *Dan Med Bull* 52(3): 114.
- Pontieri, F. E., A. M. Crane, et al. (1990). "Metabolic mapping of the effects of intravenous methamphetamine administration in freely moving rats." *Psychopharmacology (Berl)* 102(2): 175-82.

Brazil

- Wolffenbittel, E. (1963). "[Use And Abuse Of Pervitin]." *Rev Bras Med* 20: 166.

Burma

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.

Suwanwela, C. and V. Poshychinda (1986). "Drug abuse in Asia." *Bull Narc* 38(1-2): 41-53.

Burn Injuries

- Charukamnoetkanok, P. and M. D. Wagoner (2004). "Facial and ocular injuries associated with methamphetamine production accidents." *Am J Ophthalmol* 138(5): 875-6.
- Danks, R. R., L. A. Wibbenmeyer, et al. (2004). "Methamphetamine-associated burn injuries: A retrospective analysis." *J Burn Care Rehabil* 25(5): 425-9.
- Mitka, M. (2005). "Meth lab fires put heat on burn centers." *JAMA* 294(16): 2009-10.
- Santos, A. P., A. K. Wilson, et al. (2005). "Methamphetamine laboratory explosions: A new and emerging burn injury." *J Burn Care Rehabil* 26(3): 228-32.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Swenson, J. R., J. E. Dimsdale, E. Rockwell, W. Carroll and J. Hansbrough (1991). "Drug and alcohol abuse in patients with acute burn injuries." *Psychosomatics* 32(3): 287-93.
- Warner, P., J. P. Connolly, et al. (2003). "The methamphetamine burn patient." *J Burn Care Rehabil* 24(5): 275-8.

California

- Anglin, M. D., C. Burke, et al. (2000). "History of the methamphetamine problem." *J Psychoactive Drugs* 32(2): 137-41.
- Anonymous (2006). "Methamphetamine use and HIV risk behaviors among heterosexual men--preliminary results from five northern California counties, December 2001-November 2003." *MMWR Morb Mortal Wkly Rep* 55(10): 273-7.
- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Bailey, D. N. and R. F. Shaw (1989). "Cocaine- and methamphetamine-related deaths in San Diego County (1987): Homicides and accidental overdoses." *J Forensic Sci* 34(2): 407-22.
- Bailey, D. N. (1987). "Amphetamine detection during toxicology screening of a university medical center patient population." *J Toxicol Clin Toxicol* 25(5): 399-409.
- Baskin-Sommers, A. and I. Sommers (2006). "The co-occurrence of substance use and high-risk behaviors." *J Adolesc Health* 38(5): 609-11.
- Binswanger, I. A., A. H. Kral, et al. (2000). "High prevalence of abscesses and cellulitis among community-recruited injection drug users in San Francisco." *Clin Infect Dis* 30(3): 579-81.
- Bluthenthal, R. N., A. H. Kral, et al. (2001). "Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000." *J Acquir Immune Defic Syndr* 28(3): 264-9.
- Boddiger, D. (2005). "Metamphetamine use linked to rising HIV transmission." *Lancet* 365(9466): 1217-8.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Brecht, M. L., M. D. Anglin, et al. (2005). "Coerced treatment for methamphetamine abuse: Differential patient characteristics and outcomes." *Am J Drug Alcohol Abuse* 31(2): 337-56.
- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Buchacz, K., W. McFarland, et al. (2005). "Amphetamine use is associated with increased HIV incidence among men." *AIDS* 19(13): 1423-24.
- Burgess, J. L., D. F. Kovalchick, et al. (2002). "Medical surveillance of clandestine drug laboratory investigators." *J Occup Environ Med* 44(2): 184-9.
- Caetano, R. and C. Weisner (1995). "The association between DSM-III-R alcohol dependence, psychological distress and drug use." *Addiction* 90(3): 351-9.
- Cartier, J., D. Farabee, et al. (2006). "Methamphetamine use, self-reported violent crime, and recidivism among offenders in California who abuse substances." *J Interpers Violence* 21(4): 435-45.
- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.

- Chu, P. L., W. McFarland, et al. (2003). "Viagra use in a community-recruited sample of men who have sex with men, San Francisco." *J Acquir Immune Defic Syndr* 33(2): 191-3.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Cunningham, J. K. and L. M. Liu (2005). "Impacts of federal precursor chemical regulations on methamphetamine arrests." *Addiction* 100(4): 479-88.
- Davis, F. and L. Munoz (1968). "Heads and freaks: Patterns and meanings of drug use among hippies." *J Health Soc Behav* 9(2): 156-64.
- Demetriades, D., G. Gkiokas, et al. (2004). "Alcohol and illicit drugs in traumatic deaths: Prevalence and association with type and severity of injuries." *J Am Coll Surg* 199(5): 687-92.
- Diaz, R. M., A. L. Heckert, et al. (2005). "Reasons for stimulant use among Latino gay men in San Francisco: a comparison between methamphetamine and cocaine users." *J Urban Health* 82(1 Suppl 1): i71-8.
- Domier, C. P., S. L. Simon, R. A. Rawson, A. Huber and W. Ling (2000). "A comparison of injecting and noninjecting methamphetamine users." *J Psychoactive Drugs* 32(2): 229-32.
- Duterte, M., S. O'Neil, et al. (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Ellis, R. J., M. E. Childers, et al. (2003). "Increased human immunodeficiency virus loads in active methamphetamine users are explained by reduced effectiveness of antiretroviral therapy." *J Infect Dis* 188(12): 1820-6.
- Evans, E. and D. Longshore (2004). "Evaluation of the Substance Abuse and Crime Prevention Act: Treatment clients and program types during the first year of implementation." *J Psychoactive Drugs Suppl*(2): 165-74.
- Farabee, D., M. Prendergast and J. Cartier (2002). "Methamphetamine use and HIV risk among substance-abusing offenders in California." *J Psychoactive Drugs* 34(3): 295-300.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Frosch, D., S. Shoptaw, et al. (1996). "Sexual HIV risk among gay and bisexual male methamphetamine abusers." *J Subst Abuse Treat* 13(6): 483-6.
- Galloway, G. P., J. Newmeyer, et al. (1996). "A controlled trial of imipramine for the treatment of methamphetamine dependence." *J Subst Abuse Treat* 13(6): 493-7.
- Galloway, G. P., J. Newmeyer, T. Knapp, S. A. Stalcup and D. Smith (1994). "Imipramine for the treatment of cocaine and methamphetamine dependence." *J Addict Dis* 13(4): 201-16.
- Gibson, D. R., M. H. Leamon and N. Flynn (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.
- Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl* 30(1): 55-73.
- Greenwell, L. and M. L. Brecht (2003). "Self-reported health status among treated methamphetamine users." *Am J Drug Alcohol Abuse* 29(1): 75-104.
- Gurnack, A. M. and W. Paul (1997). "Factors related to perinatal substance abuse in a California county." *Percept Mot Skills* 84(3 Pt 2): 1403-8.
- Hahn, J. A., K. Page-Shafer, et al. (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Halkitis, P. N., L. Wilton, et al. (2005). "Barebacking identity among HIV-positive gay and bisexual men: demographic, psychological, and behavioral correlates." *AIDS* 19: S27-S35.
- Hall, J. A., S. W. Henggeler, et al. (1993). "Adolescent substance use during pregnancy." *J Pediatr Psychol* 18(2): 265-71.
- Heinzerling, K. G., A. H. Kral, et al. (2006). "Unmet need for recommended preventive health services among clients of California syringe exchange programs: Implications for quality improvement." *Drug Alcohol Depend* 81(2): 167-78.
- Helschober, B. and M. A. Miller (1991). "Methamphetamine abuse in California." *NIDA Res Monogr* 115: 60-71.
- Hohman, M., R. Oliver, et al. (2004). "Methamphetamine abuse and manufacture: The child welfare response." *Soc Work* 49(3): 373-81.
- Hornbeck, C. L. and R. J. Czarny (1993). "Retrospective analysis of some L-methamphetamine/L-amphetamine urine data." *J Anal Toxicol* 17(1): 23-5.

- Hser, Y. I., C. Teruya, et al. (2003). "Treating drug-abusing offenders. Initial findings from a five-county study on the impact of California's Proposition 36 on the treatment system and patient outcomes." *Eval Rev* 27(5): 479-505.
- Huber, A., R. H. Lord, et al. (2000). "The CSAT methamphetamine treatment program: Research design accommodations for "real world" application." *J Psychoactive Drugs* 32(2): 149-56.
- Huber, A., W. Ling, et al. (1997). "Integrating treatments for methamphetamine abuse: A psychosocial perspective." *J Addict Dis* 16(4): 41-50.
- Karch, S. B., B. G. Stephens, et al. (1999). "Methamphetamine-related deaths in San Francisco: Demographic, pathologic, and toxicologic profiles." *J Forensic Sci* 44(2): 359-68.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Klausner, J. D., D. K. Levine, et al. (2004). "Internet-based site-specific interventions for syphilis prevention among gay and bisexual men." *AIDS Care* 16(8): 964-70.
- Hahn, J. A., K. Page-Shafer, P. J. Lum, K. Ochoa and A. R. Moss (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Hser, Y. I., E. Evans, et al. (2005). "Treatment outcomes among women and men methamphetamine abusers in California." *J Subst Abuse Treat* 28(1): 77-85.
- Hser, Y. I., C. Teruya, et al. (2003). "Treating drug-abusing offenders. Initial findings from a five-county study on the impact of California's Proposition 36 on the treatment system and patient outcomes." *Eval Rev* 27(5): 479-505.
- Jain, N. C., R. D. Budd, et al. (1979). "Frequency of use or abuse of amphetamine-related drugs." *Am J Drug Alcohol Abuse* 6(1): 53-7.
- Jain, N. C., R. D. Budd, et al. (1978). "A survey of drug use among probationers in the Los Angeles area in 1976." *Int J Addict* 13(8): 1319-25.
- Jain, N. C., R. Budd, et al. (1977). "Patterns of drug use among methadone maintenance patients in Los Angeles county." *Bull Narc* 29(2): 45-53.
- Kalechstein, A. D., T. F. Newton, et al. (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Kim, A. A., C. K. Kent, et al. (2002). "Increased risk of HIV and sexually transmitted disease transmission among gay or bisexual men who use Viagra, San Francisco 2000-2001." *AIDS* 16(10): 1425-8.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Klausner, J. D., C. K. Kent, et al. (2005). "The public health response to epidemic syphilis, San Francisco, 1999-2004." *Sex Transm Dis* 32(10 supplement): S11-S18.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Kral, A. H., R. N. Bluthenthal, et al. (2001). "Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: Risk-factor analysis." *Lancet* 357(9266): 1397-401.
- Kral, A. H., J. Lorvick, et al. (2000). "Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco." *J Acquir Immune Defic Syndr* 24(2): 162-7.
- Kral, A. H., R. N. Bluthenthal, et al. (1999). "Risk factors among IDUs who give injections to or receive injections from other drug users." *Addiction* 94(5): 675-83.
- Kushel, M. B., J. A. Hahn, et al. (2005). "Revolving doors: Imprisonment among the homeless and marginally housed population." *Am J Public Health* 95(10): 1747-52.
- Larkins, S., C. J. Reback, et al. (2005). "Methamphetamine-dependent gay men's disclosure of their HIV status to sexual partners." *AIDS Care* 17(4): 521-32.
- Lum, P. J., C. Sears, et al. (2005). "Injection risk behavior among women syringe exchangers in San Francisco." *Subst Use Misuse* 40(11): 1681-96.
- Maglione, M., B. Chao, et al. (2000). "Correlates of outpatient drug treatment drop-out among methamphetamine users." *J Psychoactive Drugs* 32(2): 221-8.
- Maglione, M., B. Chao and M. D. Anglin (1998). "Methamphetamine abuse in California: Correlates of injection use." *AIDS and Behavior* 2(3): 257-261.
- Mansergh, G., R. L. Shouse, et al. (2006). "Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men." *Sex Transm Infect* 82(2): 131-4.
- Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.

- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Molitor, F., S. R. Truax, J. D. Ruiz and R. K. Sun (1998). "Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users." *West J Med* 168(2): 93-7.
- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the Healthy Living Project." *J Acquir Immune Defic Syndr* 40(2): 226-235.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nemoto, T., D. Operario, et al. (2002). "Risk behaviors of Filipino methamphetamine users in San Francisco: Implications for prevention and treatment of drug use and HIV." *Public Health Rep* 117 Suppl 1: S30-8.
- Newmeyer, J. A. (2003). "Patterns and trends of drug use in the San Francisco Bay Area." *J Psychoactive Drugs* 35(Suppl 1): 127-32.
- Newmeyer, J. A. (1988). "The prevalence of drug use in San Francisco in 1987." *J Psychoactive Drugs* 20(2): 185-9.
- Nyamathi, A. M., E. L. Dixon, et al. (2002). "Risk factors for hepatitis C virus infection among homeless adults." *J Gen Intern Med* 17(2): 134-43.
- Nyamathi, A., W. A. Robbins, et al. (2002). "Presence and predictors of hepatitis C virus RNA in the semen of homeless men." *Biol Res Nurs* 4(1): 22-30.
- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Perez, J. A., Jr., E. L. Arsur, et al. (1999). "Methamphetamine-related stroke: Four cases." *J Emerg Med* 17(3): 469-71.
- Poulsen, E. J., M. J. Mannis, et al. (1996). "Keratitis in methamphetamine abusers." *Cornea* 15(5): 477-82.
- Purcell, D. W., S. Moss, et al. (2005). "Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: Differences by serostatus of casual partners." *AIDS* 19: S37-S47.
- Purcell, D. W., J. T. Parsons, P. N. Halkitis, Y. Mizuno and W. J. Woods (2001). "Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men." *J Subst Abuse* 13(1-2): 185-200.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., P. Marinelli-Casey, et al. (2004). "A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence." *Addiction* 99(6): 708-17.
- Rawson, R. A., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2002). "Status of methamphetamine users 2-5 years after outpatient treatment." *J Addict Dis* 21(1): 107-19.
- Richards, J. R. and B. T. Brofeldt (2000). "Patterns of tooth wear associated with methamphetamine use." *J Periodontol* 71(8): 1371-4.
- Richards, J. R., S. W. Bretz, et al. (1999). "Methamphetamine abuse and emergency department utilization." *West J Med* 170(4): 198-202.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.
- Sears, C., J. R. Gudyish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.
- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.
- Semple, S. J., I. Grant, et al. (2005). "Utilization of drug treatment programs by methamphetamine users: The role of social stigma." *Am J Addict* 14(4): 367-80.
- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.

- Semple, S. J., T. L. Patterson, et al. (2003). "Binge use of methamphetamine among HIV-positive men who have sex with men: Pilot data and HIV prevention implications." *AIDS Educ Prev* 15(2): 133-47.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., C. J. Reback and T. E. Freese (2002). "Patient characteristics, HIV serostatus, and risk behaviors among gay and bisexual males seeking treatment for methamphetamine abuse and dependence in Los Angeles." *J Addict Dis* 21(1): 91-105.
- Smith, D. E. (1969). "Runaways and their health problems in Haight-Ashbury during the summer of 1967." *Am J Public Health Nations Health* 59(11): 2046-50.
- Smith, D. and A. J. Rose (1968). "Observations in the Haight-Ashbury Medical Clinic of San Francisco. Health problems in a "hippie" subculture." *Clin Pediatr (Phila)* 7(6): 313-6.
- Swalwell, C. I. and G. G. Davis (1999). "Methamphetamine as a risk factor for acute aortic dissection." *J Forensic Sci* 44(1): 23-6.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- Turnipseed, S. D., J. R. Richards, et al. (2003). "Frequency of acute coronary syndrome in patients presenting to the emergency department with chest pain after methamphetamine use." *J Emerg Med* 24(4): 369-73.
- Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.
- von Mayrhauser, C., M. L. Brecht and M. D. Anglin (2002). "Use ecology and drug use motivations of methamphetamine users admitted to substance abuse treatment facilities in Los Angeles: An emerging profile." *J Addict Dis* 21(1): 45-60.
- Wenzel, S. L., P. A. Ebener, et al. (1996). "Drug-abusing homeless clients in California's substance abuse treatment system." *J Psychoactive Drugs* 28(2): 147-59.
- Willers-Russo, L. J. (1999). "Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing." *J Forensic Sci* 44(3): 647-52.
- Wohl, A. R., D. F. Johnson, et al. (2002). "HIV risk behaviors among African American men in Los Angeles County who self-identify as heterosexual." *J Acquir Immune Defic Syndr* 31(3): 354-60.
- Wong, W., J. K. Chaw, et al. (2005). "Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003." *Sex Transm Dis* 32(7): 458-63.
- Yacoubian, G. S., Jr. and R. J. Peters (2004). "Exploring the prevalence and correlates of methamphetamine use: Findings from Sacramento's ADAM program." *J Drug Educ* 34(3): 281-94.
- Zweben, J. E., J. B. Cohen, et al. (2000). "Conducting trials in community settings: The provider perspective." *J Psychoactive Drugs* 32(2): 193-9.

Cambodia

- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.

Canada

- Collins, C. L., T. Kerr, et al. (2005). "Rationale to evaluate medically supervised safer smoking facilities for non-injection illicit drug users." *Can J Public Health* 96(5): 344-7.
- Collins, C. L., T. Kerr, et al. (2005). "Potential uptake and correlates of willingness to use a supervised smoking facility for noninjection illicit drug use." *J Urban Health* 82(2): 276-84.
- Cox, C. and R. G. Smart (1972). "Social and psychological aspects of speed use. A study of types of speed users in Toronto." *Int J Addict* 7(2): 201-17.
- Cox, C. and R. G. Smart (1970). "The nature and extent of speed use in North America." *Can Med Assoc J* 102(7): 724-9.
- Kalasinaky, K. S., J. Hugel, et al. (2004). "Use of MDA (the "love drug") and methamphetamine in Toronto by unsuspecting users of ecstasy (MDMA)." *J Forensic Sci* 49(5): 1106-12.
- Kerr, T., E. Wood, et al. (2005). "High rates of primary care and emergency department use among injection drug users in Vancouver." *J Public Health (Oxf)* 27(1): 62-6.
- Klasser, G. D. and J. Epstein (2005). "Methamphetamine and its impact on dental care." *J Can Dent Assoc* 71(10): 759-62.
- Lampinen, T. M., D. McGhee, et al. (2006). "Increased risk of "club" drug use among gay and bisexual high school students in British Columbia." *J Adolesc Health* 38(4): 458-61.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.

- Rusch, M., T. M. Lampinen, A. Schilder and R. S. Hogg (2004). "Unprotected anal intercourse associated with recreational drug use among young men who have sex with men depends on partner type and intercourse role." *Sex Transm Dis* 31(8): 492-8.
- Schilder, A. J., T. M. Lampinen, et al. (2005). "Crystal methamphetamine and ecstasy differ in relation to unsafe sex among young gay men." *Can J Public Health* 96(5): 340-3.

Cardiovascular Effects and Disease

See also Vascular Disease

- Albertson, T. E., R. W. Derlet, et al. (1999). "Methamphetamine and the expanding complications of amphetamines." *West J Med* 170(4): 214-9.
- Angrist, B., J. Corwin, et al. (1987). "Early pharmacokinetics and clinical effects of oral D-amphetamine in normal subjects." *Biol Psychiatry* 22(11): 1357-68.
- Beebe, D. K. and E. Walley (1995). "Smokable methamphetamine ('ice'): An old drug in a different form." *Am Fam Physician* 51(2): 449-53.
- Berankova, K., V. Habrdova, et al. (2005). "Methamphetamine in hair and interpretation of forensic findings in a fatal case." *Forensic Sci Int* 153(1): 93-7.
- Boddiger, D. (2005). "Metamphetamine use linked to rising HIV transmission." *Lancet* 365(9466): 1217-8.
- Brauer, L. H., J. Ambre, et al. (1996). "Acute tolerance to subjective but not cardiovascular effects of d-amphetamine in normal, healthy men." *J Clin Psychopharmacol* 16(1): 72-6.
- Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.
- Cook, C. E., A. R. Jeffcoat, et al. (1993). "Pharmacokinetics of methamphetamine self-administered to human subjects by smoking S-(+)-methamphetamine hydrochloride." *Drug Metab Dispos* 21(4): 717-23.
- Derlet, R. W. and B. Z. Horowitz (1995). "Cardiotoxic drugs." *Emerg Med Clin North Am* 13(4): 771-91.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- de Wit, H., M. Clark, et al. (1997). "Effects of d-amphetamine in grouped versus isolated humans." *Pharmacol Biochem Behav* 57(1-2): 333-40.
- Farnsworth, T. L., C. H. Brugger and P. Malters (1997). "Myocardial infarction after intranasal methamphetamine." *Am J Health Syst Pharm* 54(5): 586-7.
- Furst, S. R., S. P. Fallon, G. N. Reznik and P. K. Shah (1990). "Myocardial infarction after inhalation of methamphetamine." *N Engl J Med* 323(16): 1147-8.
- Gotway, M. B., S. R. Marder, et al. (2002). "Thoracic complications of illicit drug use: an organ system approach." *Radiographics* 22 Spec No: S119-35.
- Grady, T. A., A. Brooks, et al. (1996). "Biological and behavioral responses to D-amphetamine, alone and in combination with the serotonin₃ receptor antagonist ondansetron, in healthy volunteers." *Psychiatry Res* 64(1): 1-10.
- Guharoy, R., J. Medicis, S. Chol, B. Stalder, K. Kusiowski and A. Allen (1999). "Methamphetamine overdose: Experience with six cases." *Vet Hum Toxicol* 41(1): 28-30.
- Hiroshi, K., K. Akira, et al. (2005). "An autopsy case of infectious endocarditis in a methamphetamine abuser usefulness of microbiological examination." *Soud Lek* 50(2): 18-22.
- Hong, R., E. Matsuyama and K. Nur (1991). "Cardiomyopathy associated with the smoking of crystal methamphetamine." *JAMA* 265(9): 1152-4.
- Inouye, D. S., J. J. Navin, et al. (2004). "Fatal postoperative arrhythmia in a man with a remote history of methamphetamine and cocaine use: a case report." *Hawaii Med J* 63(3): 82-6.
- Jacobs, L. J. (1989). "Reversible dilated cardiomyopathy induced by methamphetamine." *Clin Cardiol* 12(12): 725-7.
- Johnson, B. A., L. T. Wells, et al. (2005). "Isradipine decreases the hemodynamic response of cocaine and methamphetamine results from two human laboratory studies: Results from two human laboratory studies." *Am J Hypertens* 18(6): 813-22.
- Johnson, B. A., N. Ait-Daoud, et al. (2000). "Effects of isradipine, a dihydropyridine-class calcium channel antagonist, on D-methamphetamine-induced cognitive and physiological changes in humans." *Neuropsychopharmacology* 22(5): 504-12.
- Karch, S. B., B. G. Stephens, et al. (1999). "Methamphetamine-related deaths in San Francisco: Demographic, pathologic, and toxicologic profiles." *J Forensic Sci* 44(2): 359-68.
- Kashani, J. and A. M. Ruha (2004). "Methamphetamine toxicity secondary to intravaginal body stuffing." *J Toxicol Clin Toxicol* 42(7): 987-9.
- Logan, B. K., E. L. Weiss, et al. (1996). "Case report: Distribution of methamphetamine in a massive fatal ingestion." *J Forensic Sci* 41(2): 322-3.

- Lynch, J. and M. A. House (1992). "Cardiovascular effects of methamphetamine." *J Cardiovasc Nurs* 6(2): 12-8.
- Martin, W. R., J. W. Sloan, et al. (1971). "Physiologic, subjective, and behavioral effects of amphetamine, methamphetamine, ephedrine, phenmetrazine, and methylphenidate in man." *Clin Pharmacol Ther* 12(2): 245-58.
- Matoba, R. (2001). "[Cardiac lesions in methamphetamine abusers]." *Nippon Hoigaku Zasshi* 55(3): 321-30.
- Matoba, R., S. Onishi, et al. (1984). "[Sudden death in methamphetamine abusers: a histological study of the heart]." *Nippon Hoigaku Zasshi* 38(2): 199-205.
- Meeker, J. E. and P. C. Reynolds (1990). "Postmortem tissue methamphetamine concentrations following selegiline administration." *J Anal Toxicol* 14(5): 330-1.
- Mendelson, J., R. T. Jones, et al. (1995). "Methamphetamine and ethanol interactions in humans." *Clin Pharmacol Ther* 57(5): 559-68.
- Mori, A., H. Suzuki, et al. (1992). "[Three cases of acute methamphetamine intoxication--Analysis of optically active methamphetamine]." *Nippon Hoigaku Zasshi* 46(4): 266-70.
- Newton, T. F., R. De La Garza, 2nd, et al. (2006). "A comprehensive assessment of the safety of intravenous methamphetamine administration during treatment with selegiline." *Pharmacol Biochem Behav*.
- Newton, T. F., R. De La Garza, 2nd, et al. (2005). "Cocaine and methamphetamine produce different patterns of subjective and cardiovascular effects." *Pharmacol Biochem Behav* 82(1): 90-7.
- Nishida, N., N. Ikeda, et al. (2003). "Sudden unexpected death of a methamphetamine abuser with cardiopulmonary abnormalities: A case report." *Med Sci Law* 43(3): 267-71.
- Pavese, N., O. Rimoldi, et al. (2004). "Cardiovascular effects of methamphetamine in Parkinson's disease patients." *Mov Disord* 19(3): 298-303.
- Perez-Reyes, M., W. R. White, et al. (1991). "Clinical effects of daily methamphetamine administration." *Clin Neuropharmacol* 14(4): 352-8.
- Perez-Reyes, M., W. R. White, et al. (1991). "Clinical effects of methamphetamine vapor inhalation." *Life Sci* 49(13): 953-9.
- Rajs, J. and B. Falconer (1979). "Cardiac lesions in intravenous drug addicts." *Forensic Sci Int* 13(3): 193-209.
- Stoops, W. W., J. A. Lile, et al. (2006). "A low dose of aripiprazole attenuates the subject-rated effects of d-amphetamine." *Drug Alcohol Depend*.
- Swalwell, C. I. and G. G. Davis (1999). "Methamphetamine as a risk factor for acute aortic dissection." *J Forensic Sci* 44(1): 23-6.
- Turnipseed, S. D., J. R. Richards, et al. (2003). "Frequency of acute coronary syndrome in patients presenting to the emergency department with chest pain after methamphetamine use." *J Emerg Med* 24(4): 369-73.
- Wachtel, S. R. and H. de Wit (1999). "Subjective and behavioral effects of repeated d-amphetamine in humans." *Behav Pharmacol* 10(3): 271-81.
- Watts, D. J. and L. McColester (2006). "Methamphetamine-induced myocardial infarction with elevated troponin I." *Am J Emerg Med* 24(1): 132-4.
- Wijetunga, M., R. Bhan, J. Lindsay and S. Karch (2004). "Acute coronary syndrome and crystal methamphetamine use: A case series." *Hawaii Med J* 63(1): 8-13, 25.
- Wijetunga, M., T. Seto, J. Lindsay and I. Schatz (2003). "Crystal methamphetamine-associated cardiomyopathy: Tip of the iceberg?" *J Toxicol Clin Toxicol* 41(7): 981-6.
- Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.
- Yu, Q., D. F. Larson, et al. (2003). "Heart disease, methamphetamine and AIDS." *Life Sci* 73(2): 129-40.
- Zhu, B. L., T. Ishikawa, et al. (2005). "Postmortem cardiac troponin T levels in the blood and pericardial fluid. Part 1. Analysis with special regard to traumatic causes of death." *Leg Med (Tokyo)*.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Cardiovascular Effects and Disease (animals)

- Araki, H., T. Yamamoto, et al. (2002). "Effect of methamphetamine and imipramine on cerebral ischemia-induced hyperactivity in Mongolian gerbils." *Jpn J Pharmacol* 88(3): 293-9.
- Forney, R., R. Martz, et al. (1976). "The combined effect of marijuana and dextroamphetamine." *Ann N Y Acad Sci* 281: 162-70.
- Gentry, W. B., E. M. Laurenzana, et al. (2006). "Safety and efficiency of an anti-(+)-methamphetamine monoclonal antibody in the protection against cardiovascular and central nervous system effects of (+)-methamphetamine in rats." *Int Immunopharmacol* 6(6): 968-77.
- He, S. Y., R. Matoba, N. Fujitani, K. Sodesaki and S. Onishi (1996). "Cardiac muscle lesions associated with chronic administration of methamphetamine in rats." *Am J Forensic Med Pathol* 17(2): 155-62.

- He, S. Y., R. Matoba, et al. (1996). "Morphological and morphometric investigation of cardiac lesions after chronic administration of methamphetamine in rats." *Nippon Hoigaku Zasshi* 50(2): 63-71.
- He, S. Y. (1995). "Methamphetamine-induced toxicity in cultured adult rat cardiomyocytes." *Nippon Hoigaku Zasshi* 49(3): 175-86.
- Inoue, H., M. Nakatome, et al. (2004). "Maternal methamphetamine administration during pregnancy influences on fetal rat heart development." *Life Sci* 74(12): 1529-40.
- Islam, M. N., H. Kuroki, et al. (1995). "Cardiac lesions and their reversibility after long term administration of methamphetamine." *Forensic Sci Int* 75(1): 29-43.
- Kaiho, M. and I. Ishiyama (1989). "Morphological study of acute myocardial lesions experimentally induced by methamphetamine." *Nippon Hoigaku Zasshi* 43(6): 460-8.
- Kalinski, M. I., D. E. Dluzen, et al. (2001). "Methamphetamine produces subsequent reductions in running time to exhaustion in mice." *Brain Res* 921(1-2): 160-4.
- Maeno, Y., M. Iwasa, et al. (2000). "Methamphetamine induces an increase in cell size and reorganization of myofibrils in cultured adult rat cardiomyocytes." *Int J Legal Med* 113(4): 201-7.
- Nakagawa, N., T. Hishinuma, et al. (2003). "Brain and heart specific alteration of methamphetamine (MAP) distribution in MAP-sensitized rat." *Biol Pharm Bull* 26(4): 506-9.
- Schindler, C. W., J. P. Gilman, et al. (2003). "Reduced cardiovascular effects of methamphetamine following treatment with selegiline." *Drug Alcohol Depend* 72(2): 133-9.
- Schindler, C. W., J. W. Zheng, et al. (1992). "Pharmacological mechanisms in the cardiovascular effects of methamphetamine in conscious squirrel monkeys." *Pharmacol Biochem Behav* 42(4): 791-6.
- Sheridan, R. D., S. R. Turner, et al. (2005). "Effects of seven drugs of abuse on action potential repolarisation in sheep cardiac Purkinje fibres." *Eur J Pharmacol* 511(2-3): 99-107.
- Stek, A. M., R. S. Baker, et al. (1995). "Fetal responses to maternal and fetal methamphetamine administration in sheep." *Am J Obstet Gynecol* 173(5): 1592-8.
- Urabe, M. (1982). "Inhibitory mechanism of methamphetamine in the isolated myocardium of bullfrog." *Arch Int Pharmacodyn Ther* 257(2): 239-54.
- Varner, K. J., B. A. Ogden, et al. (2002). "Cardiovascular responses elicited by the "binge" administration of methamphetamine." *J Pharmacol Exp Ther* 301(1): 152-9.
- Varner, K. J., N. D. Hein, et al. (2001). "Chloroephedrine: Contaminant of methamphetamine synthesis with cardiovascular activity." *Drug Alcohol Depend* 64(3): 299-307.
- Vidrio, H. (1982). "Cardiovascular effects of methamphetamine in dogs treated chronically with the amine." *J Cardiovasc Pharmacol* 4(2): 326-9.
- Welder, A. A. (1992). "A primary culture system of postnatal rat heart cells for the study of cocaine and methamphetamine toxicity." *Toxicol Lett* 60(2): 183-96.
- Yoshida, K., A. Morimoto, et al. (1993). "Cardiovascular, thermal and behavioral sensitization to methamphetamine in freely moving rats." *J Pharmacol Exp Ther* 267(3): 1538-43.
- Yu, Q., S. Montes, et al. (2002). "Effects of chronic methamphetamine exposure on heart function in uninfected and retrovirus-infected mice." *Life Sci* 71(8): 953-65.
- Zolkowska, D., R. B. Rothman, et al. (2006). "Amphetamine analogs increase plasma serotonin: Implications for cardiac and pulmonary disease." *J Pharmacol Exp Ther*.

Catecholamines

- Gomes-da-Silva, J., R. de Miguel, et al. (2004). "Effects of neonatal exposure to methamphetamine: Catecholamine levels in brain areas of the developing rat." *Ann N Y Acad Sci* 1025: 602-11.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.
- Yu, Q., D. F. Larson, et al. (2003). "Heart disease, methamphetamine and AIDS." *Life Sci* 73(2): 129-40.

Chemical Structure

- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Jirovsky, D., K. Lemr, et al. (1998). "Methamphetamine--properties and analytical methods of enantiomer determination." *Forensic Sci Int* 96(1): 61-70.

NTP-CERHR (2005). "NTP-CERHR ,monograph on the potential human reproductive and developmental effects of amphetamines." NTP CEHR Mon(16): i-III1.

Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.

Chicago

Fendrich, M., J. S. Wislar, T. P. Johnson and A. Hubbell (2003). "A contextual profile of club drug use among adults in Chicago." *Addiction* 98(12): 1693-703.

Childhood Attention-Deficit Hyperactivity Disorder

Gordon, S. M., F. Tulak, et al. (2004). "Prevalence and characteristics of adolescents patients with co-occurring ADHD and substance dependence." *J Addict Dis* 23(4): 31-40.

Jaffe, C., K. R. Bush, et al. (2005). "A comparison of methamphetamine-dependent inpatients childhood attention deficit hyperactivity disorder symptomatology." *J Addict Dis* 24(3): 133-52.

Lin, S. J., S. Y. Crawford, et al. (2005). "Trend and area variation in amphetamine prescription usage among children and adolescents in Michigan." *Soc Sci Med* 60(3): 617-26.

Matsumoto, T., A. Kamijo, et al. (2005). "Childhood histories of attention-deficit hyperactivity disorders in Japanese methamphetamine and inhalant abusers: Preliminary report." *Psychiatry Clin Neurosci* 59(1): 102-5.

Matsumoto, T., A. Yamaguchi, et al. (2005). "Drug preferences in illicit drug abusers with a childhood tendency of attention deficit/hyperactivity disorder: A study using the Wender Utah Rating Scale in a Japanese prison." *Psychiatry Clin Neurosci* 59(3): 311-8.

Children, Methamphetamine-Endangered

See also Pregnancy

Altshuler, S. J. (2005). "Drug-endangered children need a collaborative community response." *Child Welfare* 84(2): 171-90.

Assael, L. A. (2005). "Methamphetamine: An epidemic of oral health neglect, loss of access to care, abuse, and violence." *J Oral Maxillofac Surg* 63(9): 1253-4.

Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Friese, G. (2006). "The methamphetamine crisis. What EMS providers need to know to stay safe and treat patients." *Emerg Med Serv* 35(3): 55-64.

Hohman, M., R. Oliver, et al. (2004). "Methamphetamine abuse and manufacture: The child welfare response." *Soc Work* 49(3): 373-81.

Mecham, N. and J. Melini (2002). "Unintentional victims: Development of a protocol for the care of children exposed to chemicals at methamphetamine laboratories." *Pediatr Emerg Care* 18(4): 327-32.

Nagorka, A. R. and P. S. Bergeson (1998). "Infant methamphetamine toxicity posing as scorpion envenomation." *Pediatr Emerg Care* 14(5): 350-1.

Oro, A. S. and S. D. Dixon (1987). "Perinatal cocaine and methamphetamine exposure: Maternal and neonatal correlates." *J Pediatr* 111(4): 571-8.

Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.

Children, Methamphetamine Ingestion by

Gospe, S. M., Jr. (1995). "Transient cortical blindness in an infant exposed to methamphetamine." *Ann Emerg Med* 26(3): 380-2.

Kolecki, P. (1998). "Inadvertent methamphetamine poisoning in pediatric patients." *Pediatr Emerg Care* 14(6): 385-7.

Nagorka, A. R. and P. S. Bergeson (1998). "Infant methamphetamine toxicity posing as scorpion envenomation." *Pediatr Emerg Care* 14(5): 350-1.

Child Welfare System

Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl* 30(1): 55-73.

China

See also [Hong Kong](#); [Taiwan](#)

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.
- Hong, C. J., C. Y. Cheng, et al. (2003). "Association study of the dopamine and serotonin transporter genetic polymorphisms and methamphetamine abuse in Chinese males." *J Neural Transm* 110(4): 345-51.
- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.
- Suwanwela, C. and V. Poshyachinda (1986). "Drug abuse in Asia." *Bull Narc* 38(1-2): 41-53.

Circuit Parties and Raves

See also [Recreational and Club Drugs](#)

- Colfax, G. N., G. Mansergh, et al. (2001). "Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: A venue-based comparison." *J Acquir Immune Defic Syndr* 28(4): 373-9.
- Fendrich, M., J. S. Wislar, T. P. Johnson and A. Hubbell (2003). "A contextual profile of club drug use among adults in Chicago." *Addiction* 98(12): 1693-703.
- Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.
- Halkitis, P. N. and J. J. Palamar (2006). "GHB use among gay and bisexual men." *Addict Behav*.
- Halkitis, P. N., J. T. Parsons, et al. (2001). "A double epidemic: Crystal methamphetamine drug use in relation to HIV transmission among gay men." *J Homosex* 41(2): 17-35.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Irvine, R. J., M. Keane, et al. (2006). "Plasma drug concentrations and physiological measures in 'dance party' participants." *Neuropsychopharmacology* 31(2): 424-30.
- Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.
- Klein, M. and F. Kramer (2004). "Rave drugs: Pharmacological considerations." *AANA J* 72(1): 61-7.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.
- Mansergh, G., G. N. Colfax, et al. (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- Mattison, A. M., M. W. Ross, et al. (2001). "Circuit party attendance, club drug use, and unsafe sex in gay men." *J Subst Abuse* 13(1-2): 119-26.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From 'Candy Kids' to 'Chemi-Kids': A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9-10): 1503-23.
- Ross, M. W., A. M. Mattison, et al. (2003). "Club drugs and sex on drugs are associated with different motivations for gay circuit party attendance in men." *Subst Use Misuse* 38(8): 1173-83.
- Rome, E. S. (2001). "It's a rave new world: Rave culture and illicit drug use in the young." *Cleve Clin J Med* 68(6): 541-50.
- Soellner, R. (2005). "Club drug use in Germany." *Subst Use Misuse* 40(9): 1279-93.

Clandestine Drug Laboratories

See [Methamphetamine Laboratories](#)

Club Drugs

See [Polydrug Use](#); [Recreational and Club Drugs](#); and *specific substances*

Cocaine

See also [Polydrug Use](#)

- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.

- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Diaz, R. M., A. L. Heckert, et al. (2005). "Reasons for stimulant use among Latino gay men in San Francisco: a comparison between methamphetamine and cocaine users." *J Urban Health* 82(1 Suppl 1): i71-8.
- Dixon, S. D. (1989). "Effects of transplacental exposure to cocaine and methamphetamine on the neonate." *West J Med* 150(4): 436-42.
- Gonzalez Castro, F., E. H. Barrington, M. A. Walton and R. A. Rawson (2000). "Cocaine and methamphetamine: Differential addiction rates." *Psychol Addict Behav* 14(4): 390-6.
- Harris, D. S., V. I. Reus, et al. (2005). "Repeated psychological stress testing in stimulant-dependent patients." *Prog Neuropsychopharmacol Biol Psychiatry* 29(5): 669-77.
- Huber, A., W. Ling, et al. (1997). "Integrating treatments for methamphetamine abuse: a psychosocial perspective." *J Addict Dis* 16(4): 41-50.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Johnson, B. A., L. T. Wells, et al. (2005). "Isradipine decreases the hemodynamic response of cocaine and methamphetamine results from two human laboratory studies: Results from two human laboratory studies." *Am J Hypertens* 18(6): 813-22.
- Li, J. X., R. Han, et al. (2005). "Different effects of valproate on methamphetamine- and cocaine-induced behavioral sensitization in mice." *Behav Brain Res* 161(1): 125-32.
- Lundqvist, T. (2005). "Cognitive consequences of cannabis use: Comparison with abuse of stimulants and heroin with regard to attention, memory and executive functions." *Pharmacol Biochem Behav* 81(2): 319-30.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From "Candy Kids" to "Chemi-Kids": A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9-10): 1503-23.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nath, A., W. F. Maragos, et al. (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.
- Newton, T. F., R. De La Garza, 2nd, et al. (2005). "Cocaine and methamphetamine produce different patterns of subjective and cardiovascular effects." *Pharmacol Biochem Behav* 82(1): 90-7.
- Oro, A. S. and S. D. Dixon (1987). "Perinatal cocaine and methamphetamine exposure: Maternal and neonatal correlates." *J Pediatr* 111(4): 571-8.
- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav*.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.
- Rawson, R. A., A. Washton, et al. (2002). "Drugs and sexual effects: Role of drug type and gender." *J Subst Abuse Treat* 22(2): 103-8.
- Rawson, R., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2000). "Methamphetamine and cocaine users: Differences in characteristics and treatment retention." *J Psychoactive Drugs* 32(2): 233-8.
- Riehm, K. S., M. Y. Iguchi and M. D. Anglin (2002). "Depressive symptoms among amphetamine and cocaine users before and after substance abuse treatment." *Psychol Addict Behav* 16(4): 333-7.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Shearer, J., A. Wodak, et al. (2003). "Pilot randomized double blind placebo-controlled study of dexamphetamine for cocaine dependence." *Addiction* 98(8): 1137-41.
- Simon, S. L., K. Richardson, J. Dacey, S. Glynn, C. P. Domier, R. A. Rawson and W. Ling (2002). "A comparison of patterns of methamphetamine and cocaine use." *J Addict Dis* 21(1): 35-44.
- Simon, S. L., C. P. Domier, et al. (2002). "Cognitive performance of current methamphetamine and cocaine abusers." *J Addict Dis* 21(1): 61-74.
- Soellner, R. (2005). "Club drug use in Germany." *Subst Use Misuse* 40(9): 1279-93.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.
- Ujike, H., K. Akiyama, et al. (1990). "D-2 but not D-1 dopamine agonists produce augmented behavioral response in rats after subchronic treatment with methamphetamine or cocaine." *Psychopharmacology (Berl)* 102(4): 459-64.
- Wada, K. (1994). "Cocaine abuse in Japan." *Arukuru Kenkyuto Yakubutsu Ison* 29(2): 83-91.

Cocaine (animals)

- Ali, S. F., K. J. Kordsmeier, et al. (1995). "Drug-induced circling preference in rats. Correlation with monoamine levels." *Mol Neurobiol* 11(1-3): 145-54.
- Cervinski, M. A., J. D. Foster, et al. (2005). "Psychoactive substrates stimulate dopamine transporter phosphorylation and down regulation by cocaine sensitive and protein kinase C dependent mechanisms." *J Biol Chem*.
- Chen, R., D. D. Han, et al. (2005). "A triple mutation in the second transmembrane domain of mouse dopamine transporter markedly decreases sensitivity to cocaine and methylphenidate." *J Neurochem* 94(2): 352-9.
- Hayase, T., Y. Yamamoto, et al. (2006). "Behavioral effects of ketamine and toxic interactions with psychostimulants." *BMC Neurosci* 7(1): 25.
- Horner, K. A., D. H. Adams, et al. (2005). "Blockade of stimulant-induced preprodynorphin mRNA expression in the striatal matrix by serotonin depletion." *Neuroscience* 131(1): 67-77.
- Peltier, R. L., D. H. Li, et al. (1996). "Chronic d-amphetamine or methamphetamine produces cross-tolerance to the discriminative and reinforcing stimulus effects of cocaine." *J Pharmacol Exp Ther* 277(1): 212-8.
- Zhang, Y., T. M. Loonam, et al. (2001). "Comparison of cocaine- and methamphetamine-evoked dopamine and glutamate overflow in somatodendritic and terminal field regions of the rat brain during acute, chronic, and early withdrawal conditions." *Ann N Y Acad Sci* 937: 93-120.

Cognitive Performance

See also Decision-Making and Judgment; Learning (animals)

- Bechara, A., S. Dolan, et al. (2001). "Decision-making deficits, linked to a dysfunctional ventromedial prefrontal cortex, revealed in alcohol and stimulant abusers." *Neuropsychologia* 39(4): 376-89.
- Carey, C. L., S. P. Woods, et al. (2006). "Additive deleterious effects of methamphetamine dependence and immunosuppression on neuropsychological functioning in HIV infection." *AIDS Behav*: 1-6.
- Chang, L. and W. Haning (2006). "Insights from recent positron emission tomographic studies of drug abuse and dependence." *Curr Opin Psychiatry* 19(3): 246-252.
- Chang, L., C. Cloak, et al. (2005). "Enlarged striatum in abstinent methamphetamine abusers: A possible compensatory response." *Biol Psychiatry* 57(9): 967-74.
- Chang, L., L. M. Smith, et al. (2004). "Smaller subcortical volumes and cognitive deficits in children with prenatal methamphetamine exposure." *Psychiatry Res* 132(2): 95-106.
- Chang, L., T. Ernst, et al. (2002). "Perfusion MRI and computerized cognitive test abnormalities in abstinent methamphetamine users." *Psychiatry Res* 114(2): 65-79.
- Cherner, M., S. Letendre, et al. (2005). "Hepatitis C augments cognitive deficits associated with HIV infection and methamphetamine." *Neurology* 64(8): 1343-7.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Gonzalez, R., J. D. Rippeth, C. L. Carey, R. K. Heaton, D. J. Moore, B. C. Schweinsburg, M. Cherner and I. Grant (2004). "Neurocognitive performance of methamphetamine users discordant for history of marijuana exposure." *Drug Alcohol Depend* 76(2): 181-90.
- Gouzoulis-Mayfrank, E., M. Schreckenberger, et al. (1999). "Neurometabolic effects of psilocybin, 3,4-methylenedioxyethylamphetamine (MDE) and d-methamphetamine in healthy volunteers. A double-blind, placebo-controlled PET study with [¹⁸F]FDG." *Neuropsychopharmacology* 20(6): 565-81.
- Everall, I., S. Salaria, et al. (2005). "Methamphetamine stimulates interferon inducible genes in HIV infected brain." *J Neuroimmunol* 170(1-2): 158-71.
- Hart, C. L., A. S. Ward, et al. (2001). "Methamphetamine self-administration by humans." *Psychopharmacology (Berl)* 157(1): 75-81.
- Iwanami, A., R. Kanamori, et al. (1995). "Reduced attention-related negative potentials in methamphetamine psychosis." *J Nerv Ment Dis* 183(11): 693-7.
- Iwanami, A., I. Suga, et al. (1993). "Event-related potentials in methamphetamine psychosis during an auditory discrimination task. A preliminary report." *Eur Arch Psychiatry Clin Neurosci* 242(4): 203-8.
- Jernigan, T. L., A. C. Gamst, et al. (2005). "Effects of methamphetamine dependence and HIV infection on cerebral morphology." *Am J Psychiatry* 162(8): 1461-72.
- Johanson, C. E., K. A. Frey, et al. (2006). "Cognitive function and nigrostriatal markers in abstinent methamphetamine abusers." *Psychopharmacology (Berl)* 185(3): 327-38.

- Johnson, B. A., J. D. Roache, et al. (2005). "Effects of isradipine on methamphetamine-induced changes in attentional and perceptual-motor skills of cognition." *Psychopharmacology (Berl)* 178(2-3): 296-302.
- Kalechstein, A. D., T. F. Newton and M. Green (2003). "Methamphetamine dependence is associated with neurocognitive impairment in the initial phases of abstinence." *J Neuropsychiatry Clin Neurosci* 15(2): 215-20.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Prefrontal grey-matter changes in short-term and long-term abstinent methamphetamine abusers." *Int J Neuropsychopharmacol*: 1-8.
- Kopell, B. S. and W. K. Wittner (1968). "The effects of chlorpromazine and methamphetamine on visual signal-from-noise detection." *J Nerv Ment Dis* 147(4): 418-24.
- Lawton-Craddock, A., S. J. Nixon and R. Tivis (2003). "Cognitive efficiency in stimulant abusers with and without alcohol dependence." *Alcohol Clin Exp Res* 27(3): 457-64.
- Letendre, S. L., M. Cherner, et al. (2005). "The effects of hepatitis C, HIV, and methamphetamine dependence on neuropsychological performance: Biological correlates of disease." *AIDS* 19 Suppl 3: S72-8.
- Levine, A. J., D. J. Hardy, et al. (2006). "The effect of recent stimulant use on sustained attention in HIV-infected adults." *J Clin Exp Neuropsychol* 28(1): 29-42.
- London, E. D., S. M. Berman, et al. (2005). "Cerebral metabolic dysfunction and impaired vigilance in recently abstinent methamphetamine abusers." *Biol Psychiatry* 58(10): 770-8.
- Lundqvist, T. (2005). "Cognitive consequences of cannabis use: Comparison with abuse of stimulants and heroin with regard to attention, memory and executive functions." *Pharmacol Biochem Behav* 81(2): 319-30.
- Malitz, S. and M. Kanzler (1970). "Effects of drugs on perception in man." *Res Publ Assoc Res Nerv Ment Dis* 48: 35-53.
- McKetin, R. and N. Solowij (1999). "Event-related potential indices of auditory selective attention in dependent amphetamine users." *Biol Psychiatry* 45(11): 1488-97.
- McKetin, R. and R. P. Mattick (1998). "Attention and memory in illicit amphetamine users: Comparison with non-drug-using controls." *Drug Alcohol Depend* 50(2): 181-4.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Mohs, R. C., J. R. Tinklenberg, et al. (1978). "Methamphetamine and diphenhydramine effects on the rate of cognitive processing." *Psychopharmacology (Berl)* 59(1): 13-9.
- Monterosso, J. R., A. R. Aron, et al. (2005). "Deficits in response inhibition associated with chronic methamphetamine abuse." *Drug Alcohol Depend* 79(2): 273-7.
- Moszczynska, A., P. Fitzmaurice, L. Ang, K. S. Kalasinsky, G. A. Schmunk, F. J. Peretti, S. S. Aiken, D. J. Wickham and S. J. Kish (2004). "Why is parkinsonism not a feature of human methamphetamine users?" *Brain* 127(Pt 2): 363-70. Epub 2003 Nov 25.
- Nath, A., K. F. Hauser, V. Wojna, R. M. Booze, W. Maragos, M. Prendergast, W. Cass and J. T. Turchan (2002). "Molecular basis for interactions of HIV and drugs of abuse." *J Acquir Immune Defic Syndr* 31 Suppl 2: S62-9.
- Newton, T. F., A. D. Kalechstein, et al. (2004). "Association between quantitative EEG and neurocognition in methamphetamine-dependent volunteers." *Clin Neurophysiol* 115(1): 194-8.
- Newton, T. F., I. A. Cook, et al. (2003). "Quantitative EEG abnormalities in recently abstinent methamphetamine dependent individuals." *Clin Neurophysiol* 114(3): 410-5.
- Newton, T. F., A. D. Kalechstein, S. Duran, N. Vansluis and W. Ling (2004). "Methamphetamine abstinence syndrome: Preliminary findings." *Am J Addict* 13(3): 248-55.
- Nordahl, T. E., R. Salo, et al. (2003). "Neuropsychological effects of chronic methamphetamine use on neurotransmitters and cognition: A review." *J Neuropsychiatry Clin Neurosci* 15(3): 317-25.
- Paulus, M. P., S. F. Tapert, et al. (2005). "Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse." *Arch Gen Psychiatry* 62(7): 761-8.
- Paulus, M. P., N. Hozack, et al. (2003). "Decision making by methamphetamine-dependent subjects is associated with error-rate-independent decrease in prefrontal and parietal activation." *Biol Psychiatry* 53(1): 65-74.
- Paulus, M. P., N. E. Hozack, et al. (2002). "Behavioral and functional neuroimaging evidence for prefrontal dysfunction in methamphetamine-dependent subjects." *Neuropsychopharmacology* 26(1): 53-63.
- Rippeth, J. D., R. K. Heaton, et al. (2004). "Methamphetamine dependence increases risk of neuropsychological impairment in HIV infected persons." *J Int Neuropsychol Soc* 10(1): 1-14.
- Roberts, C. and A. M. Horton, Jr. (2002). "Derived Trail Making Test indices in a sample of amphetamine abusers: Demographic effects." *Int J Neurosci* 112(5): 575-84.
- Roberts, C. and A. M. Horton, Jr. (2001). "Demographic effects on the Trail Making Test in amphetamine abusers." *Int J Neurosci* 110(3-4): 181-7.

- Rogers, R. D., B. J. Everitt, et al. (1999). "Dissociable deficits in the decision-making cognition of chronic amphetamine abusers, opiate abusers, patients with focal damage to prefrontal cortex, and tryptophan-depleted normal volunteers: Evidence for monoaminergic mechanisms." *Neuropsychopharmacology* 20(4): 322-39.
- Salo, R., T. E. Nordahl, et al. (2005). "A dissociation in attentional control: Evidence from methamphetamine dependence." *Biol Psychiatry* 57(3): 310-3.
- Salo, R., T. E. Nordahl, et al. (2002). "Preliminary evidence of reduced cognitive inhibition in methamphetamine-dependent individuals." *Psychiatry Res* 111(1): 65-74.
- Shimazono, Y. and E. Matsushima (1995). "Behavioral and neuroimaging studies on schizophrenia in Japan." *Psychiatry Clin Neurosci* 49(1): 3-11.
- Sim, T., S. L. Simon, C. P. Domier, K. Richardson, R. A. Rawson and W. Ling (2002). "Cognitive deficits among methamphetamine users with attention deficit hyperactivity disorder symptomatology." *J Addict Dis* 21(1): 75-89.
- Simon, S. L., J. Dacey, S. Glynn, R. Rawson and W. Ling (2004). "The effect of relapse on cognition in abstinent methamphetamine abusers." *J Subst Abuse Treat* 27(1): 59-66.
- Simon, S. L., C. P. Domier, et al. (2002). "Cognitive performance of current methamphetamine and cocaine abusers." *J Addict Dis* 21(1): 61-74.
- Thompson, P. M., K. M. Hayashi, S. L. Simon, J. A. Geaga, M. S. Hong, Y. Sui, J. Y. Lee, A. W. Toga, W. Ling and E. D. London (2004). "Structural abnormalities in the brains of human subjects who use methamphetamine." *J Neurosci* 24(26): 6028-36.
- van Gorp, W. G. and C. H. Hinkin (2005). "Triple trouble: cognitive deficits from hepatitis C, HIV, and methamphetamine." *Neurology* 64(8): 1328-9.
- Woods, S. P., J. D. Rippeth, et al. (2005). "Deficient strategic control of verbal encoding and retrieval in individuals with methamphetamine dependence." *Neuropsychology* 19(1): 35-43.

Colorado

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Bull, S. S., P. Piper and C. Rietmeijer (2002). "Men who have sex with men and also inject drugs-profiles of risk related to the synergy of sex and drug injection behaviors." *J Homosex* 42(3): 31-51.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Van Leeuwen, J. M., C. Hopfer, et al. (2004). "A snapshot of substance abuse among homeless and runaway youth in Denver, Colorado." *J Community Health* 29(3): 217-29.

Commercial Sex Work and Sex Workers

- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Chomchai, C., N. Na Manorom, P. Watanarungsan, P. Yossuck and S. Chomchai (2004). "Methamphetamine abuse during pregnancy and its health impact on neonates born at Siriraj Hospital, Bangkok, Thailand." *Southeast Asian J Trop Med Public Health* 35(1): 228-31.
- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York City: A preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Collins, C. L., T. Kerr, et al. (2005). "Potential uptake and correlates of willingness to use a supervised smoking facility for noninjection illicit drug use." *J Urban Health* 82(2): 276-84.
- Darke, S., W. Hall, et al. (1992). "Benzodiazepine use and HIV risk-taking behaviour among injecting drug users." *Drug Alcohol Depend* 31(1): 31-6.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Molitor, F., S. R. Truax, J. D. Ruiz and R. K. Sun (1998). "Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users." *West J Med* 168(2): 93-7.
- Nemoto, T., D. Operario, et al. (2002). "Risk behaviors of Filipino methamphetamine users in San Francisco: Implications for prevention and treatment of drug use and HIV." *Public Health Rep* 117 Suppl 1: S30-8.

- Newman, P. A., F. Rhodes and R. E. Weiss (2004). "Correlates of sex trading among drug-using men who have sex with men." *Am J Public Health* 94(11): 1998-2003.
- Operario, D. and T. Nemoto (2005). "Sexual risk behavior and substance use among a sample of Asian Pacific Islander transgendered women." *AIDS Educ Prev* 17(5): 430-43.
- Reback, C. J. and C. E. Grella (1999). "HIV risk behaviors of gay and bisexual male methamphetamine users contacted through street outreach." *Journal of Drug Issues* 29(1): 155-66.
- Rietmeijer, C. A., R. J. Wolitski, M. Fishbein, N. H. Corby and D. L. Cohn (1998). "Sex hustling, injection drug use, and non-gay identification by men who have sex with men. Associations with high-risk sexual behaviors and condom use." *Sex Transm Dis* 25(7): 353-60.
- Roxburgh, A., L. Degenhardt, et al. (2005). "Drug use and risk behaviours among injecting drug users: A comparison between sex workers and non-sex workers in Sydney, Australia." *Harm Reduct J* 2(1): 7.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- van Griensven, F., S. Supawitkul, et al. (2001). "Rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection." *Pediatrics* 108(1): E13.
- Wada, K., S. B. Greberman, et al. (1999). "HIV and HCV infection among drug users in Japan." *Addiction* 94(7): 1063-9.
- Williams, M. L., J. Atkinson, et al. (2005). "Spatial bridging in a network of drug-using male sex workers." *J Urban Health* 82(1 Suppl 1): i35-42.

Compulsivity

See also Stereotypic Behaviors; Stereotypic Behaviors (animals)

- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.

Condoms

See also Sexual Risk Behaviors

- Benotsch, E. G., S. Kalichman, et al. (2002). "Men who have met sex partners via the Internet: Prevalence, predictors, and implications for HIV prevention." *Arch Sex Behav* 31(2): 177-83.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Bull, S. S., P. Piper and C. Rietmeijer (2002). "Men who have sex with men and also inject drugs-profiles of risk related to the synergy of sex and drug injection behaviors." *J Homosex* 42(3): 31-51.
- Frosch, D., S. Shoptaw, et al. (1996). "Sexual HIV risk among gay and bisexual male methamphetamine abusers." *J Subst Abuse Treat* 13(6): 483-6.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Molitor, F., S. R. Truax, J. D. Ruiz and R. K. Sun (1998). "Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users." *West J Med* 168(2): 93-7.
- Reback, C. J., S. Larkins and S. Shoptaw (2004). "Changes in the meaning of sexual risk behaviors among gay and bisexual male methamphetamine abusers before and after drug treatment." *AIDS Behav* 8(1): 87-98.
- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.
- Semple, S. J., T. L. Patterson and I. Grant (2002). "Motivations associated with methamphetamine use among HIV+ men who have sex with men." *J Subst Abuse Treat* 22(3): 149-56.
- Stone, E., P. Heagerty, E. Vittinghoff, J. M. Douglas, Jr., B. A. Koblin, K. H. Mayer, C. L. Celum, M. Gross, G. E. Woody, M. Marmor, G. R. Seage, 3rd and S. P. Buchbinder (1999). "Correlates of condom failure in a sexually active cohort of men who have sex with men." *J Acquir Immune Defic Syndr Hum Retrovirol* 20(5): 495-501.

Contingency Management

- Galloway, G. P., P. Marinelli-Casey, et al. (2000). "Treatment-as-usual in the methamphetamine treatment project." *J Psychoactive Drugs* 32(2): 165-75.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Petry, N. M., J. M. Peirce, et al. (2005). "Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a national drug abuse treatment clinical trials network study." *Arch Gen Psychiatry* 62(10): 1148-56.
- Rawson, R. A., R. Gonzales, et al. (2002). "Treatment of methamphetamine use disorders: An update." *J Subst Abuse Treat* 23(2): 145-50.
- Shoptaw, S., A. Huber, et al. (2006). "Randomized, placebo-controlled trial of sertraline and contingency management for the treatment of methamphetamine dependence." *Drug Alcohol Depend*.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.

Coordination

See Psychomotor Task Performance

Copulation (animals)

- Saito, T. R., S. Aoki, et al. (1991). "Effects of methamphetamine on copulatory behavior in male rats." *Jikken Dobutsu* 40(4): 447-52.

Craving

See also Dependence; Relapse

- Brown, E. S., V. A. Nejtck, D. C. Perantie, N. Rajan Thomas and A. J. Rush (2003). "Cocaine and amphetamine use in patients with psychiatric illness: A randomized trial of typical antipsychotic continuation or discontinuation." *J Clin Psychopharmacol* 23(4): 384-8.
- Camacho, A. and H. S. Akiskal (2005). "Proposal for a bipolar-stimulant spectrum: Temperament, diagnostic validation and therapeutic outcomes with mood stabilizers." *J Affect Disord* 85(1-2): 217-30.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Galloway, G. P., J. Newmeyer, T. Knapp, S. A. Stalcup and D. Smith (1996). "A controlled trial of imipramine for the treatment of methamphetamine dependence." *J Subst Abuse Treat* 13(6): 493-7.
- Harris, D. S., V. I. Reus, et al. (2005). "Repeated psychological stress testing in stimulant-dependent patients." *Prog Neuropsychopharmacol Biol Psychiatry* 29(5): 669-77.
- Harris, D. S., V. I. Reus, O. M. Wolkowitz, J. E. Mendelson and R. T. Jones (2003). "Altering cortisol level does not change the pleasurable effects of methamphetamine in humans." *Neuropsychopharmacology* 28(9): 1677-84.
- Hartz, D. T., S. L. Frederick-Osborne and G. P. Galloway (2001). "Craving predicts use during treatment for methamphetamine dependence: A prospective, repeated-measures, within-subject analysis." *Drug Alcohol Depend* 63(3): 269-76.
- James, D., G. Davies and P. Willner (2004). "The development and initial validation of a questionnaire to measure craving for amphetamine." *Addiction* 99(9): 1181-8.
- Johnson, B. A., J. D. Roache, et al. (2006). "Effects of acute topiramate dosing on methamphetamine-induced subjective mood." *Int J Neuropsychopharmacol*: 1-14.
- Johnson, B. A., J. D. Roache, et al. (2005). "Effects of isradipine, a dihydropyridine-class calcium-channel antagonist, on d-methamphetamine's subjective and reinforcing effects." *Int J Neuropsychopharmacol* 8(2): 203-13.
- Johnson, B. A., J. D. Roache, et al. (1999). "Isradipine, a dihydropyridine-class calcium channel antagonist, attenuates some of d-methamphetamine's positive subjective effects: A preliminary study." *Psychopharmacology (Berl)* 144(3): 295-300.
- McGregor, C., M. Srisurapanont, et al. (2005). "The nature, time course and severity of methamphetamine withdrawal." *Addiction* 100(9): 1320-9.
- Newton, T. F., J. D. Roache, et al. (2005). "Bupropion reduces methamphetamine-induced subjective effects and cue-induced craving." *Neuropsychopharmacology*.
- Ogai, Y., A. Haraguchi, et al. (2005). "[Control of craving for methamphetamine: Development of scales for dependence and search for medicines for treatment]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 25(5): 227-33.

- Onaivi, E. S., S. F. Ali, et al. (2002). "Ibogaine signals addiction genes and methamphetamine alteration of long-term potentiation." *Ann N Y Acad Sci* 965: 28-46.
- Paulus, M. P., N. E. Hozack, B. E. Zauscher, L. Frank, G. G. Brown, D. L. Braff and M. A. Schuckit (2002). "Behavioral and functional neuroimaging evidence for prefrontal dysfunction in methamphetamine-dependent subjects." *Neuropsychopharmacology* 26(1): 53-63.
- Piasecki, M. P., G. M. Steinagel, et al. (2002). "An exploratory study: The use of paroxetine for methamphetamine craving." *J Psychoactive Drugs* 34(3): 301-4.
- Rothman, R. B., B. E. Blough, et al. (2002). "Appetite suppressants as agonist substitution therapies for stimulant dependence." *Ann N Y Acad Sci* 965: 109-26.
- Sattar, S. P., S. C. Bhatia, et al. (2004). "Potential benefits of quetiapine in the treatment of substance dependence disorders." *J Psychiatry Neurosci* 29(6): 452-7.
- Sekine, Y., M. Iyo, et al. (2001). "Methamphetamine-related psychiatric symptoms and reduced brain dopamine transporters studied with PET." *Am J Psychiatry* 158(8): 1206-14.
- Vazquez, E. (2005). "Crystal meth recovery. A step-by-step guide." *Posit Aware* 16(5): 20-2, 25.
- Volkow, N. D., J. S. Fowler and G. J. Wang (2002). "Role of dopamine in drug reinforcement and addiction in humans: Results from imaging studies." *Behav Pharmacol* 13(5-6): 355-66.

Craving (animals)

- Anggadiredja, K., M. Nakamichi, et al. (2004). "Endocannabinoid system modulates relapse to methamphetamine seeking: Possible mediation by the arachidonic acid cascade." *Neuropsychopharmacology* 29(8): 1470-8.
- Anggadiredja, K., K. Sakimura, et al. (2004). "Naltrexone attenuates cue- but not drug-induced methamphetamine seeking: A possible mechanism for the dissociation of primary and secondary reward." *Brain Res* 1021(2): 272-6.
- Carney, J. M., R. W. Landrum, et al. (1991). "Establishment of chronic intravenous drug self-administration in the C57BL/6J mouse." *Neuroreport* 2(8): 477-80.
- Harrod, S. B., L. P. Dvoskin, et al. (2001). "Lobeline attenuates d-methamphetamine self-administration in rats." *J Pharmacol Exp Ther* 298(1): 172-9.
- Hiranita, T., K. Anggadiredja, et al. (2004). "Nicotine attenuates relapse to methamphetamine-seeking behavior (craving) in rats." *Ann N Y Acad Sci* 1025: 504-7.
- Itzhak, Y. and S. F. Ali (2002). "Behavioral consequences of methamphetamine-induced neurotoxicity in mice: Relevance to the psychopathology of methamphetamine addiction." *Ann N Y Acad Sci* 965: 127-35.
- Parker, L. A. (1995). "Rewarding drugs produce taste avoidance, but not taste aversion." *Neurosci Biobehav Rev* 19(1): 143-57.
- Roth, M. E. and M. E. Carroll (2004). "Sex differences in the acquisition of IV methamphetamine self-administration and subsequent maintenance under a progressive ratio schedule in rats." *Psychopharmacology (Berl)* 172(4): 443-9.
- Shepard, J. D., J. M. Bossert, et al. (2004). "The anxiogenic drug yohimbine reinstates methamphetamine seeking in a rat model of drug relapse." *Biol Psychiatry* 55(11): 1082-9.
- Stefanski, R., S. H. Lee, S. Yasar, J. L. Cadet and S. R. Goldberg (2002). "Lack of persistent changes in the dopaminergic system of rats withdrawn from methamphetamine self-administration." *Eur J Pharmacol* 439(1-3): 59-68.
- Yan, Y., A. Nitta, et al. (2006). "Relapse of methamphetamine-seeking behavior in C57BL/6J mice demonstrated by a reinstatement procedure involving intravenous self-administration." *Behav Brain Res*.
- Yasar, S., J. Gaal, et al. (2006). "A comparison of drug-seeking behavior maintained by D-amphetamine, L-deprenyl (selegiline), and D-deprenyl under a second-order schedule in squirrel monkeys." *Psychopharmacology (Berl)* 183(4): 413-21.

Crime

- Carey, C. L., S. P. Woods, et al. (2006). "Additive deleterious effects of methamphetamine dependence and immunosuppression on neuropsychological functioning in HIV infection." *AIDS Behav* 10(2): 185-90.

Czech Republic

- Berankova, K., V. Habrdova, et al. (2005). "Methamphetamine in hair and interpretation of forensic findings in a fatal case." *Forensic Sci Int* 153(1): 93-7.
- Csemy, L., L. Kubicka, et al. (2002). "Drug scene in the Czech Republic and Slovakia during the period of transformation." *Eur Addict Res* 8(4): 159-65.

- Mravcik, V., H. Sebakova, et al. (2000). "[Seroprevalence of viral hepatitis A, B and C in intravenous drug users]." *Epidemiol Mikrobiol Immunol* 49(1): 19-23.
- Popov, P. (1996). "[Stimulants and addiction]." *Ceska Slov Psychiatr* 92 Suppl 1: 70-2.
- Toupalik, P., H. Vanerkova, et al. (2002). "[Morphologic findings in chronic abuse of heroin and pervitine]." *Soud Lek* 47(1): 5-11.

Dallas

- Little, B. B., L. M. Snell, et al. (1988). "Methamphetamine abuse during pregnancy: Outcome and fetal effects." *Obstet Gynecol* 72(4): 541-4.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

Dangerousness

- Room, R. (2006). "The dangerousness of drugs." *Addiction* 101(2): 166-8.

Deaths

See Mortality, Methamphetamine-Associated

Decision-Making and Judgment

- Bechara, A., S. Dolan, et al. (2001). "Decision-making deficits, linked to a dysfunctional ventromedial prefrontal cortex, revealed in alcohol and stimulant abusers." *Neuropsychologia* 39(4): 376-89.
- Forney, R. (1977). "Drug impairment reviews: stimulants." *NIDA Res Monogr Series* 11: 73-6.
- Gustavsen, I., J. Morland, et al. (2005). "Impairment related to blood amphetamine and/or methamphetamine concentrations in suspected drugged drivers." *Accid Anal Prev*.
- Hart, C. L., A. S. Ward, et al. (2001). "Methamphetamine self-administration by humans." *Psychopharmacology (Berl)* 157(1): 75-81.
- Logan, B. K. (1996). "Methamphetamine and driving impairment." *J Forensic Sci* 41(3): 457-64.
- Lundqvist, T. (2005). "Cognitive consequences of cannabis use: Comparison with abuse of stimulants and heroin with regard to attention, memory and executive functions." *Pharmacol Biochem Behav* 81(2): 319-30.
- Monterosso, J. R., A. R. Aron, et al. (2005). "Deficits in response inhibition associated with chronic methamphetamine abuse." *Drug Alcohol Depend* 79(2): 273-7.
- Paulus, M. P., S. F. Tapert, et al. (2005). "Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse." *Arch Gen Psychiatry* 62(7): 761-8.
- Paulus, M. P., N. Hozack, et al. (2003). "Decision making by methamphetamine-dependent subjects is associated with error-rate-independent decrease in prefrontal and parietal activation." *Biol Psychiatry* 53(1): 65-74.
- Paulus, M. P., N. E. Hozack, et al. (2002). "Behavioral and functional neuroimaging evidence for prefrontal dysfunction in methamphetamine-dependent subjects." *Neuropsychopharmacology* 26(1): 53-63.
- Rogers, R. D., B. J. Everitt, et al. (1999). "Dissociable deficits in the decision-making cognition of chronic amphetamine abusers, opiate abusers, patients with focal damage to prefrontal cortex, and tryptophan-depleted normal volunteers: evidence for monoaminergic mechanisms." *Neuropsychopharmacology* 20(4): 322-39.
- Salo, R., T. E. Nordahl, et al. (2002). "Preliminary evidence of reduced cognitive inhibition in methamphetamine-dependent individuals." *Psychiatry Res* 111(1): 65-74.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Sim, T., S. L. Simon, et al. (2002). "Cognitive deficits among methamphetamine users with attention deficit hyperactivity disorder symptomatology." *J Addict Dis* 21(1): 75-89.

Dental and Oral Health

- Anonymous (2005). "For the dental patient ... methamphetamine use and oral health." *J Am Dent Assoc* 136(10): 1491.
- Assael, L. A. (2005). "Methamphetamine: An epidemic of oral health neglect, loss of access to care, abuse, and violence." *J Oral Maxillofac Surg* 63(9): 1253-4.
- Hasan, A. A. and S. Ciancio (2004). "Relationship between amphetamine ingestion and gingival enlargement." *Pediatr Dent* 26(5): 396-400.

- Klasser, G. D. and J. Epstein (2005). "Methamphetamine and its impact on dental care." *J Can Dent Assoc* 71(10): 759-62.
- Lee, C. Y., L. B. Heffez, et al. (1992). "Crystal methamphetamine abuse: A concern to oral and maxillofacial surgeons." *J Oral Maxillofac Surg* 50(10): 1052-4.
- McGrath, C. and B. Chan (2005). "Oral health sensations associated with illicit drug abuse." *Br Dent J* 198(3): 159-62.
- Nixon, P. J., C. C. Youngson and A. Beese (2002). "Tooth surface loss: Does recreational drug use contribute?" *Clin Oral Investig* 6(2): 128-30.
- Rhodus, N. L. and J. W. Little (2005). "Methamphetamine abuse and "meth mouth"." *Northwest Dent* 84(5): 29, 31, 33-7.
- Richards, J. R. and B. T. Brofeldt (2000). "Patterns of tooth wear associated with methamphetamine use." *J Periodontol* 71(8): 1371-4.
- Saini, T., P. C. Edwards, et al. (2005). "Etiology of xerostomia and dental caries among methamphetamine abusers." *Oral Health Prev Dent* 3(3): 189-95.
- Shaner, J. W., N. Kimmes, et al. (2006). ""Meth mouth": Rampant caries in methamphetamine abusers." *AIDS Patient Care STDS* 20(3): 146-50.
- Shaner, J. W. (2002). "Caries associated with methamphetamine abuse." *J Mich Dent Assoc* 84(9): 42-7.
- Smart, R. J. and M. Rosenberg (2005). "Methamphetamine abuse: Medical and dental considerations." *J Mass Dent Soc* 54(2): 44-6, 48-9.
- Venker, D. (1999). "Crystal methamphetamine and the dental patient." *Iowa Dent J* 85(4): 34.
- Wynn, R. L. (1997). "Dental considerations of patients taking appetite suppressants." *Gen Dent* 45(4): 324-8, 330-1.

Denver

- Bull, S. S., P. Piper and C. Rietmeijer (2002). "Men who have sex with men and also inject drugs-profiles of risk related to the synergy of sex and drug injection behaviors." *J Homosex* 42(3): 31-51.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Van Leeuwen, J. M., C. Hopfer, et al. (2004). "A snapshot of substance abuse among homeless and runaway youth in Denver, Colorado." *J Community Health* 29(3): 217-29.

Dependence

See also Craving

- Asanuma, M. and I. Miyazaki (2005). "[Expression profiling of molecules related to abused drug dependence and toxicity]." *Nippon Yakurigaku Zasshi* 126(1): 30-4, 42.
- Bechara, A., S. Dolan, et al. (2001). "Decision-making deficits, linked to a dysfunctional ventromedial prefrontal cortex, revealed in alcohol and stimulant abusers." *Neuropsychologia* 39(4): 376-89.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Gonzalez Castro, F., E. H. Barrington, M. A. Walton and R. A. Rawson (2000). "Cocaine and methamphetamine: Differential addiction rates." *Psychol Addict Behav* 14(4): 390-6.
- Gordon, S. M., F. Tulak, et al. (2004). "Prevalence and characteristics of adolescents patients with co-occurring ADHD and substance dependence." *J Addict Dis* 23(4): 31-40.
- Halkitis, P. N. and M. T. Shrem (2006). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav* 31(3): 549-52.
- Hall, W., S. Darke, et al. (1993). "Patterns of drug use and risk-taking among injecting amphetamine and opioid drug users in Sydney, Australia." *Addiction* 88(4): 509-16.
- Hart, C. L., A. S. Ward, et al. (2001). "Methamphetamine self-administration by humans." *Psychopharmacology (Berl)* 157(1): 75-81.
- Ide, S., H. Kobayashi, et al. (2006). "Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms." *Pharmacogenomics J*.
- Ide, S., H. Kobayashi, et al. (2004). "Gene polymorphisms of the mu opioid receptor in methamphetamine abusers." *Ann N Y Acad Sci* 1025: 316-24.
- Ikeda, M., N. Iwata, et al. (2006). "Positive association of AKT1 haplotype to Japanese methamphetamine use disorder." *Int J Neuropsychopharmacol* 9(1): 77-81.
- Jernigan, T. L., A. C. Gamst, et al. (2005). "Effects of methamphetamine dependence and HIV infection on cerebral morphology." *Am J Psychiatry* 162(8): 1461-72.
- Kalechstein, A. D., T. F. Newton and M. Green (2003). "Methamphetamine dependence is associated with neurocognitive impairment in the initial phases of abstinence." *J Neuropsychiatry Clin Neurosci* 15(2): 215-20.

- Kalechstein, A. D., T. F. Newton, et al. (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Kaye, S. and S. Darke (2000). "A comparison of the harms associated with the injection of heroin and amphetamines." *Drug Alcohol Depend* 58(1-2): 189-95.
- Kobayashi, H., S. Ide, J. Hasegawa, H. Ujike, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, M. Iyo, H. W. Shen, K. Ikeda and I. Soraa (2004). "Study of association between {alpha}-synuclein gene polymorphism and methamphetamine psychosis/dependence." *Ann N Y Acad Sci* 1025: 325-334.
- Kovacic, P. and A. L. Cooksy (2005). "Unifying mechanism for toxicity and addiction by abused drugs: electron transfer and reactive oxygen species." *Med Hypotheses* 64(2): 357-66.
- McKetin, R. and N. Solowij (1999). "Event-related potential indices of auditory selective attention in dependent amphetamine users." *Biol Psychiatry* 45(11): 1488-97.
- Miyatake, M., M. Narita, et al. (2005). "Glutamatergic neurotransmission and protein kinase C play a role in neuron-glia communication during the development of methamphetamine-induced psychological dependence." *Eur J Neurosci* 22(6): 1476-88.
- Morita, Y., H. Ujike, et al. (2005). "A nonsynonymous polymorphism in the human fatty acid amide hydrolase gene did not associate with either methamphetamine dependence or schizophrenia." *Neurosci Lett* 376(3): 182-7.
- Morita, Y., H. Ujike, et al. (2005). "The X-box binding protein 1 (XBP1) gene is not associated with methamphetamine dependence." *Neurosci Lett* 383(1-2): 194-8.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nakajima, A., K. Yamada, T. Nagai, T. Uchiyama, Y. Miyamoto, T. Mamiya, J. He, A. Nitta, M. Mizuno, M. H. Tran, A. Seto, M. Yoshimura, K. Kitaichi, T. Hasegawa, K. Saito, Y. Yamada, M. Seishima, K. Sekikawa, H. C. Kim and T. Nabeshima (2004). "Role of tumor necrosis factor-alpha in methamphetamine-induced drug dependence and neurotoxicity." *J Neurosci* 24(9): 2212-25.
- Narita, M., M. Miyatake, et al. (2005). "[Implication of glial function in the development of drug dependence associated with synaptic plasticity]." *Nippon Yakurigaku Zasshi* 126(1): 43-8.
- Newton, T. F., A. D. Kalechstein, et al. (2004). "Association between quantitative EEG and neurocognition in methamphetamine-dependent volunteers." *Clin Neurophysiol* 115(1): 194-8.
- Newton, T. F., I. A. Cook, et al. (2003). "Quantitative EEG abnormalities in recently abstinent methamphetamine dependent individuals." *Clin Neurophysiol* 114(3): 410-5.
- Nishiyama, T., M. Ikeda, et al. (2005). "Haplotype association between GABAA receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder." *Pharmacogenomics J* 5(2): 89-95.
- Nomura, A., H. Ujike, et al. (2006). "Genetic variant of prodynorphin gene is risk factor for methamphetamine dependence." *Neurosci Lett*.
- Ogai, Y., A. Haraguchi, et al. (2005). "[Control of craving for methamphetamine: Development of scales for dependence and search for medicines for treatment]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 25(5): 227-33.
- Osugi, T., Y. Aoki, et al. (1994). "[Involvement of gene expression in drug tolerance and dependence]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(4): 185-93.
- Paulus, M. P., N. E. Hozack, et al. (2002). "Behavioral and functional neuroimaging evidence for prefrontal dysfunction in methamphetamine-dependent subjects." *Neuropsychopharmacology* 26(1): 53-63.
- Rawson, R. A., P. Marinelli-Casey, et al. (2004). "A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence." *Addiction* 99(6): 708-17.
- Rippeth, J. D., R. K. Heaton, C. L. Carey, T. D. Marcotte, D. J. Moore, R. Gonzalez, T. Wolfson and I. Grant (2004). "Methamphetamine dependence increases risk of neuropsychological impairment in HIV infected persons." *J Int Neuropsychol Soc* 10(1): 1-14.
- Rothman, R. B., B. E. Blough and M. H. Baumann (2002). "Appetite suppressants as agonist substitution therapies for stimulant dependence." *Ann N Y Acad Sci* 965: 109-26.
- Rothman, R. B., J. S. Partilla, M. H. Baumann, C. M. Dersch, F. I. Carroll and K. C. Rice (2000). "Neurochemical neutralization of methamphetamine with high-affinity nonselective inhibitors of biogenic amine transporters: A pharmacological strategy for treating stimulant abuse." *Synapse* 35(3): 222-7.
- Salo, R., T. E. Nordahl, et al. (2002). "Preliminary evidence of reduced cognitive inhibition in methamphetamine-dependent individuals." *Psychiatry Res* 111(1): 65-74.
- Shoptaw, S., J. Peck, C. J. Reback and E. Rotheram-Fuller (2003). "Psychiatric and substance dependence comorbidities, sexually transmitted diseases, and risk behaviors among methamphetamine-dependent gay and bisexual men seeking outpatient drug abuse treatment." *J Psychoactive Drugs* 35(Suppl 1): 161-8.
- Shoptaw, S., C. J. Reback and T. E. Freese (2002). "Patient characteristics, HIV serostatus, and risk behaviors among gay and bisexual males seeking treatment for methamphetamine abuse and dependence in Los Angeles." *J Addict Dis* 21(1): 91-105.

- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Soellner, R. (2005). "Club drug use in Germany." *Subst Use Misuse* 40(9): 1279-93.
- Topp, L. and S. Darke (1997). "The applicability of the dependence syndrome to amphetamine." *Drug Alcohol Depend* 48(2): 113-8.
- Ujike, H. and M. Sato (2004). "Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis." *Ann N Y Acad Sci* 1025: 279-87.
- Uitermark, J. and P. Cohen (2004). Amphetamine users in Amsterdam: Patterns of use and modes of self-regulation, Centrum voor drugsonderzoek.
- Yamada, K., T. Nagai, et al. (2005). "Drug dependence, synaptic plasticity, and tissue plasminogen activator." *J Pharmacol Sci* 97(2): 157-61.
- Yamada, K., T. Nagai, et al. (2005). "[Pro- and anti-addictive factors related to drug addiction]." *Nippon Yakurigaku Zasshi* 126(1): 49-53.

Depression

See also Mood

- Baker, A. and S. Dawe (2005). "Amphetamine use and co-occurring psychological problems: Review of the literature and implications for treatment." *Australian Psychologist* 40(2): 88-95.
- Baker, A., N. K. Lee, et al. (2004). "Drug use patterns and mental health of regular amphetamine users during a reported 'heroin drought'." *Addiction* 99(7): 875-84.
- Chen, C. K., S. K. Lin, et al. (2003). "Pre-morbid characteristics and co-morbidity of methamphetamine users with and without psychosis." *Psychol Med* 33(8): 1407-14.
- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: a preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Davidson, C., A. J. Gow, T. H. Lee and E. H. Ellinwood (2001). "Methamphetamine neurotoxicity: Necrotic and apoptotic mechanisms and relevance to human abuse and treatment." *Brain Res Brain Res Rev* 36(1): 1-22.
- Galloway, G. P., J. Newmeyer, et al. (1996). "A controlled trial of imipramine for the treatment of methamphetamine dependence." *J Subst Abuse Treat* 13(6): 493-7.
- Goldstein, D. J., A. H. Rampey, Jr., et al. (1993). "Analyses of suicidality in double-blind, placebo-controlled trials of pharmacotherapy for weight reduction." *J Clin Psychiatry* 54(8): 309-16.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Joosen, M., T. F. Garrity, et al. (2005). "Predictors of current depressive symptoms in a sample of drug court participants." *Subst Use Misuse* 40(8): 1113-25.
- Kalechstein, A. D., T. F. Newton, D. Longshore, M. D. Anglin, W. G. van Gorp and F. H. Gawin (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- London, E. D., S. L. Simon, S. M. Berman, M. A. Mandelkern, A. M. Lichtman, J. Bramen, A. K. Shinn, K. Miotto, J. Learn, Y. Dong, J. A. Matochik, V. Kurian, T. Newton, R. Woods, R. Rawson and W. Ling (2004). "Mood disturbances and regional cerebral metabolic abnormalities in recently abstinent methamphetamine abusers." *Arch Gen Psychiatry* 61(1): 73-84.
- McGregor, C., M. Srisurapanont, et al. (2005). "The nature, time course and severity of methamphetamine withdrawal." *Addiction* 100(9): 1320-9.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nakahara, Y. (1995). "Detection and diagnostic interpretation of amphetamines in hair." *Forensic Sci Int* 70(1-3): 135-53.
- Newton, T. F., J. D. Roache, et al. (2005). "Safety of intravenous methamphetamine administration during treatment with bupropion." *Psychopharmacology (Berl)* 182(3): 426-35.
- Newton, T. F., A. D. Kalechstein, S. Duran, N. Vansluis and W. Ling (2004). "Methamphetamine abstinence syndrome: Preliminary findings." *Am J Addict* 13(3): 248-55.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.

- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2002). "Status of methamphetamine users 2-5 years after outpatient treatment." *J Addict Dis* 21(1): 107-19.
- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.
- Semple, S. J., J. Zians, et al. (2005). "Impulsivity and methamphetamine use." *J Subst Abuse Treat* 29(2): 85-93.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Shimazu, S., A. Minami, et al. (2005). "Antidepressant-like effects of selegiline in the forced swim test." *Eur Neuropsychopharmacol* 15(5): 563-71.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Riehm, K. S., M. Y. Iguchi and M. D. Anglin (2002). "Depressive symptoms among amphetamine and cocaine users before and after substance abuse treatment." *Psychol Addict Behav* 16(4): 333-7.
- Sommers, L., D. Baskin, et al. (2005). "Methamphetamine use among young adults: Health and social consequences." *Addict Behav*.
- Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.
- Won, M., Y. Minabe, Y. Sekine, N. Takei, N. Kondo and N. Mori (2003). "Manic-switch induced by fluvoxamine in abstinent pure methamphetamine abusers." *J Psychiatry Neurosci* 28(2): 134-5.
- Yen, C. F. and Y. C. Su (2006). "The associations of early-onset methamphetamine use with psychiatric morbidity among Taiwanese adolescents." *Subst Use Misuse* 41(1): 35-44.
- Yen, C. F. and B. L. Shieh (2005). "Suicidal ideation and correlates in Taiwanese adolescent methamphetamine users." *J Nerv Ment Dis* 193(7): 444-9.
- Zweben, J. E., J. B. Cohen, et al. (2004). "Psychiatric symptoms in methamphetamine users." *Am J Addict* 13(2): 181-90.

Dermatology

See Burn Injuries; Skin and Soft Tissue Diseases and Disorders

Des Moines

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.

Dopamine

- Abekawa, T., T. Ohmori, et al. (1997). "Effect of no synthesis inhibition on striatal dopamine release and stereotyped behavior induced by a single administration of methamphetamine." *Prog Neuropsychopharmacol Biol Psychiatry* 21(5): 831-8.
- Achat-Mendes, C., S. F. Ali, et al. (2005). "Differential effects of amphetamines-induced neurotoxicity on appetitive and aversive Pavlovian conditioning in mice." *Neuropsychopharmacology* 30(6): 1128-37.
- Anderson, L. I., R. E. Leipheimer, et al. (2005). "Effects of neonatal and prepubertal hormonal manipulations upon estrogen neuroprotection of the nigrostriatal dopaminergic system within female and male mice." *Neuroscience* 130(2): 369-82.
- Andretic, R., B. van Swinderen, et al. (2005). "Dopaminergic modulation of arousal in *Drosophila*." *Curr Biol* 15(13): 1165-75.
- Birman, S. (2005). "Arousal mechanisms: Speedy flies don't sleep at night." *Curr Biol* 15(13): R511-3.
- Bowyer, J. F., D. L. Davies, et al. (1994). "Further studies of the role of hyperthermia in methamphetamine neurotoxicity." *J Pharmacol Exp Ther* 268(3): 1571-80.
- Brauer, L. H. and H. de Wit (1996). "Subjective responses to d-amphetamine alone and after pimozide pretreatment in normal, healthy volunteers." *Biol Psychiatry* 39(1): 26-32.

- Broom, S. L. and B. K. Yamamoto (2005). "Effects of subchronic methamphetamine exposure on basal dopamine and stress-induced dopamine release in the nucleus accumbens shell of rats." *Psychopharmacology (Berl)*: 1-10.
- Dryhurst, G. (2001). "Are dopamine, norepinephrine, and serotonin precursors of biologically reactive intermediates involved in the pathogenesis of neurodegenerative brain disorders?" *Adv Exp Med Biol* 500: 373-96.
- Frankel, P. S., A. J. Hoonakker, et al. (2005). "Differential neurotensin responses to low and high doses of methamphetamine in the terminal regions of striatal efferents." *Eur J Pharmacol* 522(1-3): 47-54.
- Hanson, G. R., K. S. Rau, et al. (2004). "The methamphetamine experience: A NIDA partnership." *Neuropharmacology* 47 Suppl 1: 92-100.
- Lotharius, J., J. Falsig, et al. (2005). "Progressive degeneration of human mesencephalic neuron-derived cells triggered by dopamine-dependent oxidative stress is dependent on the mixed-lineage kinase pathway." *J Neurosci* 25(27): 6329-42.
- Miller, D. K., M. M. Dopheide, et al. (2005). "Dietary cadmium exposure attenuates D-amphetamine-evoked [3H]dopamine release from striatal slices and methamphetamine-induced hyperactivity." *Pharmacol Biochem Behav* 80(4): 557-66.
- Moszczynska, A., P. Fitzmaurice, L. Ang, K. S. Kalasinsky, G. A. Schmunk, F. J. Peretti, S. S. Aiken, D. J. Wickham and S. J. Kish (2004). "Why is parkinsonism not a feature of human methamphetamine users?" *Brain* 127(Pt 2): 363-70.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nath, A., C. Anderson, et al. (2000). "Neurotoxicity and dysfunction of dopaminergic systems associated with AIDS dementia." *J Psychopharmacol* 14(3): 222-7.
- Nordahl, T. E., R. Salo, et al. (2002). "Low N-acetyl-aspartate and high choline in the anterior cingulum of recently abstinent methamphetamine-dependent subjects: a preliminary proton MRS study. Magnetic resonance spectroscopy." *Psychiatry Res* 116(1-2): 43-52.
- Piasecki, M. P., G. M. Steinagel, O. J. Thienhaus and B. S. Kohlenberg (2002). "An exploratory study: The use of paroxetine for methamphetamine craving." *J Psychoactive Drugs* 34(3): 301-4.
- Pubill, D., C. Chipana, et al. (2005). "Free radical production induced by methamphetamine in rat striatal synaptosomes." *Toxicol Appl Pharmacol* 204(1): 57-68.
- Sabol, K. E., J. B. Richards, et al. (2000). "The effects of high-dose methamphetamine in the aging rat: Differential reinforcement of low-rate 72-s schedule behavior and neurochemistry." *J Pharmacol Exp Ther* 294(3): 850-63.
- Salo, R., T. E. Nordahl, et al. (2002). "Preliminary evidence of reduced cognitive inhibition in methamphetamine-dependent individuals." *Psychiatry Res* 111(1): 65-74.
- Sekine, Y., Y. Minabe, Y. Ouchi, N. Takei, M. Iyo, K. Nakamura, K. Suzuki, H. Tsukada, H. Okada, E. Yoshikawa, M. Futatsubashi and N. Mori (2003). "Association of dopamine transporter loss in the orbitofrontal and dorsolateral prefrontal cortices with methamphetamine-related psychiatric symptoms." *Am J Psychiatry* 160(9): 1699-701.
- Sekine, Y., M. Iyo, Y. Ouchi, T. Matsunaga, H. Tsukada, H. Okada, E. Yoshikawa, M. Futatsubashi, N. Takei and N. Mori (2001). "Methamphetamine-related psychiatric symptoms and reduced brain dopamine transporters studied with PET." *Am J Psychiatry* 158(8): 1206-14.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-433.
- Tsuchida, K., H. Ujike, et al. (1994). "Ontogeny of enhanced striatal dopamine release in rats with methamphetamine-induced behavioral sensitization." *Pharmacol Biochem Behav* 47(1): 161-9.
- Volkow, N. D., J. S. Fowler and G. J. Wang (2002). "Role of dopamine in drug reinforcement and addiction in humans: Results from imaging studies." *Behav Pharmacol* 13(5-6): 355-66.
- Vollm, B. A., I. E. de Araujo, P. J. Cowen, E. T. Rolls, M. L. Kringelbach, K. A. Smith, P. Jezzard, R. J. Heal and P. M. Matthews (2004). "Methamphetamine activates reward circuitry in drug naive human subjects." *Neuropsychopharmacology* 29(9): 1715-22.
- Wachtel, S. R., A. Ortengren, et al. (2002). "The effects of acute haloperidol or risperidone on subjective responses to methamphetamine in healthy volunteers." *Drug Alcohol Depend* 68(1): 23-33.
- Wang, G. J., N. D. Volkow, L. Chang, E. Miller, M. Sedler, R. Hitzemann, W. Zhu, J. Logan, Y. Ma and J. S. Fowler (2004). "Partial recovery of brain metabolism in methamphetamine abusers after protracted abstinence." *Am J Psychiatry* 161(2): 242-8.
- Wilson, J. M., K. S. Kalasinsky, et al. (1996). "Striatal dopamine nerve terminal markers in human, chronic methamphetamine users." *Nat Med* 2(6): 699-703.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.

Dopamine Depletion (animals)

- Brown, J. M., M. S. Quinton, et al. (2005). "Methamphetamine-induced inhibition of mitochondrial complex II: roles of glutamate and peroxynitrite." *J Neurochem* 95(2): 429-36.
- Brummel, S., T. Grund, et al. (2006). "Long-term effects of a single adult methamphetamine challenge: Minor impact on dopamine fibre density in limbic brain areas of gerbils." *Behav Brain Funct* 2: 12.
- Clemens, K. J., J. L. Cornish, et al. (2005). "MDMA ('Ecstasy') and methamphetamine combined: Order of administration influences hyperthermic and long-term adverse effects in female rats." *Neuropharmacology* 49(2): 195-207.
- Cooney, C. A., C. K. Wise, L. A. Poirier and S. F. Ali (1998). "Methamphetamine treatment affects blood and liver S-adenosylmethionine (SAM) in mice. Correlation with dopamine depletion in the striatum." *Ann N Y Acad Sci* 844: 191-200.
- Daberkow, D. P., R. P. Kesner, et al. (2005). "Relation between methamphetamine-induced monoamine depletions in the striatum and sequential motor learning." *Pharmacol Biochem Behav* 81(1): 198-204.
- Davidson, C., T. H. Lee, et al. (2005). "Acute and chronic continuous methamphetamine have different long-term behavioral and neurochemical consequences." *Neurochem Int* 46(3): 189-203.
- Dluzen, D. E. and T. J. Salvaterra (2006). "Sex differences in methamphetamine-evoked striatal dopamine output are abolished following gonadectomy: Comparisons with potassium-evoked output and responses in prepubertal mice." *Neuroendocrinology* 82(2): 78-86.
- Eradiri, O. L. and M. S. Starr (1999). "Striatal dopamine depletion and behavioural sensitization induced by methamphetamine and 3-nitropropionic acid." *Eur J Pharmacol* 386(2-3): 217-26.
- Fornai, F., P. Lenzi, et al. (2005). "Occurrence of neuronal inclusions combined with increased nigral expression of alpha-synuclein within dopaminergic neurons following treatment with amphetamine derivatives in mice." *Brain Res Bull* 65(5): 405-13.
- Hanson, G. R., V. Sandoval, E. Riddle and A. E. Fleckenstein (2004). "Psychostimulants and vesicle trafficking: A novel mechanism and therapeutic implications." *Ann N Y Acad Sci* 1025: 146-50.
- Koike, K., K. Hashimoto, et al. (2005). "The immunophilin ligand FK506 protects against methamphetamine-induced dopaminergic neurotoxicity in mouse striatum." *Neuropharmacology* 48(3): 391-7.
- Lesting, J., J. Neddens, et al. (2005). "Hemisphere-specific effects on serotonin but not dopamine innervation in the nucleus accumbens of gerbils caused by isolated rearing and a single early methamphetamine challenge." *Brain Res* 1035(2): 168-76.
- Miyazaki, I., M. Asanuma, et al. (2006). "Methamphetamine-induced dopaminergic neurotoxicity is regulated by quinone formation-related molecules." *Faseb J*.
- Randrup, A., G. Sorensen, et al. (1988). "Stereotyped behaviour in animals induced by stimulant drugs or by a restricted cage environment: relation to disintegrated behaviour, brain dopamine and psychiatric disease." *Yakubutsu Seishin Kodo* 8(2): 313-27.
- Rothman, R. B., B. E. Blough, et al. (2002). "Appetite suppressants as agonist substitution therapies for stimulant dependence." *Ann N Y Acad Sci* 965: 109-26.
- Rothman, R. B., J. S. Partilla, et al. (2000). "Methamphetamine dependence: Medication development efforts based on the dual deficit model of stimulant addiction." *Ann N Y Acad Sci* 914: 71-81.
- Seiden, L. S., D. L. Commins, et al. (1988). "Neurotoxicity in dopamine and 5-hydroxytryptamine terminal fields: A regional analysis in nigrostriatal and mesolimbic projections." *Ann N Y Acad Sci* 537: 161-72.
- Sonsalla, P. K., D. S. Albers, et al. (1998). "Role of glutamate in neurodegeneration of dopamine neurons in several animal models of parkinsonism." *Amino Acids* 14(1-3): 69-74.
- Sonsalla, P. K. (1995). "The role of N-methyl-D-aspartate receptors in dopaminergic neuropathology produced by the amphetamines." *Drug Alcohol Depend* 37(2): 101-5.
- Sonsalla, P. K., A. Giovanni, et al. (1992). "Characteristics of dopaminergic neurotoxicity produced by MPTP and methamphetamine." *Ann N Y Acad Sci* 648: 229-38.
- Staszewski, R. D. and B. K. Yamamoto (2006). "Methamphetamine-induced spectrin proteolysis in the rat striatum." *J Neurochem*.
- Truong, J. G., D. G. Wilkins, et al. (2005). "Age-dependent methamphetamine-induced alterations in vesicular monoamine transporter-2 function: Implications for neurotoxicity." *J Pharmacol Exp Ther* 314(3): 1087-92.
- Yamamoto, B. K. and W. Zhu (1998). "The effects of methamphetamine on the production of free radicals and oxidative stress." *J Pharmacol Exp Ther* 287(1): 107-14.
- Yu, J., S. Allison, et al. (2002). "Ontogeny of neurokinin-1 receptor mediation of methamphetamine neurotoxicity in the striatum of the mouse brain." *Ann N Y Acad Sci* 965: 247-53.
- Yu, L., Y. M. Kuo, et al. (2001). "Opioid peptides alleviated while naloxone potentiated methamphetamine-induced striatal dopamine depletion in mice." *J Neural Transm* 108(11): 1231-7.
- Yu, L. and P. C. Liao (2000). "Sexual differences and estrous cycle in methamphetamine-induced dopamine and serotonin depletions in the striatum of mice." *J Neural Transm* 107(4): 419-27.

Yu, L. and P. C. Liao (2000). "Estrogen and progesterone distinctively modulate methamphetamine-induced dopamine and serotonin depletions in C57BL/6J mice." *J Neural Transm* 107(10): 1139-47.

Yu, Y. L. and G. C. Wagner (1994). "Influence of gonadal hormones on sexual differences in sensitivity to methamphetamine-induced neurotoxicity." *J Neural Transm Park Dis Dement Sect* 8(3): 215-21.

Dopamine Pathways

Frost, D. O. and J. L. Cadet (2000). "Effects of methamphetamine-induced neurotoxicity on the development of neural circuitry: A hypothesis." *Brain Res Brain Res Rev* 34(3): 103-18.

Johnson, B. A., J. D. Roache, et al. (1999). "Isradipine, a dihydropyridine-class calcium channel antagonist, attenuates some of d-methamphetamine's positive subjective effects: A preliminary study." *Psychopharmacology (Berl)* 144(3): 295-300.

Veenstra-Vanderweele, J., A. Qadir, et al. (2005). "Association between the casein kinase 1 epsilon gene region and subjective response to d-amphetamine." *Neuropsychopharmacology*.

Yamada, K., T. Nagai, et al. (2005). "Drug dependence, synaptic plasticity, and tissue plasminogen activator." *J Pharmacol Sci* 97(2): 157-61.

Dopamine Receptors

Lile, J. A., W. W. Stoops, et al. (2005). "Aripiprazole attenuates the discriminative-stimulus and subject-rated effects of D-amphetamine in humans." *Neuropsychopharmacology* 30(11): 2103-14.

Tsai, S. J., C. Y. Cheng, et al. (2002). "No association for D2 and D4 dopamine receptor polymorphisms and methamphetamine abuse in Chinese males." *Psychiatr Genet* 12(1): 29-33.

Volkow, N. D., L. Chang, et al. (2001). "Low level of brain dopamine D2 receptors in methamphetamine abusers: Association with metabolism in the orbitofrontal cortex." *Am J Psychiatry* 158(12): 2015-21.

Dopamine Receptors (animals)

Broening, H. W., L. L. Morford, et al. (2005). "Interactions of dopamine D1 and D2 receptor antagonists with D-methamphetamine-induced hyperthermia and striatal dopamine and serotonin reductions." *Synapse* 56(2): 84-93.

Doudet, D. J., T. J. Ruth, et al. (2006). "Sequential versus nonsequential measurement of density and affinity of dopamine D2 receptors with [(11)C]raclopride: 2: effects of DAT inhibitors." *J Cereb Blood Flow Metab* 26(1): 28-37.

Doudet, D. J. and J. E. Holden (2003). "Sequential versus nonsequential measurement of density and affinity of dopamine d2 receptors with [(11)C]raclopride: Effect of methamphetamine." *J Cereb Blood Flow Metab* 23(12): 1489-94.

Hamamura, T., K. Akiyama, et al. (1991). "Co-administration of either a selective D1 or D2 dopamine antagonist with methamphetamine prevents methamphetamine-induced behavioral sensitization and neurochemical change, studied by in vivo intracerebral dialysis." *Brain Res* 546(1): 40-6.

Iorio, L. C., A. Barnett, et al. (1983). "SCH 23390, a potential benzazepine antipsychotic with unique interactions on dopaminergic systems." *J Pharmacol Exp Ther* 226(2): 462-8.

Ishikawa, A., T. Kadota, et al. (2005). "Essential role of D1 but not D2 receptors in methamphetamine-induced impairment of long-term potentiation in hippocampal-prefrontal cortex pathway." *Eur J Neurosci* 22(7): 1713-9.

Nagai, T., Y. Noda, et al. (2005). "The role of tissue plasminogen activator in methamphetamine-related reward and sensitization." *J Neurochem* 92(3): 660-7.

Palmer, A. A., M. Verbitsky, et al. (2005). "Gene expression differences in mice divergently selected for methamphetamine sensitivity." *Mamm Genome* 16(5): 291-305.

Segal, D. S., R. Kuczenski, et al. (2005). "Prolonged exposure of rats to intravenous methamphetamine: behavioral and neurochemical characterization." *Psychopharmacology (Berl)* 180(3): 501-12.

Stefanski, R., S. H. Lee, S. Yasar, J. L. Cadet and S. R. Goldberg (2002). "Lack of persistent changes in the dopaminergic system of rats withdrawn from methamphetamine self-administration." *Eur J Pharmacol* 439(1-3): 59-68.

Xu, W., J. P. Zhu, et al. (2005). "Induction of striatal pre- and postsynaptic damage by methamphetamine requires the dopamine receptors." *Synapse* 58(2): 110-21.

Dopamine Transporters

Bhatt, S. D. and D. E. Dluzen (2005). "Dopamine transporter function differences between male and female CD-1 mice." *Brain Res* 1035(2): 188-95.

- Davidson, C., A. J. Gow, T. H. Lee and E. H. Ellinwood (2001). "Methamphetamine neurotoxicity: Necrotic and apoptotic mechanisms and relevance to human abuse and treatment." *Brain Res Brain Res Rev* 36(1): 1-22.
- Hong, C. J., C. Y. Cheng, et al. (2003). "Association study of the dopamine and serotonin transporter genetic polymorphisms and methamphetamine abuse in Chinese males." *J Neural Transm* 110(4): 345-51.
- Iyo, M., Y. Sekine and N. Mori (2004). "Neuromechanism of developing methamphetamine psychosis: A neuroimaging study." *Ann N Y Acad Sci* 1025: 288-95.
- Kitamura, O., I. Tokunaga, et al. (2006). "Immunohistochemical investigation of dopaminergic terminal markers and caspase-3 activation in the striatum of human methamphetamine users." *Int J Legal Med*.
- Kobayashi, H., S. Ide, J. Hasegawa, H. Ujike, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, M. Iyo, H. W. Shen, K. Ikeda and I. Soraa (2004). "Study of association between {alpha}-synuclein gene polymorphism and methamphetamine psychosis/dependence." *Ann N Y Acad Sci* 1025: 325-334.
- Maragos, W. F., K. L. Young, et al. (2002). "Human immunodeficiency virus-1 Tat protein and methamphetamine interact synergistically to impair striatal dopaminergic function." *J Neurochem* 83(4): 955-63.
- Sato, M. (1992). "A lasting vulnerability to psychosis in patients with previous methamphetamine psychosis." *Ann N Y Acad Sci* 654: 160-70.
- Sekine, Y., Y. Minabe, et al. (2003). "Association of dopamine transporter loss in the orbitofrontal and dorsolateral prefrontal cortices with methamphetamine-related psychiatric symptoms." *Am J Psychiatry* 160(9): 1699-701.
- Sekine, Y., M. Iyo, et al. (2001). "Methamphetamine-related psychiatric symptoms and reduced brain dopamine transporters studied with PET." *Am J Psychiatry* 158(8): 1206-14.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.
- Volz, T. J. and J. O. Schenk (2005). "A comprehensive atlas of the topography of functional groups of the dopamine transporter." *Synapse* 58(2): 72-94.
- Wang, G. J., N. D. Volkow, et al. (2004). "Partial recovery of brain metabolism in methamphetamine abusers after protracted abstinence." *Am J Psychiatry* 161(2): 242-8.
- Wilhelm, C. J., R. A. Johnson, et al. (2006). "Hydrogen ion concentration differentiates effects of methamphetamine and dopamine on transporter-mediated efflux." *J Neurochem* 96(4): 1149-59.

Dopamine Transporters (animals)

- Bennett, B. A., C. K. Hollingsworth, R. S. Martin and J. J. Harp (1998). "Methamphetamine-induced alterations in dopamine transporter function." *Brain Res* 782(1-2): 219-27.
- Booij, J., K. de Bruin, et al. (2006). "Repeated administration of d-amphetamine induces loss of [(123)I]FP-CIT binding to striatal dopamine transporters in rat brain: A validation study." *Nucl Med Biol* 33(3): 409-11.
- Cervinski, M. A., J. D. Foster, et al. (2005). "Psychoactive substrates stimulate dopamine transporter phosphorylation and down regulation by cocaine sensitive and protein kinase C dependent mechanisms." *J Biol Chem*.
- Chen, P. C. and J. C. Chen (2005). "Enhanced Cdk5 activity and p35 translocation in the ventral striatum of acute and chronic methamphetamine-treated rats." *Neuropsychopharmacology* 30(3): 538-49.
- Chen, R., D. D. Han, et al. (2005). "A triple mutation in the second transmembrane domain of mouse dopamine transporter markedly decreases sensitivity to cocaine and methylphenidate." *J Neurochem* 94(2): 352-9.
- D'Astous, M., T. M. Gajjar, D. E. Dluzen and T. Di Paolo (2004). "Dopamine transporter as a marker of neuroprotection in methamphetamine-lesioned mice treated acutely with estradiol." *Neuroendocrinology* 79(6): 296-304.
- Hanson, G. R., N. Singh, et al. (1992). "Responses of limbic and extrapyramidal neurotensin systems to stimulants of abuse. Involvement of dopaminergic mechanisms." *Ann N Y Acad Sci* 668: 165-72.
- Hashimoto, K., H. Tsukada, S. Nishiyama, D. Fukumoto, T. Kakiuchi, E. Shimizu and M. Iyo (2004). "Effects of N-acetyl-l-cysteine on the reduction of brain dopamine transporters in monkey treated with methamphetamine." *Ann N Y Acad Sci* 1025: 231-5.
- Metzger, R. R., H. M. Haughey, D. G. Wilkins, J. W. Gibb, G. R. Hanson and A. E. Fleckenstein (2000). "Methamphetamine-induced rapid decrease in dopamine transporter function: Role of dopamine and hyperthermia." *J Pharmacol Exp Ther* 295(3): 1077-85.
- Rau, K. S., E. Birdsall, et al. (2005). "Bupropion increases striatal vesicular monoamine transport." *Neuropharmacology* 49(6): 820-30.
- Segal, D. S., R. Kuczenski, et al. (2005). "Prolonged exposure of rats to intravenous methamphetamine: behavioral and neurochemical characterization." *Psychopharmacology (Berl)* 180(3): 501-12.
- Shepard, J. D., D. T. Chuang, et al. (2006). "Effect of methamphetamine self-administration on tyrosine hydroxylase and dopamine transporter levels in mesolimbic and nigrostriatal dopamine pathways of the rat." *Psychopharmacology (Berl)* 185(4): 505-13.

- Staszewski, R. D. and B. K. Yamamoto (2006). "Methamphetamine-induced spectrin proteolysis in the rat striatum." *J Neurochem* 96(5): 1267-76.
- Volz, T. J. and J. O. Schenk (2005). "A comprehensive atlas of the topography of functional groups of the dopamine transporter." *Synapse* 58(2): 72-94.
- Wilhelm, C. J., R. A. Johnson, et al. (2006). "Hydrogen ion concentration differentiates effects of methamphetamine and dopamine on transporter-mediated efflux." *J Neurochem*.
- Yamada, K., T. Nagai, et al. (2005). "[Pro- and anti-addictive factors related to drug addiction]." *Nippon Yakurigaku Zasshi* 126(1): 49-53.
- Yu, J., S. Allison, et al. (2002). "Ontogeny of neurokinin-1 receptor mediation of methamphetamine neurotoxicity in the striatum of the mouse brain." *Ann N Y Acad Sci* 965: 247-53.
- Zaczek, R., S. Culp, et al. (1991). "Interactions of [3H]amphetamine with rat brain synaptosomes. II. Active transport." *J Pharmacol Exp Ther* 257(2): 830-5.

Dosing

See Usage Patterns and Dosing ; Usage Patterns and Dosing (animals)

Driving

- Cheng, J. Y., D. T. Chan, et al. (2005). "An epidemiological study on alcohol/drugs related fatal traffic crash cases of deceased drivers in Hong Kong between 1996 and 2000." *Forensic Sci Int* 153(2-3): 196-201.
- Concheiro, M., A. D. Castro, et al. (2006). "Determination of drugs of abuse and their metabolites in human plasma by liquid chromatography-mass spectrometry An application to 156 road fatalities." *J Chromatogr B Analyt Technol Biomed Life Sci*.
- Couper, F. J., M. Pemberton, et al. (2002). "Prevalence of drug use in commercial tractor-trailer drivers." *J Forensic Sci* 47(3): 562-7.
- Crouch, D. J., M. M. Birky, et al. (1993). "The prevalence of drugs and alcohol in fatally injured truck drivers." *J Forensic Sci* 38(6): 1342-53.
- Gustavsen, I., J. Morland, et al. (2006). "Impairment related to blood amphetamine and/or methamphetamine concentrations in suspected drugged drivers." *Accid Anal Prev* 38(3): 490-5.
- Logan, B. K., C. L. Fligner, et al. (1998). "Cause and manner of death in fatalities involving methamphetamine." *J Forensic Sci* 43(1): 28-34.
- Logan, B. K. (1996). "Methamphetamine and driving impairment." *J Forensic Sci* 41(3): 457-64.
- Moeller, M. R. and T. Kraemer (2002). "Drugs of abuse monitoring in blood for control of driving under the influence of drugs." *Ther Drug Monit* 24(2): 210-21.
- Silber, B. Y., K. Papafotiou, et al. (2005). "An evaluation of the sensitivity of the standardised field sobriety tests to detect the presence of amphetamine." *Psychopharmacology (Berl)*: 1-7.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.

Drug Courts and Court-Mandated Treatment

- Brecht, M. L., M. D. Anglin, et al. (2005). "Coerced treatment for methamphetamine abuse: Differential patient characteristics and outcomes." *Am J Drug Alcohol Abuse* 31(2): 337-56.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl*.
- Joosen, M., T. F. Garrity, et al. (2005). "Predictors of current depressive symptoms in a sample of drug court participants." *Subst Use Misuse* 40(8): 1113-25.
- Stoops, W. W., M. S. Tindall, et al. (2005). "Methamphetamine use in nonurban and urban drug court clients." *Int J Offender Ther Comp Criminol* 49(3): 260-76.

Drug Dealing*See* Methamphetamine Trafficking**Ecstasy***See* MDMA**Education Level**

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Duterte, M., S. O'Neil, et al. (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Operario, D. and T. Nemoto (2005). "Sexual risk behavior and substance use among a sample of Asian Pacific Islander transgendered women." *AIDS Educ Prev* 17(5): 430-43.

Emergency Care

- Anglin, M. D., C. Burke, et al. (2000). "History of the methamphetamine problem." *J Psychoactive Drugs* 32(2): 137-41.
- Beebe, D. K. and E. Walley (1995). "Smokable methamphetamine ('ice'): An old drug in a different form." *Am Fam Physician* 51(2): 449-53.
- Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Friese, G. (2006). "The methamphetamine crisis. What EMS providers need to know to stay safe and treat patients." *Emerg Med Serv* 35(3): 55-64.
- Hirabayashi, N., K. Wada, et al. (2004). "Prevalence of substance abuse among patients with physical diseases seen in an emergency room in Japan." *Am J Addict* 13(4): 398-404.
- Kerr, T., E. Wood, et al. (2005). "High rates of primary care and emergency department use among injection drug users in Vancouver." *J Public Health (Oxf)* 27(1): 62-6.
- Kolecki, P. (1998). "Inadvertent methamphetamine poisoning in pediatric patients." *Pediatr Emerg Care* 14(6): 385-7.
- Kohrs, F. P., C. Mann and R. Greenberg (2004). "The use of amphetamine in gamma-hydroxybutyrate overdose: A case report." *J Psychoactive Drugs* 36(3): 401-2.
- Leamon, M. H., D. R. Gibson, R. D. Canning and L. Benjamin (2002). "Hospitalization of patients with cocaine and amphetamine use disorders from a psychiatric emergency service." *Psychiatr Serv* 53(11): 1461-6.
- Lineberry, T. W. and J. M. Bostwick (2006). "Methamphetamine abuse: A perfect storm of complications." *Mayo Clin Proc* 81(1): 77-84.
- Mecham, N. and J. Melini (2002). "Unintentional victims: Development of a protocol for the care of children exposed to chemicals at methamphetamine laboratories." *Pediatr Emerg Care* 18(4): 327-32.
- Nagorka, A. R. and P. S. Bergeson (1998). "Infant methamphetamine toxicity posing as scorpion envenomation." *Pediatr Emerg Care* 14(5): 350-1.
- Parry, C. D., A. Pluddemann, et al. (2005). "Cannabis and other drug use among trauma patients in three South African cities, 1999-2001." *S Afr Med J* 95(6): 429-32.
- Penn, C. L. (2006). "Meth abuse in Arkansas." *J Ark Med Soc* 102(8): 218-9.
- Pittman, H. J. (2005). "Methamphetamine overdose." *Nursing* 35(4): 88.
- Richards, J. R. (2000). "Rhabdomyolysis and drugs of abuse." *J Emerg Med* 19(1): 51-6.
- Richards, J. R., S. W. Bretz, et al. (1999). "Methamphetamine abuse and emergency department utilization." *West J Med* 170(4): 198-202.
- Richards, J. R., E. B. Johnson, R. W. Stark and R. W. Derlet (1999). "Methamphetamine abuse and rhabdomyolysis in the ED: A 5-year study." *Am J Emerg Med* 17(7): 681-5.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Szuster, R. R. (1990). "Methamphetamine in psychiatric emergencies." *Hawaii Med J* 49(10): 389-91.

Turnipseed, S. D., J. R. Richards, et al. (2003). "Frequency of acute coronary syndrome in patients presenting to the emergency department with chest pain after methamphetamine use." *J Emerg Med* 24(4): 369-73.

Watts, D. J. and L. McColester (2006). "Methamphetamine-induced myocardial infarction with elevated troponin I." *Am J Emerg Med* 24(1): 132-4.

Epidemiology

See Prevalence, Methamphetamine and specific populations, continents, countries, states and cities

Erectile Dysfunction Drugs

Brewer, D. D., M. R. Golden, et al. (2006). "Unsafe sexual behavior and correlates of risk in a probability sample of men who have sex with men in the era of highly active antiretroviral therapy." *Sex Transm Dis*.

Chu, P. L., W. McFarland, et al. (2003). "Viagra use in a community-recruited sample of men who have sex with men, San Francisco." *J Acquir Immune Defic Syndr* 33(2): 191-3.

Kim, A. A., C. K. Kent, et al. (2002). "Increased risk of HIV and sexually transmitted disease transmission among gay or bisexual men who use Viagra, San Francisco 2000-2001." *AIDS* 16(10): 1425-8.

Mansergh, G., R. L. Shouse, et al. (2006). "Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men." *Sex Transm Infect* 82(2): 131-4.

Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.

Romanelli, F. and K. M. Smith (2004). "Recreational use of sildenafil by HIV-positive and -negative homosexual/bisexual males." *Ann Pharmacother* 38(6): 1024-30.

Swearingen, S. G. and J. D. Klausner (2005). "Sildenafil use, sexual risk behavior, and risk for sexually transmitted diseases, including HIV infection." *Am J Med* 118(6): 571-7.

Wong, W., J. K. Chaw, et al. (2005). "Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003." *Sex Transm Dis* 32(7): 458-63.

Estonia

Lagerspetz, M. and J. Moskalewicz (2002). "Drugs in the postsocialist transitions of Estonia, Latvia, Lithuania and Poland." *Eur Addict Res* 8(4): 177-83.

Estrogen

Anderson, L. I., R. E. Leipheimer, et al. (2005). "Effects of neonatal and prepubertal hormonal manipulations upon estrogen neuroprotection of the nigrostriatal dopaminergic system within female and male mice." *Neuroscience* 130(2): 369-82.

Bae, S. C., I. K. Lyoo, et al. (2006). "Increased white matter hyperintensities in male methamphetamine abusers." *Drug Alcohol Depend* 81(1): 83-8.

Bisagno, V., R. Bowman, et al. (2003). "Functional aspects of estrogen neuroprotection." *Endocrine* 21(1): 33-41.

Dluzen, D. E. and T. J. Salvaterra (2006). "Sex differences in methamphetamine-evoked striatal dopamine output are abolished following gonadectomy: Comparisons with potassium-evoked output and responses in prepubertal mice." *Neuroendocrinology* 82(2): 78-86.

Dluzen, D. E. and K. R. Mickley (2005). "Gender differences in modulatory effects of tamoxifen upon the nigrostriatal dopaminergic system." *Pharmacol Biochem Behav* 80(1): 27-33.

Dluzen, D. E. and J. L. McDermott (2004). "Developmental and genetic influences upon gender differences in methamphetamine-induced nigrostriatal dopaminergic neurotoxicity." *Ann N Y Acad Sci* 1025: 205-20.

Dluzen, D. E. and J. L. McDermott (2002). "Estrogen, anti-estrogen, and gender: differences in methamphetamine neurotoxicity." *Ann N Y Acad Sci* 965: 136-56.

Dluzen, D. E. (2000). "Neuroprotective effects of estrogen upon the nigrostriatal dopaminergic system." *J Neurocytol* 29(5-6): 387-99.

Mickley, K. R. and D. E. Dluzen (2004). "Dose-response effects of estrogen and tamoxifen upon methamphetamine-induced behavioral responses and neurotoxicity of the nigrostriatal dopaminergic system in female mice." *Neuroendocrinology* 79(6): 305-16.

Miller, D. B., S. F. Ali, et al. (1998). "The impact of gender and estrogen on striatal dopaminergic neurotoxicity." *Ann N Y Acad Sci* 844: 153-65.

Slamberova, R. (2005). "Flurothyl seizures susceptibility is increased in prenatally methamphetamine-exposed adult male and female rats." *Epilepsy Res* 65(1-2): 121-4.

- Yu, L., Y. Kuo, et al. (2002). "Ovarian hormones do not attenuate methamphetamine-induced dopaminergic neurotoxicity in mice gonadectomized at 4 weeks postpartum." *Neuroendocrinology* 75(5): 282-7.
- Yu, L. and P. C. Liao (2000). "Sexual differences and estrous cycle in methamphetamine-induced dopamine and serotonin depletions in the striatum of mice." *J Neural Transm* 107(4): 419-27.
- Yu, L. and P. C. Liao (2000). "Estrogen and progesterone distinctively modulate methamphetamine-induced dopamine and serotonin depletions in C57BL/6J mice." *J Neural Transm* 107(10): 1139-47.
- Yu, Y. L. and G. C. Wagner (1994). "Influence of gonadal hormones on sexual differences in sensitivity to methamphetamine-induced neurotoxicity." *J Neural Transm Park Dis Dement Sect* 8(3): 215-21.

Ethnography

- Austin, A. A. (2004). "Alcohol, tobacco, other drug use, and violent behavior among Native Hawaiians: Ethnic pride and resilience." *Subst Use Misuse* 39(5): 721-46.
- Barrett, M. E. (2003). "Correlates of illicit drug use in Karen villages in Northern Thailand." *Subst Use Misuse* 38(11-13): 1615-49.
- Clatts, M. C., D. L. Welle, et al. (2001). "Reconceptualizing the interaction of drug and sexual risk among MSM speed users: Notes toward an ethno-epidemiology." *AIDS and Behavior* 5(2): 115-130.
- Cox, C. and R. G. Smart (1972). "Social and psychological aspects of speed use. A study of types of speed users in Toronto." *Int J Addict* 7(2): 201-17.
- Davis, F. and L. Munoz (1968). "Heads and freaks: Patterns and meanings of drug use among hippies." *J Health Soc Behav* 9(2): 156-64.
- Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.
- Gorman, E. M., B. D. Barr, A. Hansen, B. Robertson and C. Green (1997). "Speed, sex, gay men, and HIV: Ecological and community perspectives." *Med Anthropol Q* 11(4): 505-15.
- Gorman, E. M., P. Morgan, et al. (1995). "Qualitative research considerations and other issues in the study of methamphetamine use among men who have sex with other men." *NIDA Res Monogr* 157: 156-81.
- Greberman, S. B. and K. Wada (1994). "Social and legal factors related to drug abuse in the United States and Japan." *Public Health Rep* 109(6): 731-7.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From 'Candy Kids' to 'Chemi-Kids': A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9-10): 1503-23.
- von Mayrhauser, C., M. L. Brecht and M. D. Anglin (2002). "Use ecology and drug use motivations of methamphetamine users admitted to substance abuse treatment facilities in Los Angeles: An emerging profile." *J Addict Dis* 21(1): 45-60.
- Zule, W. A. and D. P. Desmond (1999). "An ethnographic comparison of HIV risk behaviors among heroin and methamphetamine injectors." *Am J Drug Alcohol Abuse* 25(1): 1-23.

Europe

- Berankova, K., V. Habrdova, et al. (2005). "Methamphetamine in hair and interpretation of forensic findings in a fatal case." *Forensic Sci Int* 153(1): 93-7.
- Bingham, C., M. Beaman, et al. (1998). "Necrotizing renal vasculopathy resulting in chronic renal failure after ingestion of methamphetamine and 3,4-methylenedioxymethamphetamine ('ecstasy')." *Nephrol Dial Transplant* 13(10): 2654-5.
- Bobkov, A. F., L. M. Selimova, et al. (2005). "Human immunodeficiency virus type 1 in illicit-drug solutions used intravenously retains infectivity." *J Clin Microbiol* 43(4): 1937-9.
- Christophersen, A. S. (2000). "Amphetamine designer drugs - An overview and epidemiology." *Toxicol Lett* 112-113: 127-31.
- Csemy, L., L. Kubicka, et al. (2002). "Drug scene in the Czech Republic and Slovakia during the period of transformation." *Eur Addict Res* 8(4): 159-65.
- Grinde, B., K. Stene-Johansen, et al. (1997). "Characterisation of an epidemic of hepatitis A virus involving intravenous drug abusers--infection by needle sharing?" *J Med Virol* 53(1): 69-75.
- Gustavsen, I., J. Morland, et al. (2005). "Impairment related to blood amphetamine and/or methamphetamine concentrations in suspected drugged drivers." *Accid Anal Prev*.
- Hartel-Petri, R., R. Rodler, et al. (2005). "[Increasing prevalence of amphetamine--and methamphetamine-induced psychosis]." *Psychiatr Prax* 32(1): 13-7.
- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.

- Lagerspetz, M. and J. Moskalewicz (2002). "Drugs in the postsocialist transitions of Estonia, Latvia, Lithuania and Poland." *Eur Addict Res* 8(4): 177-83.
- Lambrechts, M. and K. E. Rasmussen (1984). "Leuckart-specific impurities in amphetamine and methamphetamine seized in Norway." *Bull Narc* 36(1): 47-57.
- Leino, T., P. Leinikki, et al. (1997). "Hepatitis A outbreak amongst intravenous amphetamine abusers in Finland." *Scand J Infect Dis* 29(3): 213-6.
- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.
- Meyer, U. (2005). "[Fritz Hauschild (1908-1974) and drug research in the 'German Democratic Republic' (GDR)]." *Pharmazie* 60(6): 468-72.
- Moeller, M. R. and T. Kraemer (2002). "Drugs of abuse monitoring in blood for control of driving under the influence of drugs." *Ther Drug Monit* 24(2): 210-21.
- Mravcik, V., H. Sebakova, et al. (2000). "[Seroprevalence of viral hepatitis A, B and C in intravenous drug users]." *Epidemiol Mikrobiol Imunol* 49(1): 19-23.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Popov, P. (1996). "[Stimulants and addiction]." *Ceska Slov Psychiatr* 92 Suppl 1: 70-2.
- Smirnov, A. V. (1990). "[Psychomotor stimulants as agents for enhancing work capacity]." *Farmakol Toksikol* 53(4): 72-7.
- Soellner, R. (2005). "Club drug use in Germany." *Subst Use Misuse* 40(9): 1279-93.
- Toupalik, P., H. Vanerkova, et al. (2002). "[Morphologic findings in chronic abuse of heroin and pervitine]." *Soud Lek* 47(1): 5-11.
- Uitermark, J. and P. Cohen (2004). *Amphetamine users in Amsterdam: Patterns of use and modes of self-regulation*, Centrum voor drugsonderzoek.

Eye Conditions and Injuries

- Charukamnoetkanok, P. and M. D. Wagoner (2004). "Facial and ocular injuries associated with methamphetamine production accidents." *Am J Ophthalmol* 138(5): 875-6.
- Chuck, R. S., J. M. Williams, M. A. Goldberg and A. J. Lubniewski (1996). "Recurrent corneal ulcerations associated with smokeable methamphetamine abuse." *Am J Ophthalmol* 121(5): 571-2.
- Gospe, S. M., Jr. (1995). "Transient cortical blindness in an infant exposed to methamphetamine." *Ann Emerg Med* 26(3): 380-2.
- Lee, J. H., C. L. Farley, C. D. Brodrick and P. H. Blomquist (2003). "Anhydrous ammonia eye injuries associated with illicit methamphetamine production." *Ann Emerg Med* 41(1): 157.
- McLane, N. J. and D. M. Carroll (1986). "Ocular manifestations of drug abuse." *Surv Ophthalmol* 30(5): 298-313.
- Poulsen, E. J., M. J. Mannis, et al. (1996). "Keratitis in methamphetamine abusers." *Cornea* 15(5): 477-82.
- Wilmarth, S. S., D. R. May, et al. (1983). "Aspergillus endophthalmitis in an intravenous drug user." *Ann Ophthalmol* 15(5): 470-2, 74-6.
- Zeiter, J. H., D. M. Corder, et al. (1992). "Sudden retinal manifestations of intranasal cocaine and methamphetamine abuse." *Am J Ophthalmol* 114(6): 780-1.

Eye Conditions and Injuries (animals)

- Andretic, R., B. van Swinderen, et al. (2005). "Dopaminergic modulation of arousal in *Drosophila*." *Curr Biol* 15(13): 1165-75.
- Melo, P., L. G. Rodrigues, et al. (2005). "Methamphetamine and lipid peroxidation in the rat retina." *Birth Defects Res A Clin Mol Teratol* 73(6): 455-60.

Fatalities

See Mortality, Methamphetamine-Associated

Fear and Paranoia

See also Psychosis

- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Goldstein, R. Z., N. D. Volkow, et al. (2002). "The orbitofrontal cortex in methamphetamine addiction: Involvement in fear." *Neuroreport* 13(17): 2253-7.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.

- Hartel-Petri, R., R. Rodler, et al. (2005). "[Increasing prevalence of amphetamine--and methamphetamine-induced psychosis]." *Psychiatr Prax* 32(1): 13-7.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nakatani, Y. and T. Hara (1998). "Disturbance of consciousness due to methamphetamine abuse. A study of 2 patients." *Psychopathology* 31(3): 131-7.
- Sato, M., Y. Numachi, et al. (1992). "Relapse of paranoid psychotic state in methamphetamine model of schizophrenia." *Schizophr Bull* 18(1): 115-22.
- Sato, M., C. C. Chen, et al. (1983). "Acute exacerbation of paranoid psychotic state after long-term abstinence in patients with previous methamphetamine psychosis." *Biol Psychiatry* 18(4): 429-40.
- Sommers, I., D. Baskin, et al. (2005). "Methamphetamine use among young adults: Health and social consequences." *Addict Behav.*
- Yui, K., S. Ikemoto, et al. (2002). "Factors for susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Ann N Y Acad Sci* 965: 292-304.
- Yui, K., K. Goto, et al. (1997). "Methamphetamine psychosis: Spontaneous recurrence of paranoid-hallucinatory states and monoamine neurotransmitter function." *J Clin Psychopharmacol* 17(1): 34-43.
- Yui, K., K. Goto, et al. (1996). "Plasma monoamine metabolites and spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory psychosis: Relation of noradrenergic activity to the occurrence of flashbacks." *Psychiatry Res* 63(2-3): 93-107.

Finland

- Leino, T., P. Leinikki, et al. (1997). "Hepatitis A outbreak amongst intravenous amphetamine abusers in Finland." *Scand J Infect Dis* 29(3): 213-6.

Flashbacks

- Hartel-Petri, R., R. Rodler, et al. (2005). "[Increasing prevalence of amphetamine--and methamphetamine-induced psychosis]." *Psychiatr Prax* 32(1): 13-7.
- Yui, K., K. Goto and S. Ikemoto (2004). "The role of noradrenergic and dopaminergic hyperactivity in the development of spontaneous recurrence of methamphetamine psychosis and susceptibility to episode recurrence." *Ann N Y Acad Sci* 1025: 296-306.
- Yui, K., S. Ikemoto, et al. (2003). "Susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *J Clin Psychopharmacol* 23(5): 525-8.
- Yui, K., S. Ikemoto, et al. (2002). "Factors for susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Ann N Y Acad Sci* 965: 292-304.
- Yui, K., S. Ikemoto, et al. (2002). "Spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory states in female subjects: Susceptibility to psychotic states and implications for relapse of schizophrenia." *Pharmacopsychiatry* 35(2): 62-71.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.
- Yui, K., K. Goto, et al. (2000). "Stress induced spontaneous recurrence of methamphetamine psychosis: The relation between stressful experiences and sensitivity to stress." *Drug Alcohol Depend* 58(1-2): 67-75.
- Yui, K., K. Goto, et al. (2000). "Increased sensitivity to stress in spontaneous recurrence of methamphetamine psychosis: noradrenergic hyperactivity with contribution from dopaminergic hyperactivity." *J Clin Psychopharmacol* 20(2): 165-74.
- Yui, K., T. Ishiguro, et al. (1999). "Spontaneous recurrence of methamphetamine psychosis: increased sensitivity to stress associated with noradrenergic hyperactivity and dopaminergic change." *Eur Arch Psychiatry Clin Neurosci* 249(2): 103-11.
- Yui, K., T. Ishiguro, et al. (1998). "Factors affecting the development of spontaneous recurrence of methamphetamine psychosis." *Acta Psychiatr Scand* 97(3): 220-7.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.
- Yui, K., T. Ishiguro, et al. (1997). "Precipitating factors in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 134(3): 303-8.
- Yui, K., K. Goto, et al. (1997). "Noradrenergic activity and spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 44(2-3): 183-7.
- Yui, K., K. Goto, et al. (1996). "Plasma monoamine metabolites and spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory psychosis: Relation of noradrenergic activity to the occurrence of flashbacks." *Psychiatry Res* 63(2-3): 93-107.
- Yui, K., K. Goto, et al. (1995). "Spontaneous recurrence of methamphetamine psychosis: process and monoamine neurotransmitter function." *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(4): 363-74.

Florida

- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.
- Fernandez, M. I., L. M. Varga, T. Perrino, J. B. Collazo, F. Subiaul, A. Rehbein, H. Torres, M. Castro and G. S. Bowen (2004). "The Internet as recruitment tool for HIV studies: Viable strategy for reaching at-risk Hispanic MSM in Miami?" *AIDS Care* 16(8): 953-63.
- Jacobs, L. J. (1989). "Reversible dilated cardiomyopathy induced by methamphetamine." *Clin Cardiol* 12(12): 725-7.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- Vong, S., A. E. Fiore, et al. (2005). "Vaccination in the county jail as a strategy to reach high risk adults during a community-based hepatitis A outbreak among methamphetamine drug users." *Vaccine* 23(8): 1021-8.

Flunitrazepam

- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.

Food Deprivation

- Zacny, J. P. and H. de Wit (1989). "Effects of food deprivation on subjective responses to d-amphetamine in humans." *Pharmacol Biochem Behav* 34(4): 791-5.

Former Methamphetamine Users

See also Flashbacks; Methamphetamine Abstinence Syndrome; Relapse; Withdrawal

- Bechara, A., S. Dolan, et al. (2001). "Decision-making deficits, linked to a dysfunctional ventromedial prefrontal cortex, revealed in alcohol and stimulant abusers." *Neuropsychologia* 39(4): 376-89.
- Chang, L., C. Cloak, et al. (2005). "Enlarged striatum in abstinent methamphetamine abusers: A possible compensatory response." *Biol Psychiatry* 57(9): 967-74.
- Chang, L., T. Ernst, et al. (2002). "Perfusion MRI and computerized cognitive test abnormalities in abstinent methamphetamine users." *Psychiatry Res* 114(2): 65-79.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Ellis, R. J., M. E. Childers, et al. (2003). "Increased human immunodeficiency virus loads in active methamphetamine users are explained by reduced effectiveness of antiretroviral therapy." *J Infect Dis* 188(12): 1820-6.
- Goldstein, R. Z., N. D. Volkow, et al. (2002). "The orbitofrontal cortex in methamphetamine addiction: Involvement in fear." *Neuroreport* 13(17): 2253-7.
- Hwang, J., I. K. Lyoo, et al. (2006). "Decreased cerebral blood flow of the right anterior cingulate cortex in long-term and short-term abstinent methamphetamine users." *Drug Alcohol Depend* 82(2): 177-81.
- Iwanami, A., R. Kanamori, et al. (1995). "Reduced attention-related negative potentials in methamphetamine psychosis." *J Nerv Ment Dis* 183(11): 693-7.
- Iyo, M., Y. Sekine and N. Mori (2004). "Neuromechanism of developing methamphetamine psychosis: A neuroimaging study." *Ann N Y Acad Sci* 1025: 288-95.
- Johanson, C. E., K. A. Frey, et al. (2006). "Cognitive function and nigrostriatal markers in abstinent methamphetamine abusers." *Psychopharmacology (Berl)* 185(3): 327-38.
- Kalechstein, A. D., T. F. Newton and M. Green (2003). "Methamphetamine dependence is associated with neurocognitive impairment in the initial phases of abstinence." *J Neuropsychiatry Clin Neurosci* 15(2): 215-20.
- Kim, S. J., I. K. Lyoo, et al. (2006). "Prefrontal grey-matter changes in short-term and long-term abstinent methamphetamine abusers." *Int J Neuropsychopharmacol* 9(2): 221-8.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Frontal glucose hypometabolism in abstinent methamphetamine users." *Neuropsychopharmacology* 30(7): 1383-91.
- London, E. D., S. M. Berman, et al. (2005). "Cerebral metabolic dysfunction and impaired vigilance in recently abstinent methamphetamine abusers." *Biol Psychiatry* 58(10): 770-8.

- London, E. D., S. L. Simon, et al. (2004). "Mood disturbances and regional cerebral metabolic abnormalities in recently abstinent methamphetamine abusers." *Arch Gen Psychiatry* 61(1): 73-84.
- McGregor, C., M. Srisurapanont, et al. (2005). "The nature, time course and severity of methamphetamine withdrawal." *Addiction* 100(9): 1320-9.
- Newton, T. F., A. D. Kalechstein, et al. (2004). "Association between quantitative EEG and neurocognition in methamphetamine-dependent volunteers." *Clin Neurophysiol* 115(1): 194-8.
- Newton, T. F., I. A. Cook, et al. (2003). "Quantitative EEG abnormalities in recently abstinent methamphetamine dependent individuals." *Clin Neurophysiol* 114(3): 410-5.
- Nordahl, T. E., R. Salo, et al. (2005). "Methamphetamine users in sustained abstinence: A proton magnetic resonance spectroscopy study." *Arch Gen Psychiatry* 62(4): 444-52.
- Nordahl, T. E., R. Salo, et al. (2002). "Low N-acetyl-aspartate and high choline in the anterior cingulum of recently abstinent methamphetamine-dependent subjects: a preliminary proton MRS study. *Magnetic resonance spectroscopy.*" *Psychiatry Res* 116(1-2): 43-52.
- Oh, J. S., I. K. Lyoo, et al. (2005). "Shape changes of the corpus callosum in abstinent methamphetamine users." *Neurosci Lett* 384(1-2): 76-81.
- Okudaira, K., T. Yabana, et al. (1994). "[Clinical problems of alcoholics with a history of methamphetamine abuse]." *Arukuru Kenkyuto Yakubutsu Ison* 29(3): 185-9.
- Paulus, M. P., S. F. Tapert, et al. (2005). "Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse." *Arch Gen Psychiatry* 62(7): 761-8.
- Paulus, M. P., N. E. Hozack, B. E. Zauscher, L. Frank, G. G. Brown, D. L. Braff and M. A. Schuckit (2002). "Behavioral and functional neuroimaging evidence for prefrontal dysfunction in methamphetamine-dependent subjects." *Neuropsychopharmacology* 26(1): 53-63.
- Salo, R., T. E. Nordahl, et al. (2002). "Preliminary evidence of reduced cognitive inhibition in methamphetamine-dependent individuals." *Psychiatry Res* 111(1): 65-74.
- Sato, M. (1992). "A lasting vulnerability to psychosis in patients with previous methamphetamine psychosis." *Ann N Y Acad Sci* 654: 160-70.
- Sato, M., Y. Numachi, et al. (1992). "Relapse of paranoid psychotic state in methamphetamine model of schizophrenia." *Schizophr Bull* 18(1): 115-22.
- Sato, M., C. C. Chen, et al. (1983). "Acute exacerbation of paranoid psychotic state after long-term abstinence in patients with previous methamphetamine psychosis." *Biol Psychiatry* 18(4): 429-40.
- Sekine, Y., Y. Ouchi, et al. (2006). "Brain serotonin transporter density and aggression in abstinent methamphetamine abusers." *Arch Gen Psychiatry* 63(1): 90-100.
- Simon, S. L., J. Dacey, S. Glynn, R. Rawson and W. Ling (2004). "The effect of relapse on cognition in abstinent methamphetamine abusers." *J Subst Abuse Treat* 27(1): 59-66.
- Taylor, M. J., S. L. Letendre, et al. (2004). "Hepatitis C virus infection is associated with reduced white matter N-acetylaspartate in abstinent methamphetamine users." *J Int Neuropsychol Soc* 10(1): 110-3.
- Volkow, N. D., L. Chang, et al. (2001). "Low level of brain dopamine D2 receptors in methamphetamine abusers: Association with metabolism in the orbitofrontal cortex." *Am J Psychiatry* 158(12): 2015-21.
- Volkow, N. D., L. Chang, et al. (2001). "Higher cortical and lower subcortical metabolism in detoxified methamphetamine abusers." *Am J Psychiatry* 158(3): 383-9.
- Wang, G. J., N. D. Volkow, L. Chang, E. Miller, M. Sedler, R. Hitzemann, W. Zhu, J. Logan, Y. Ma and J. S. Fowler (2004). "Partial recovery of brain metabolism in methamphetamine abusers after protracted abstinence." *Am J Psychiatry* 161(2): 242-8.
- Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.
- Won, M., Y. Minabe, et al. (2003). "Manic-switch induced by fluvoxamine in abstinent pure methamphetamine abusers." *J Psychiatry Neurosci* 28(2): 134-5.

Fresno

- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.

GABA (gamma-amino-butyric acid)

- Gatch, M. B., M. Selvig, et al. (2005). "GABAergic modulation of the discriminative stimulus effects of methamphetamine." *Behav Pharmacol* 16(4): 261-6.

- Mark, K. A., J. J. Soghomonian, et al. (2004). "High-dose methamphetamine acutely activates the striatonigral pathway to increase striatal glutamate and mediate long-term dopamine toxicity." *J Neurosci* 24(50): 11449-56.
- Nishiyama, T., M. Ikeda, et al. (2005). "Haplotype association between GABAA receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder." *Pharmacogenomics J* 5(2): 89-95.
- Palmer, A. A., M. Verbitsky, et al. (2005). "Gene expression differences in mice divergently selected for methamphetamine sensitivity." *Mamm Genome* 16(5): 291-305.
- Powrozek, T. A., Y. Sari, et al. (2004). "Neurotransmitters and substances of abuse: effects on adult neurogenesis." *Curr Neurovasc Res* 1(3): 251-60.

Gastrointestinal System

- Brannan, T. A., S. Soundararajan, et al. (2004). "Methamphetamine-associated shock with intestinal infarction." *MedGenMed* 6(4): 6.
- Dirkx, C. A. and E. O. Gerscovich (1998). "Sonographic findings in methamphetamine-induced ischemic colitis." *J Clin Ultrasound* 26(9): 479-82.
- Johnson, T. D. and M. M. Berenson (1991). "Methamphetamine-induced ischemic colitis." *J Clin Gastroenterol* 13(6): 687-9.
- Pecha, R. E., T. Prindiville, et al. (1996). "Association of cocaine and methamphetamine use with giant gastroduodenal ulcers." *Am J Gastroenterol* 91(12): 2523-7.

Gay Men/Men who Have Sex with Men

- Anonymous (2002). "Methamphetamine use is heightening risks among gay youth. 'club drugs' dull safe-sex sensibilities." *AIDS Alert* 17(10): 121, 123-5.
- Benotsch, E. G., S. Kalichman and M. Cage (2002). "Men who have met sex partners via the Internet: Prevalence, predictors, and implications for HIV prevention." *Arch Sex Behav* 31(2): 177-83.
- Bluthenthal, R. N., A. H. Kral, et al. (2001). "Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000." *J Acquir Immune Defic Syndr* 28(3): 264-9.
- Boddiger, D. (2005). "Metamphetamine use linked to rising HIV transmission." *Lancet* 365(9466): 1217-8.
- Brewer, D. D., M. R. Golden, et al. (2006). "Unsafe sexual behavior and correlates of risk in a probability sample of men who have sex with men in the era of highly active antiretroviral therapy." *Sex Transm Dis*.
- Braine, N., D. C. Des Jarlais, et al. (2005). "HIV risk behavior among amphetamine injectors at U.S. syringe exchange programs." *AIDS Educ Prev* 17(6): 515-24.
- Buchacz, K., W. McFarland, et al. (2005). "Amphetamine use is associated with increased HIV incidence among men." *AIDS* 19(13): 1423-24.
- Bull, S. S., P. Piper and C. Rietmeijer (2002). "Men who have sex with men and also inject drugs-profiles of risk related to the synergy of sex and drug injection behaviors." *J Homosex* 42(3): 31-51.
- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.
- Chu, P. L., W. McFarland, et al. (2003). "Viagra use in a community-recruited sample of men who have sex with men, San Francisco." *J Acquir Immune Defic Syndr* 33(2): 191-3.
- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: A preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Clatts, M. C., L. A. Goldsamt, et al. (2005). "Club drug use among young men who have sex with men in NYC: A preliminary epidemiological profile." *Subst Use Misuse* 40(9): 1317-30.
- Clatts, M. C., D. L. Welle, et al. (2001). "Reconceptualizing the interaction of drug and sexual risk among MSM speed users: Notes toward an ethno-epidemiology." *AIDS and Behavior* 5(2): 115-130.
- Colfax, G. and S. Shoptaw (2005). "The methamphetamine epidemic: Implications for HIV prevention and treatment." *Curr HIV/AIDS Rep* 2(4): 194-9.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Colfax, G., E. Vittinghoff, et al. (2004). "Substance use and sexual risk: A participant- and episode-level analysis among a cohort of men who have sex with men." *Am J Epidemiol* 159(10): 1002-12.
- Colfax, G. N., G. Mansergh, et al. (2001). "Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: A venue-based comparison." *J Acquir Immune Defic Syndr* 28(4): 373-9.

- Degenhardt, L. (2005). "Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?" *Culture, Health & Sexuality* 7(6): 599-614.
- Diaz, R. M., A. L. Heckert, et al. (2005). "Reasons for stimulant use among Latino gay men in San Francisco: a comparison between methamphetamine and cocaine users." *J Urban Health* 82(1 Suppl 1): i71-8.
- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.
- Fernandez, M. I., L. M. Varga, T. Perrino, J. B. Collazo, F. Subiaul, A. Rehbein, H. Torres, M. Castro and G. S. Bowen (2004). "The Internet as recruitment tool for HIV studies: Viable strategy for reaching at-risk Hispanic MSM in Miami?" *AIDS Care* 16(8): 953-63.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Frosch, D., S. Shoptaw, et al. (1996). "Sexual HIV risk among gay and bisexual male methamphetamine abusers." *J Subst Abuse Treat* 13(6): 483-6.
- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.
- Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.
- Gorman, E. M., B. D. Barr, A. Hansen, B. Robertson and C. Green (1997). "Speed, sex, gay men, and HIV: Ecological and community perspectives." *Med Anthropol Q* 11(4): 505-15.
- Gorman, M. (1996). "Speed use and HIV transmission." *Focus* 11(7): 4-6.
- Gorman, E. M., P. Morgan, et al. (1995). "Qualitative research considerations and other issues in the study of methamphetamine use among men who have sex with other men." *NIDA Res Monogr* 157: 156-81.
- Halkitis, P. N. and J. J. Palamar (2006). "GHB use among gay and bisexual men." *Addict Behav*.
- Halkitis, P. N. and M. T. Shrem (2006). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav* 31(3): 549-52.
- Halkitis, P. N., B. N. Fischgrund, et al. (2005). "Explanations for methamphetamine use among gay and bisexual men in New York City." *Subst Use Misuse* 40(9): 1331-45.
- Halkitis, P. N., K. A. Green, et al. (2005). "Seroconcordant sexual partnerings of HIV-seropositive men who have sex with men." *AIDS* 19: S77-S86.
- Halkitis, P. N., K. A. Green, et al. (2005). "Longitudinal investigation of methamphetamine use among gay and bisexual men in New York City: findings from Project BUMPS." *J Urban Health* 82(1 Suppl 1): i18-25.
- Halkitis, P. N., M. T. Shrem, et al. (2005). "Sexual behavior patterns of methamphetamine-using gay and bisexual men." *Subst Use Misuse* 40(5): 703-19.
- Halkitis, P. N., L. Wilton, et al. (2005). "Barebacking identity among HIV-positive gay and bisexual men: demographic, psychological, and behavioral correlates." *AIDS* 19: S27-S35.
- Halkitis, P. N., J. T. Parsons, et al. (2001). "A double epidemic: Crystal methamphetamine drug use in relation to HIV transmission among gay men." *J Homosex* 41(2): 17-35.
- Herbst, J. H., R. T. Sherba, et al. (2005). "A meta-analytic review of HIV behavioral interventions for reducing sexual risk behavior of men who have sex with men." *J Acquir Immune Defic Syndr* 39(2): 228-41.
- Hirshfield, S., R. H. Remien, M. Humberstone, I. Walavalkar and M. A. Chiasson (2004). "Substance use and high-risk sex among men who have sex with men: A national online study in the USA." *AIDS Care* 16(8): 1036-47.
- Hirshfield, S., R. H. Remien, et al. (2004). "Crystal methamphetamine use predicts incident STD infection among men who have sex with men recruited online: A nested case-control study." *J Med Internet Res* 6(4): e41.
- Ibanez, G. E., D. W. Purcell, et al. (2005). "Sexual risk, substance use, and psychological distress in HIV-positive gay and bisexual men who also inject drugs." *AIDS* 19: S49-S55.
- Irwin, T. W. and J. Morgenstern (2005). "Drug-use patterns among men who have sex with men presenting for alcohol treatment: Differences in ethnic and sexual identity." *J Urban Health*.
- Kim, A. A., C. K. Kent, et al. (2002). "Increased risk of HIV and sexually transmitted disease transmission among gay or bisexual men who use Viagra, San Francisco 2000-2001." *AIDS* 16(10): 1425-8.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Klausner, J. D., D. K. Levine, et al. (2004). "Internet-based site-specific interventions for syphilis prevention among gay and bisexual men." *AIDS Care* 16(8): 964-70.

- Koblin, B. A., M. A. Chesney, M. J. Husnik, S. Bozeman, C. L. Celum, S. Buchbinder, K. Mayer, D. McKirnan, F. N. Judson, Y. Huang and T. J. Coates (2003). "High-risk behaviors among men who have sex with men in 6 US cities: Baseline data from the EXPLORE study." *Am J Public Health* 93(6): 926-32.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Lambert, E., J. Normand, et al. (2005). "Introduction: New dynamics of HIV risk among drug-using men who have sex with men." *J Urban Health* 82(1 Suppl 1): i1-8.
- Lampinen, T. M., D. McGhee, et al. (2006). "Increased risk of "club" drug use among gay and bisexual high school students in British Columbia." *J Adolesc Health* 38(4): 458-61.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Larkins, S., C. J. Reback, et al. (2005). "Methamphetamine-dependent gay men's disclosure of their HIV status to sexual partners." *AIDS Care* 17(4): 521-32.
- Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.
- Mansergh, G., D. W. Purcell, et al. (2006). "CDC consultation on methamphetamine use and sexual risk behavior for HIV/STD infection: summary and suggestions." *Public Health Rep* 121(2): 127-32.
- Mansergh, G., R. L. Shouse, et al. (2006). "Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men." *Sex Transm Infect* 82(2): 131-4.
- Mansergh, G., G. N. Colfax, et al. (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- Mattison, A. M., M. W. Ross, et al. (2001). "Circuit party attendance, club drug use, and unsafe sex in gay men." *J Subst Abuse* 13(1-2): 119-26.
- Molitor, F., S. R. Truax, J. D. Ruiz and R. K. Sun (1998). "Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users." *West J Med* 168(2): 93-7.
- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the Healthy Living Project." *J Acquir Immune Defic Syndr* 40(2): 226-235.
- Newman, P. A., F. Rhodes and R. E. Weiss (2004). "Correlates of sex trading among drug-using men who have sex with men." *Am J Public Health* 94(11): 1998-2003.
- Newmeyer, J. A. (2003). "Patterns and trends of drug use in the San Francisco Bay Area." *J Psychoactive Drugs* 35(Suppl 1): 127-32.
- Parsons, J. T. and P. N. Halkitis (2002). "Sexual and drug-using practices of HIV-positive men who frequent public and commercial sex environments." *AIDS Care* 14(6): 815-26.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.
- Patterson, T. L. and S. J. Semple (2003). "Sexual risk reduction among HIV-positive drug-using men who have sex with men." *J Urban Health* 80(4 Suppl 3): iii77-87.
- Paul, J. P., R. Stall and F. Davis (1993). "Sexual risk for HIV transmission among gay/bisexual men in substance-abuse treatment." *AIDS Educ Prev* 5(1): 11-24.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.
- Purcell, D. W., S. Moss, et al. (2005). "Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: Differences by serostatus of casual partners." *AIDS* 19: S37-S47.
- Purcell, D. W., J. T. Parsons, P. N. Halkitis, Y. Mizuno and W. J. Woods (2001). "Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men." *J Subst Abuse* 13(1-2): 185-200.
- Reback, C. J., S. Larkins and S. Shoptaw (2004). "Changes in the meaning of sexual risk behaviors among gay and bisexual male methamphetamine abusers before and after drug treatment." *AIDS Behav* 8(1): 87-98.
- Reback, C. J., S. Larkins, et al. (2003). "Methamphetamine abuse as a barrier to HIV medication adherence among gay and bisexual men." *AIDS Care* 15(6): 775-85.

- Reback, C. J. and C. E. Grella (1999). "HIV risk behaviors of gay and bisexual male methamphetamine users contacted through street outreach." *Journal of Drug Issues* 29(1): 155-66.
- Rietmeijer, C. A., R. J. Wolitski, M. Fishbein, N. H. Corby and D. L. Cohn (1998). "Sex hustling, injection drug use, and non-gay identification by men who have sex with men. Associations with high-risk sexual behaviors and condom use." *Sex Transm Dis* 25(7): 353-60.
- Romanelli, F. and K. M. Smith (2004). "Recreational use of sildenafil by HIV-positive and -negative homosexual/bisexual males." *Ann Pharmacother* 38(6): 1024-30.
- Ross, M. W., A. M. Mattison, et al. (2003). "Club drugs and sex on drugs are associated with different motivations for gay circuit party attendance in men." *Subst Use Misuse* 38(8): 1173-83.
- Rusch, M., T. M. Lampinen, A. Schilder and R. S. Hogg (2004). "Unprotected anal intercourse associated with recreational drug use among young men who have sex with men depends on partner type and intercourse role." *Sex Transm Dis* 31(8): 492-8.
- Schilder, A. J., T. M. Lampinen, et al. (2005). "Crystal methamphetamine and ecstasy differ in relation to unsafe sex among young gay men." *Can J Public Health* 96(5): 340-3.
- Seage, G. R., 3rd, K. H. Mayer, et al. (1998). "The social context of drinking, drug use, and unsafe sex in the Boston Young Men Study." *J Acquir Immune Defic Syndr Hum Retrovirol* 17(4): 368-75.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Semple, S. J., T. L. Patterson, et al. (2003). "Binge use of methamphetamine among HIV-positive men who have sex with men: Pilot data and HIV prevention implications." *AIDS Educ Prev* 15(2): 133-47.
- Semple, S. J., T. L. Patterson and I. Grant (2002). "Motivations associated with methamphetamine use among HIV+ men who have sex with men." *J Subst Abuse Treat* 22(3): 149-56.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., J. Peck, C. J. Reback and E. Rotheram-Fuller (2003). "Psychiatric and substance dependence comorbidities, sexually transmitted diseases, and risk behaviors among methamphetamine-dependent gay and bisexual men seeking outpatient drug abuse treatment." *J Psychoactive Drugs* 35(Suppl 1): 161-8.
- Shoptaw, S., C. J. Reback and T. E. Freese (2002). "Patient characteristics, HIV serostatus, and risk behaviors among gay and bisexual males seeking treatment for methamphetamine abuse and dependence in Los Angeles." *J Addict Dis* 21(1): 91-105.
- Stone, E., P. Heagerty, E. Vittinghoff, J. M. Douglas, Jr., B. A. Koblin, K. H. Mayer, C. L. Celum, M. Gross, G. E. Woody, M. Marmor, G. R. Seage, 3rd and S. P. Buchbinder (1999). "Correlates of condom failure in a sexually active cohort of men who have sex with men." *J Acquir Immune Defic Syndr Hum Retrovirol* 20(5): 495-501.
- Sullivan, P. S., A. K. Nakashima, D. W. Purcell and J. W. Ward (1998). "Geographic differences in noninjection and injection substance use among HIV-seropositive men who have sex with men: Western United States versus other regions. Supplement to HIV/AIDS surveillance Study Group." *J Acquir Immune Defic Syndr Hum Retrovirol* 19(3): 266-73.
- Swearingen, S. G. and J. D. Klausner (2005). "Sildenafil use, sexual risk behavior, and risk for sexually transmitted diseases, including HIV infection." *Am J Med* 118(6): 571-7.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.
- Waldo, C. R., W. McFarland, M. H. Katz, D. MacKellar and L. A. Valleroy (2000). "Very young gay and bisexual men are at risk for HIV infection: The San Francisco Bay Area Young Men's Survey II." *J Acquir Immune Defic Syndr* 24(2): 168-74.
- Williams, M. L., J. Atkinson, et al. (2005). "Spatial bridging in a network of drug-using male sex workers." *J Urban Health* 82(1 Suppl 1): i35-42.
- Wohl, A. R., D. F. Johnson, et al. (2002). "HIV risk behaviors among African American men in Los Angeles County who self-identify as heterosexual." *J Acquir Immune Defic Syndr* 31(3): 354-60.
- Wong, W., J. K. Chaw, et al. (2005). "Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003." *Sex Transm Dis* 32(7): 458-63.
- Worth, H. and P. Rawstorne (2005). "Crystallizing the HIV epidemic: Methamphetamine, unsafe sex, and gay diseases of the will." *Arch Sex Behav* 34(5): 483-6.
- Zenilman, J. M. (2005). "Behavioral interventions--rationale, measurement, and effectiveness." *Infect Dis Clin North Am* 19(2): 541-62.

Gender Factors

- Bae, S. C., I. K. Lyoo, et al. (2006). "Increased white matter hyperintensities in male methamphetamine abusers." *Drug Alcohol Depend* 81(1): 83-8.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Caetano, R. and C. Weisner (1995). "The association between DSM-III-R alcohol dependence, psychological distress and drug use." *Addiction* 90(3): 351-9.
- Chang, L., T. Ernst, et al. (2002). "Perfusion MRI and computerized cognitive test abnormalities in abstinent methamphetamine users." *Psychiatry Res* 114(2): 65-79.
- Cohen, J. B., A. Dickow, et al. (2003). "Abuse and violence history of men and women in treatment for methamphetamine dependence." *Am J Addict* 12(5): 377-85.
- Darke, S., J. Ross, et al. (1995). "Injecting and sexual risk-taking behaviour among regular amphetamine users." *AIDS Care* 7(1): 19-26.
- Dluzen, D. E. and J. L. McDermott (2004). "Developmental and genetic influences upon gender differences in methamphetamine-induced nigrostriatal dopaminergic neurotoxicity." *Ann N Y Acad Sci* 1025: 205-20.
- Dluzen, D. E. and J. L. McDermott (2002). "Estrogen, anti-estrogen, and gender: differences in methamphetamine neurotoxicity." *Ann N Y Acad Sci* 965: 136-56.
- Fendrich, M., J. S. Wislar, T. P. Johnson and A. Hubbell (2003). "A contextual profile of club drug use among adults in Chicago." *Addiction* 98(12): 1693-703.
- Hser, Y. I., E. Evans, et al. (2005). "Treatment outcomes among women and men methamphetamine abusers in California." *J Subst Abuse Treat* 28(1): 77-85.
- Itoh, K., K. Hashimoto, et al. (2005). "Association study between brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan." *Am J Med Genet B Neuropsychiatr Genet* 132(1): 70-3.
- Kral, A. H., R. N. Bluthenthal, et al. (2001). "Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: Risk-factor analysis." *Lancet* 357(9266): 1397-401.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Frontal glucose hypometabolism in abstinent methamphetamine users." *Neuropsychopharmacology* 30(7): 1383-91.
- Kobayashi, H., S. Ide, J. Hasegawa, H. Ujike, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, M. Iyo, H. W. Shen, K. Ikeda and I. Sora (2004). "Study of association between {alpha}-synuclein gene polymorphism and methamphetamine psychosis/dependence." *Ann N Y Acad Sci* 1025: 325-334.
- Koizumi, H., K. Hashimoto, C. Kumakiri, E. Shimizu, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, I. Sora, H. Ujike, N. Takei and M. Iyo (2004). "Association between the glutathione S-transferase m1 gene deletion and female methamphetamine abusers." *Am J Med Genet* 126B(1): 43-5.
- Lin, S. K., D. Ball, et al. (2004). "Psychiatric comorbidity and gender differences of persons incarcerated for methamphetamine abuse in Taiwan." *Psychiatry Clin Neurosci* 58(2): 206-12.
- Lin, S. K., C. K. Chen, et al. (2003). "Gender-specific contribution of the GABA(A) subunit genes on 5q33 in methamphetamine use disorder." *Pharmacogenomics J* 3(6): 349-55.
- Maglione, M., B. Chao, et al. (2000). "Correlates of outpatient drug treatment drop-out among methamphetamine users." *J Psychoactive Drugs* 32(2): 221-8.
- Maglione, M., B. Chao and M. D. Anglin (1998). "Methamphetamine abuse in California: Correlates of injection use." *AIDS and Behavior* 2(3): 257-261.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Munro, C. A., M. E. McCaul, et al. (2006). "Sex differences in striatal dopamine release in healthy adults." *Biol Psychiatry*.
- Ohgake, S., K. Hashimoto, et al. (2005). "Functional polymorphism of the NQO2 gene is associated with methamphetamine psychosis." *Addict Biol* 10(2): 145-8.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., A. Washton, C. P. Domier and C. Reiber (2002). "Drugs and sexual effects: Role of drug type and gender." *J Subst Abuse Treat* 22(2): 103-8.

- Rawson, R., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2000). "Methamphetamine and cocaine users: Differences in characteristics and treatment retention." *J Psychoactive Drugs* 32(2): 233-8.
- Senjo, S. R. (2005). "Trafficking in meth: An analysis of the differences between male and female dealers." *J Drug Educ* 35(1): 59-77.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.
- Yen, C. F. and M. Y. Chong (2006). "Comorbid psychiatric disorders, sex, and methamphetamine use in adolescents: A case-control study." *Compr Psychiatry* 47(3): 215-20.
- Yen, C. F. and Y. C. Su (2006). "The associations of early-onset methamphetamine use with psychiatric morbidity among Taiwanese adolescents." *Subst Use Misuse* 41(1): 35-44.

Gender Factors (animals)

- Anderson, L. I., R. E. Leipheimer, et al. (2005). "Effects of neonatal and prepubertal hormonal manipulations upon estrogen neuroprotection of the nigrostriatal dopaminergic system within female and male mice." *Neuroscience* 130(2): 369-82.
- Bhatt, S. D. and D. E. Dluzen (2005). "Dopamine transporter function differences between male and female CD-1 mice." *Brain Res* 1035(2): 188-95.
- Bisagno, V., R. Bowman, et al. (2003). "Functional aspects of estrogen neuroprotection." *Endocrine* 21(1): 33-41.
- Dluzen, D. E. and T. J. Salvaterra (2006). "Sex differences in methamphetamine-evoked striatal dopamine output are abolished following gonadectomy: Comparisons with potassium-evoked output and responses in prepubertal mice." *Neuroendocrinology* 82(2): 78-86.
- Dluzen, D. E. and K. R. Mickley (2005). "Gender differences in modulatory effects of tamoxifen upon the nigrostriatal dopaminergic system." *Pharmacol Biochem Behav* 80(1): 27-33.
- Dluzen, D. E. and J. L. McDermott (2004). "Developmental and genetic influences upon gender differences in methamphetamine-induced nigrostriatal dopaminergic neurotoxicity." *Ann N Y Acad Sci* 1025: 205-20.
- Dluzen, D. E. and J. L. McDermott (2002). "Estrogen, anti-estrogen, and gender: differences in methamphetamine neurotoxicity." *Ann N Y Acad Sci* 965: 136-56.
- Fukumura, M., G. D. Cappon, H. W. Broening and C. V. Vorhees (1998). "Methamphetamine-induced dopamine and serotonin reductions in neostriatum are not gender specific in rats with comparable hyperthermic responses." *Neurotoxicol Teratol* 20(4): 441-8.
- Gomes-da-Silva, J., A. Perez-Rosado, et al. (2000). "Neonatal methamphetamine in the rat: Evidence for gender-specific differences upon tyrosine hydroxylase enzyme in the dopaminergic nigrostriatal system." *Ann N Y Acad Sci* 914: 431-8.
- Mattei, R. and E. A. Carlini (1996). "A comparative study of the anorectic and behavioral effects of fenproporex on male and female rats." *Braz J Med Biol Res* 29(8): 1025-30.
- Milesi-Halle, A., H. P. Hendrickson, et al. (2005). "Sex- and dose-dependency in the pharmacokinetics and pharmacodynamics of (+)-methamphetamine and its metabolite (+)-amphetamine in rats." *Toxicol Appl Pharmacol* 209(3): 203-13.
- Miller, D. B., S. F. Ali, et al. (1998). "The impact of gender and estrogen on striatal dopaminergic neurotoxicity." *Ann N Y Acad Sci* 844: 153-65.
- Roth, M. E. and M. E. Carroll (2004). "Sex differences in the acquisition of IV methamphetamine self-administration and subsequent maintenance under a progressive ratio schedule in rats." *Psychopharmacology (Berl)* 172(4): 443-9.
- Slamberova, R. (2005). "Flurothyl seizures susceptibility is increased in prenatally methamphetamine-exposed adult male and female rats." *Epilepsy Res* 65(1-2): 121-4.
- Yu, L., Y. Kuo, et al. (2002). "Ovarian hormones do not attenuate methamphetamine-induced dopaminergic neurotoxicity in mice gonadectomized at 4 weeks postpartum." *Neuroendocrinology* 75(5): 282-7.
- Yu, L. and P. C. Liao (2000). "Sexual differences and estrous cycle in methamphetamine-induced dopamine and serotonin depletions in the striatum of mice." *J Neural Transm* 107(4): 419-27.
- Yu, Y. L. and G. C. Wagner (1994). "Influence of gonadal hormones on sexual differences in sensitivity to methamphetamine-induced neurotoxicity." *J Neural Transm Park Dis Dement Sect* 8(3): 215-21.

Genetic Factors

- Asanuma, M., I. Miyazaki, Y. Higashi, T. Tsuji and N. Ogawa (2004). "Specific gene expression and possible involvement of inflammation in methamphetamine-induced neurotoxicity." *Ann N Y Acad Sci* 1025: 69-75.

- Chen, C. K., X. Hu, et al. (2004). "Association analysis of dopamine D2-like receptor genes and methamphetamine abuse." *Psychiatr Genet* 14(4): 223-226.
- Cheng, C. Y., C. J. Hong, et al. (2005). "Brain-derived neurotrophic factor (Val66Met) genetic polymorphism is associated with substance abuse in males." *Brain Res Mol Brain Res* 140(1-2): 86-90.
- Comings, D. E. and K. Blum (2000). "Reward deficiency syndrome: Genetic aspects of behavioral disorders." *Prog Brain Res* 126: 325-41.
- D'Souza, U. M., C. Russ, E. Tahir, J. Mill, P. McGuffin, P. J. Asherson and I. W. Craig (2004). "Functional effects of a tandem duplication polymorphism in the 5'flanking region of the drd4 gene." *Biol Psychiatry* 56(9): 691-7.
- Harano, M., N. Uchimura, et al. (2004). "A polymorphism of DRD2 gene and brain atrophy in methamphetamine psychosis." *Ann N Y Acad Sci* 1025: 307-15.
- Hashimoto, T., K. Hashimoto, et al. (2005). "A functional glutathione S-transferase P1 gene polymorphism is associated with methamphetamine-induced psychosis in Japanese population." *Am J Med Genet B Neuropsychiatr Genet* 135(1): 5-9.
- Hong, C. J., C. Y. Cheng, et al. (2003). "Association study of the dopamine and serotonin transporter genetic polymorphisms and methamphetamine abuse in Chinese males." *J Neural Transm* 110(4): 345-51.
- Ide, S., H. Kobayashi, et al. (2006). "Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms." *Pharmacogenomics J*.
- Ide, S., H. Kobayashi, et al. (2004). "Gene polymorphisms of the mu opioid receptor in methamphetamine abusers." *Ann N Y Acad Sci* 1025: 316-24.
- Ikeda, M., N. Iwata, et al. (2006). "Positive association of AKT1 haplotype to Japanese methamphetamine use disorder." *Int J Neuropsychopharmacol* 9(1): 77-81.
- Inada, T., Y. Iijima, et al. (2004). "No association found between the type 1 sigma receptor gene polymorphisms and methamphetamine abuse in the Japanese population: A collaborative study by the Japanese Genetics Initiative for Drug Abuse." *Ann N Y Acad Sci* 1025: 27-33.
- Itoh, K., K. Hashimoto, et al. (2005). "Association study between brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan." *Am J Med Genet B Neuropsychiatr Genet* 132(1): 70-3.
- Iwata, N., T. Inada, et al. (2004). "No association is found between the candidate genes of t-PA/plasminogen system and Japanese methamphetamine-related disorder: A collaborative study by the Japanese Genetics Initiative for Drug Abuse." *Ann N Y Acad Sci* 1025: 34-8.
- Kobayashi, H., S. Ide, J. Hasegawa, H. Ujike, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, M. Iyo, H. W. Shen, K. Ikeda and I. Soraa (2004). "Study of association between {alpha}-synuclein gene polymorphism and methamphetamine psychosis/dependence." *Ann N Y Acad Sci* 1025: 325-334.
- Koizumi, H., K. Hashimoto, C. Kumakiri, E. Shimizu, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, I. Sora, H. Ujike, N. Takei and M. Iyo (2004). "Association between the glutathione S-transferase m1 gene deletion and female methamphetamine abusers." *Am J Med Genet* 126B(1): 43-5.
- Lessov, C. N., G. E. Swan, et al. (2004). "Genetics and drug use as a complex phenotype." *Subst Use Misuse* 39(10-12): 1515-69.
- Li, T., C. K. Chen, et al. (2004). "Association analysis of the DRD4 and COMT genes in methamphetamine abuse." *Am J Med Genet* 129B(1): 120-4.
- Lin, S. K., C. K. Chen, et al. (2003). "Gender-specific contribution of the GABA(A) subunit genes on 5q33 in methamphetamine use disorder." *Pharmacogenomics J* 3(6): 349-55.
- Miyamoto, Y., K. Yamada, et al. (2004). "Behavioural adaptations to addictive drugs in mice lacking the NMDA receptor epsilon1 subunit." *Eur J Neurosci* 19(1): 151-8.
- Morita, Y., H. Ujike, et al. (2005). "A nonsynonymous polymorphism in the human fatty acid amide hydrolase gene did not associate with either methamphetamine dependence or schizophrenia." *Neurosci Lett* 376(3): 182-7.
- Morita, Y., H. Ujike, et al. (2005). "The X-box binding protein 1 (XBP1) gene is not associated with methamphetamine dependence." *Neurosci Lett* 383(1-2): 194-8.
- Nishiyama, T., M. Ikeda, et al. (2005). "Haplotype association between GABAA receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder." *Pharmacogenomics J* 5(2): 89-95.
- Nishio, M., Y. Kuroki, et al. (2003). "Role of hippocampal alpha(2A)-adrenergic receptor in methamphetamine-induced hyperlocomotion in the mouse." *Neurosci Lett* 341(2): 156-60.
- Nomura, A., H. Ujike, et al. (2006). "Genetic variant of prodynorphin gene is risk factor for methamphetamine dependence." *Neurosci Lett*.
- Onaivi, E. S., S. F. Ali, et al. (2002). "Ibogaine signals addiction genes and methamphetamine alteration of long-term potentiation." *Ann N Y Acad Sci* 965: 28-46.

- Ramamoorthy, Y., R. F. Tyndale, et al. (2001). "Cytochrome P450 2D6.1 and cytochrome P450 2D6.10 differ in catalytic activity for multiple substrates." *Pharmacogenetics* 11(6): 477-87.
- Sellers, E. M. and R. F. Tyndale (2000). "Mimicking gene defects to treat drug dependence." *Ann N Y Acad Sci* 909: 233-46.
- Tsai, S. J., C. Y. Cheng, et al. (2002). "No association for D2 and D4 dopamine receptor polymorphisms and methamphetamine abuse in Chinese males." *Psychiatr Genet* 12(1): 29-33.
- Ujike, H., M. Takaki, et al. (2002). "Gene expression related to synaptogenesis, neuritogenesis, and MAP kinase in behavioral sensitization to psychostimulants." *Ann N Y Acad Sci* 965: 55-67.
- Veenstra-Vanderweele, J., A. Qaadir, et al. (2006). "Association between the Casein Kinase 1 Epsilon Gene Region and Subjective Response to D-Amphetamine." *Neuropsychopharmacology* 31(5): 1056-63.
- Yoon, S. J., C. U. Pae, et al. (2005). "Ghrelin precursor gene polymorphism and methamphetamine dependence in the Korean population." *Neurosci Res* 53(4): 391-5.

Genetic Factors (animals)

- Chen, R., D. D. Han, et al. (2005). "A triple mutation in the second transmembrane domain of mouse dopamine transporter markedly decreases sensitivity to cocaine and methylphenidate." *J Neurochem* 94(2): 352-9.
- Fujio, M., T. Nakagawa, et al. (2005). "Gene transfer of GLT-1, a glutamate transporter, into the nucleus accumbens shell attenuates methamphetamine- and morphine-induced conditioned place preference in rats." *Eur J Neurosci* 22(11): 2744-54.
- Fukumoto, M., M. Iwata, et al. (2005). "Effects of acute administration of methamphetamine on Narp mRNA in rat brain." *Addict Biol* 10(3): 257-9.
- Gomes-da-Silva, J., A. Perez-Rosado, et al. (2002). "Prenatal exposure to methamphetamine in the rat: Ontogeny of tyrosine hydroxylase mRNA expression in mesencephalic dopaminergic neurons." *Ann N Y Acad Sci* 965: 68-77.
- Ide, S., H. Kobayashi, et al. (2006). "Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms." *Pharmacogenomics J*.
- Itzhak, Y. and S. F. Ali (2006). "Role of nitergic system in behavioral and neurotoxic effects of amphetamine analogs." *Pharmacol Ther* 109(1-2): 246-62.
- Iwabuchi, K., Y. Kubota, et al. (2004). "Methamphetamine and brain histamine: A study using histamine-related gene knockout mice." *Ann N Y Acad Sci* 1025: 129-34.
- Janowsky, A., C. Mah, et al. (2001). "Mapping genes that regulate density of dopamine transporters and correlated behaviors in recombinant inbred mice." *J Pharmacol Exp Ther* 298(2): 634-43.
- Jayanthi, S., X. Deng, et al. (2001). "Methamphetamine causes differential regulation of pro-death and anti-death Bcl-2 genes in the mouse neocortex." *Faseb J* 15(10): 1745-52.
- Kamens, H. M., S. Burkhart-Kasch, et al. (2005). "Sensitivity to psychostimulants in mice bred for high and low stimulation to methamphetamine." *Genes Brain Behav* 4(2): 110-25.
- Numachi, Y., S. Yoshida, et al. (2000). "Two inbred strains of rats, Fischer 344 and Lewis, showed differential behavior and brain expression of corticosterone receptor mRNA induced by methamphetamine." *Ann N Y Acad Sci* 914: 33-45.
- Onaivi, E. S., S. F. Ali, et al. (2002). "Ibogaine signals addiction genes and methamphetamine alteration of long-term potentiation." *Ann N Y Acad Sci* 965: 28-46.
- Osugi, T., Y. Aoki, et al. (1994). "[Involvement of gene expression in drug tolerance and dependence]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(4): 185-93.
- Ouchi, Y., Y. Kubota, et al. (2005). "Gene expression profiling in whole cerebral cortices of phencyclidine- or methamphetamine-treated rats." *Brain Res Mol Brain Res* 140(1-2): 142-9.
- Palmer, A. A., M. Verbitsky, et al. (2005). "Gene expression differences in mice divergently selected for methamphetamine sensitivity." *Mamm Genome* 16(5): 291-305.
- Sellers, E. M. and R. F. Tyndale (2000). "Mimicking gene defects to treat drug dependence." *Ann N Y Acad Sci* 909: 233-46.
- Sriram, K., D. B. Miller, et al. (2006). "Minocycline attenuates microglial activation but fails to mitigate striatal dopaminergic neurotoxicity: Role of tumor necrosis factor-alpha." *J Neurochem* 96(3): 706-18.
- Thiriet, N., X. Deng, et al. (2005). "Neuropeptide Y protects against methamphetamine-induced neuronal apoptosis in the mouse striatum." *J Neurosci* 25(22): 5273-9.
- Yamamoto, H., K. Imai, et al. (2005). "Methamphetamine modulation of gene expression in the brain: Analysis using customized cDNA microarray system with the mouse homologues of KIAA genes." *Brain Res Mol Brain Res* 137(1-2): 40-6.
- Yan, Y., A. Nitta, et al. (2006). "Relapse of methamphetamine-seeking behavior in C57BL/6J mice demonstrated by a reinstatement procedure involving intravenous self-administration." *Behav Brain Res*.

- Yang, J. (2004). "[The study developments about changes of methamphetamine-induced genes' transcriptions and translations]." *Fa Yi Xue Za Zhi* 20(3): 185-8.
- Yoshida, S., Y. Numachi, et al. (2000). "The absence of impairment of cliff avoidance reaction induced by subchronic methamphetamine treatment in inbred strains of mice." *Tohoku J Exp Med* 190(3): 205-12.
- Yoshida, S., Y. Numachi, et al. (1998). "Impairment of cliff avoidance reaction induced by subchronic methamphetamine administration and restraint stress: Comparison between two inbred strains of rats." *Prog Neuropsychopharmacol Biol Psychiatry* 22(6): 1023-32.
- Yu, L. and P. C. Liao (2000). "Estrogen and progesterone distinctively modulate methamphetamine-induced dopamine and serotonin depletions in C57BL/6J mice." *J Neural Transm* 107(10): 1139-47.

Georgia (USA)

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Germany

- Hartel-Petri, R., R. Rodler, et al. (2005). "[Increasing prevalence of amphetamine--and methamphetamine-induced psychosis]." *Psychiatr Prax* 32(1): 13-7.
- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.
- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.
- Meyer, U. (2005). "[Fritz Hauschild (1908-1974) and drug research in the 'German Democratic Republic' (GDR)]." *Pharmazie* 60(6): 468-72.
- Moeller, M. R. and T. Kraemer (2002). "Drugs of abuse monitoring in blood for control of driving under the influence of drugs." *Ther Drug Monit* 24(2): 210-21.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Soellner, R. (2005). "Club drug use in Germany." *Subst Use Misuse* 40(9): 1279-93.

GHB

See also Polydrug Use

- Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.
- Halkitis, P. N. and J. J. Palamar (2006). "GHB use among gay and bisexual men." *Addict Behav*.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Kohrs, F. P., C. Mann and R. Greenberg (2004). "The use of amphetamine in gamma-hydroxybutyrate overdose: A case report." *J Psychoactive Drugs* 36(3): 401-2.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav*.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.

Greece

- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

HAART

See Antiretroviral Therapy

Hallucinations

See also Flashbacks; Psychosis

- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Marschall, M. A., R. F. Dolezal, et al. (1991). "Chronic wounds and delusions of parasitosis in the drug abuser." *Plast Reconstr Surg* 88(2): 328-30.
- Nakatani, Y. and T. Hara (1998). "Disturbance of consciousness due to methamphetamine abuse. A study of 2 patients." *Psychopathology* 31(3): 131-7.
- Sommers, I., D. Baskin, et al. (2005). "Methamphetamine use among young adults: Health and social consequences." *Addict Behav.*
- Srisurapanont, M., R. Ali, et al. (2003). "Psychotic symptoms in methamphetamine psychotic in-patients." *Int J Neuropsychopharmacol* 6(4): 347-52.
- Yui, K., S. Ikemoto, et al. (2002). "Spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory states in female subjects: Susceptibility to psychotic states and implications for relapse of schizophrenia." *Pharmacopsychiatry* 35(2): 62-71.

Harm Reduction

See also Syringe Exchange and Syringe Access

- Baker, F. M. and W. F. Haning, 3rd (2001). "Substance abuse and dependence in a public hospital: Hawaii." *Hawaii Med J* 60(2): 35-8.
- Collins, C. L., T. Kerr, et al. (2005). "Rationale to evaluate medically supervised safer smoking facilities for non-injection illicit drug users." *Can J Public Health* 96(5): 344-7.
- Collins, C. L., T. Kerr, et al. (2005). "Potential uptake and correlates of willingness to use a supervised smoking facility for noninjection illicit drug use." *J Urban Health* 82(2): 276-84.
- Darke, S., J. Cohen, et al. (1994). "Transitions between routes of administration of regular amphetamine users." *Addiction* 89(9): 1077-83.
- Duterte, M., S. O'Neil, G. McKearin, P. Sales, T. Murphy and S. Murphy (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Hando, J., L. Topp, et al. (1997). "Amphetamine-related harms and treatment preferences of regular amphetamine users in Sydney, Australia." *Drug Alcohol Depend* 46(1-2): 105-13.
- Johnson, B. A., L. T. Wells, et al. (2005). "Isradipine decreases the hemodynamic response of cocaine and methamphetamine results from two human laboratory studies: Results from two human laboratory studies." *Am J Hypertens* 18(6): 813-22.
- Kingston, S. and M. Conrad (2004). "Harm reduction for methamphetamine users." *Focus* 19(1): 4-6.
- Lester, B. M., L. Andreozzi, et al. (2004). "Substance use during pregnancy: Time for policy to catch up with research." *Harm Reduct J* 1(1): 5.
- Room, R. (2006). "The dangerousness of drugs." *Addiction* 101(2): 166-8.
- Sharp, M. (2005). "From condoms to needles and everything in between. Shades of gray with harm reduction." *Posit Aware* 16(4): 20-1.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Tatarsky, A. (2003). "Harm reduction psychotherapy: Extending the reach of traditional substance use treatment." *J Subst Abuse Treat* 25(4): 249-56.
- Wermuth, L. (2000). "Methamphetamine use: Hazards and social influences." *J Drug Educ* 30(4): 423-33.

Hawaii

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Austin, A. A. (2004). "Alcohol, tobacco, other drug use, and violent behavior among Native Hawaiians: Ethnic pride and resilience." *Subst Use Misuse* 39(5): 721-46.

- Baker, F. M. and W. F. Haning, 3rd (2001). "Substance abuse and dependence in a public hospital: Hawaii." *Hawaii Med J* 60(2): 35-8.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Burchell, S. A., H. C. Ho, et al. (2000). "Effects of methamphetamine on trauma patients: A cause of severe metabolic acidosis?" *Crit Care Med* 28(6): 2112-5.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Huber, A., R. H. Lord, et al. (2000). "The CSAT methamphetamine treatment program: Research design accommodations for "real world" application." *J Psychoactive Drugs* 32(2): 149-56.
- Inouye, D. S., J. J. Navin, et al. (2004). "Fatal postoperative arrhythmia in a man with a remote history of methamphetamine and cocaine use: a case report." *Hawaii Med J* 63(3): 82-6.
- Miller, M. A. (1991). "Trends and patterns of methamphetamine smoking in Hawaii." *NIDA Res Monogr* 115: 72-83.
- Nestor, T. A., W. I. Tamamoto, et al. (1989). "Acute pulmonary oedema caused by crystalline methamphetamine." *Lancet* 2(8674): 1277-8.
- Rawson, R. A., P. Marinelli-Casey, et al. (2004). "A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence." *Addiction* 99(6): 708-17.
- Tominaga, G. T., G. Garcia, et al. (2004). "Toll of methamphetamine on the trauma system." *Arch Surg* 139(8): 844-7.
- Waitzfelder, B. E., C. C. Engel Jr, et al. (1998). "Substance Abuse in Hawaii: Perspectives of Key Local Human Service Organizations." *Subst Abus* 19(1): 7-22.
- Wijetunga, M., R. Bhan, J. Lindsay and S. Karch (2004). "Acute coronary syndrome and crystal methamphetamine use: A case series." *Hawaii Med J* 63(1): 8-13, 25.
- Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.

Health Status

- Greenwell, L. and M. L. Brecht (2003). "Self-reported health status among treated methamphetamine users." *Am J Drug Alcohol Abuse* 29(1): 75-104.
- Siegal, H. A., P. J. Draus, et al. (2006). "Perspectives on health among adult users of illicit stimulant drugs in rural Ohio." *J Rural Health* 22(2): 169-73.

Hearing

See Sound

Hepatitis A

- Grinde, B., K. Stene-Johansen, et al. (1997). "Characterisation of an epidemic of hepatitis A virus involving intravenous drug abusers--infection by needle sharing?" *J Med Virol* 53(1): 69-75.
- Harkess, J., B. Gildon, et al. (1989). "Outbreaks of hepatitis A among illicit drug users, Oklahoma, 1984-87." *Am J Public Health* 79(4): 463-6.
- Hutin, Y. J., B. P. Bell, et al. (1999). "Identifying target groups for a potential vaccination program during a hepatitis A communitywide outbreak." *Am J Public Health* 89(6): 918-21.
- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.
- Leino, T., P. Leinikki, et al. (1997). "Hepatitis A outbreak amongst intravenous amphetamine abusers in Finland." *Scand J Infect Dis* 29(3): 213-6.
- Mravcik, V., H. Sebakova, et al. (2000). "[Seroprevalence of viral hepatitis A, B and C in intravenous drug users]." *Epidemiol Mikrobiol Imunol* 49(1): 19-23.
- Vong, S., A. E. Fiore, et al. (2005). "Vaccination in the county jail as a strategy to reach high risk adults during a community-based hepatitis A outbreak among methamphetamine drug users." *Vaccine* 23(8): 1021-8.

Hepatitis B

- Davis, L. E., G. Kalousek, et al. (1970). "Hepatitis associated with illicit use of intravenous methamphetamine." *Public Health Rep* 85(9): 809-13.

- Garfein, R. S., W. A. Bower, et al. (2004). "Factors associated with fulminant liver failure during an outbreak among injection drug users with acute hepatitis B." *Hepatology* 40(4): 865-73.
- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.
- Kral, A. H., R. N. Bluthenthal, et al. (1999). "Risk factors among IDUs who give injections to or receive injections from other drug users." *Addiction* 94(5): 675-83.
- Mravcik, V., H. Sebakova, et al. (2000). "[Seroprevalence of viral hepatitis A, B and C in intravenous drug users]." *Epidemiol Mikrobiol Imunol* 49(1): 19-23.
- Pol, S., P. Lebray, et al. (2004). "HIV infection and hepatic enzyme abnormalities: Intricacies of the pathogenic mechanisms." *Clin Infect Dis* 38 Suppl 2: S65-72.

Hepatitis C

- Boddiger, D. (2005). "Metamphetamine use linked to rising HIV transmission." *Lancet* 365(9466): 1217-8.
- Cherner, M., S. Letendre, et al. (2005). "Hepatitis C augments cognitive deficits associated with HIV infection and methamphetamine." *Neurology* 64(8): 1343-7.
- Grinde, B., K. Stene-Johansen, et al. (1997). "Characterisation of an epidemic of hepatitis A virus involving intravenous drug abusers--infection by needle sharing?" *J Med Virol* 53(1): 69-75.
- Hahn, J. A., K. Page-Shafer, P. J. Lum, K. Ochoa and A. R. Moss (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Koester, S., J. Glanz, et al. (2005). "Drug sharing among heroin networks: Implications for HIV and hepatitis B and C prevention." *AIDS Behav* 9(1): 27-39.
- Kral, A. H., R. N. Bluthenthal, et al. (1999). "Risk factors among IDUs who give injections to or receive injections from other drug users." *Addiction* 94(5): 675-83.
- Kresina, T. F., J. Normand, et al. (2004). "Addressing the need for treatment paradigms for drug-abusing patients with multiple morbidities." *Clin Infect Dis* 38 Suppl 5: S398-401.
- Letendre, S. L., M. Cherner, et al. (2005). "The effects of hepatitis C, HIV, and methamphetamine dependence on neuropsychological performance: Biological correlates of disease." *AIDS* 19 Suppl 3: S72-8.
- Mravcik, V., H. Sebakova, et al. (2000). "[Seroprevalence of viral hepatitis A, B and C in intravenous drug users]." *Epidemiol Mikrobiol Imunol* 49(1): 19-23.
- Nyamathi, A. M., E. L. Dixon, et al. (2002). "Risk factors for hepatitis C virus infection among homeless adults." *J Gen Intern Med* 17(2): 134-43.
- Nyamathi, A., W. A. Robbins, et al. (2002). "Presence and predictors of hepatitis C virus RNA in the semen of homeless men." *Biol Res Nurs* 4(1): 22-30.
- Okudaira, K., T. Yabana, et al. (1994). "[Clinical problems of alcoholics with a history of methamphetamine abuse]." *Arukoku Kenkyuto Yakubutsu Ison* 29(3): 185-9.
- Pol, S., P. Lebray, et al. (2004). "HIV infection and hepatic enzyme abnormalities: Intricacies of the pathogenic mechanisms." *Clin Infect Dis* 38 Suppl 2: S65-72.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Taylor, M. J., S. L. Letendre, et al. (2004). "Hepatitis C virus infection is associated with reduced white matter N-acetylaspartate in abstinent methamphetamine users." *J Int Neuropsychol Soc* 10(1): 110-3.
- van Gorp, W. G. and C. H. Hinkin (2005). "Triple trouble: Cognitive deficits from hepatitis C, HIV, and methamphetamine." *Neurology* 64(8): 1328-9.
- Verachai, V., T. Phutiprawan, et al. (2002). "Prevalence and genotypes of hepatitis C virus infection among drug addicts and blood donors in Thailand." *Southeast Asian J Trop Med Public Health* 33(4): 849-51.
- Wada, K. (2004). "[HCV infection among narcotics/methamphetamine abusers]." *Nippon Rinsho* 62 Suppl 7(Pt 1): 326-9.
- Wada, K., S. B. Greberman, et al. (1999). "HIV and HCV infection among drug users in Japan." *Addiction* 94(7): 1063-9.
- Yoshizawa, H. (2002). "Hepatocellular carcinoma associated with hepatitis C virus infection in Japan: Projection to other countries in the foreseeable future." *Oncology* 62 Suppl 1: 8-17.

Heroin and Other Opioids*See also Polydrug Use*

- Baker, A., N. K. Lee, et al. (2004). "Drug use patterns and mental health of regular amphetamine users during a reported 'heroin drought'." *Addiction* 99(7): 875-84.
- Bartu, A., N. C. Freeman, et al. (2004). "Mortality in a cohort of opiate and amphetamine users in Perth, Western Australia." *Addiction* 99(1): 53-60.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Cheng, C. Y., C. J. Hong, et al. (2005). "Brain-derived neurotrophic factor (Val66Met) genetic polymorphism is associated with substance abuse in males." *Brain Res Mol Brain Res* 140(1-2): 86-90.
- Darke, S., S. Kaye, et al. (1999). "Transitions between the injection of heroin and amphetamines." *Addiction* 94(12): 1795-803.
- Darke, S. and W. Hall (1995). "Levels and correlates of polydrug use among heroin users and regular amphetamine users." *Drug Alcohol Depend* 39(3): 231-5.
- Degenhardt, L., C. Day, et al. (2005). "Effects of a sustained heroin shortage in three Australian States." *Addiction* 100(7): 908-20.
- Degenhardt, L. J., E. Conroy, et al. (2005). "The effect of a reduction in heroin supply on fatal and non-fatal drug overdoses in New South Wales, Australia." *Med J Aust* 182(1): 20-3.
- Gibson, D. R., M. H. Leamon, et al. (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl*.
- Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.
- John, D., C. F. Kwiatkowski, et al. (2001). "Differences among out-of-treatment drug injectors who use stimulants only, opiates only or both: implications for treatment entry." *Drug Alcohol Depend* 64(2): 165-72.
- Kaye, S. and S. Darke (2000). "A comparison of the harms associated with the injection of heroin and amphetamines." *Drug Alcohol Depend* 58(1-2): 189-95.
- Koester, S., J. Glanz, et al. (2005). "Drug sharing among heroin networks: Implications for HIV and hepatitis B and C prevention." *AIDS Behav* 9(1): 27-39.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Longo, M. C., S. M. Henry-Edwards, et al. (2004). "Impact of the heroin 'drought' on patterns of drug use and drug-related harms." *Drug Alcohol Rev* 23(2): 143-50.
- Lundqvist, T. (2005). "Cognitive consequences of cannabis use: Comparison with abuse of stimulants and heroin with regard to attention, memory and executive functions." *Pharmacol Biochem Behav* 81(2): 319-30.
- Maglione, M., B. Chao and M. D. Anglin (1998). "Methamphetamine abuse in California: Correlates of injection use." *AIDS and Behavior* 2(3): 257-261.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Namiki, M., T. Mori, et al. (2005). "Underlying mechanism of combined effect of methamphetamine and morphine on lethality in mice and therapeutic potential of cooling." *J Pharmacol Sci* 99(2): 168-76.
- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.
- Topp, L., C. Day, et al. (2003). "Changes in patterns of drug injection concurrent with a sustained reduction in the availability of heroin in Australia." *Drug Alcohol Depend* 70(3): 275-86.
- Zule, W. A. and D. P. Desmond (1999). "An ethnographic comparison of HIV risk behaviors among heroin and methamphetamine injectors." *Am J Drug Alcohol Abuse* 25(1): 1-23.

Heroin and Other Opioids (animals)

- Ranaldi, R. and R. A. Wise (2000). "Intravenous self-administration of methamphetamine-heroin (speedball) combinations under a progressive-ratio schedule of reinforcement in rats." *Neuroreport* 11(12): 2621-3.

Heterosexuals

- Anonymous (2006). "Methamphetamine use and HIV risk behaviors among heterosexual men--preliminary results from five northern California counties, December 2001-November 2003." *MMWR Morb Mortal Wkly Rep* 55(10): 273-7.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Darke, S., J. Ross, et al. (1995). "Injecting and sexual risk-taking behaviour among regular amphetamine users." *AIDS Care* 7(1): 19-26.
- Degenhardt, L. (2005). "Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?" *Culture, Health & Sexuality* 7(6): 599-614.
- Farabee, D., M. Prendergast and J. Cartier (2002). "Methamphetamine use and HIV risk among substance-abusing offenders in California." *J Psychoactive Drugs* 34(3): 295-300.
- Gibson, D. R., M. H. Leamon, et al. (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Mansergh, G., D. W. Purcell, et al. (2006). "CDC consultation on methamphetamine use and sexual risk behavior for HIV/STD infection: summary and suggestions." *Public Health Rep* 121(2): 127-32.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Molitor, F., S. R. Truax, J. D. Ruiz and R. K. Sun (1998). "Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users." *West J Med* 168(2): 93-7.
- Newmeyer, J. A. (2003). "Patterns and trends of drug use in the San Francisco Bay Area." *J Psychoactive Drugs* 35(Suppl 1): 127-32.
- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav*.
- Semple, S. J., I. Grant, et al. (2005). "Utilization of drug treatment programs by methamphetamine users: The role of social stigma." *Am J Addict* 14(4): 367-80.
- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.
- Semple, S. J., J. Zians, et al. (2005). "Impulsivity and methamphetamine use." *J Subst Abuse Treat* 29(2): 85-93.
- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.
- Somlai, A. M., J. A. Kelly, T. L. McAuliffe, K. Ksobiech and K. L. Hackl (2003). "Predictors of HIV sexual risk behaviors in a community sample of injection drug-using men and women." *AIDS Behav* 7(4): 383-93.
- Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.
- van Griensven, F., S. Supawitkul, et al. (2001). "Rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection." *Pediatrics* 108(1): E13.
- Wohl, A. R., D. F. Johnson, et al. (2002). "HIV risk behaviors among African American men in Los Angeles County who self-identify as heterosexual." *J Acquir Immune Defic Syndr* 31(3): 354-60.

Hispanics

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Brecht, M. L., C. von Mayrhauser, et al. (2000). "Predictors of relapse after treatment for methamphetamine use." *J Psychoactive Drugs* 32(2): 211-20.
- Diaz, R. M., A. L. Heckert, et al. (2005). "Reasons for stimulant use among Latino gay men in San Francisco: a comparison between methamphetamine and cocaine users." *J Urban Health* 82(1 Suppl 1): i71-8.
- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.

- Fernandez, M. I., L. M. Varga, T. Perrino, J. B. Collazo, F. Subiaul, A. Rehbein, H. Torres, M. Castro and G. S. Bowen (2004). "The Internet as recruitment tool for HIV studies: Viable strategy for reaching at-risk Hispanic MSM in Miami?" *AIDS Care* 16(8): 953-63.
- Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.
- Irwin, T. W. and J. Morgenstern (2005). "Drug-use patterns among men who have sex with men presenting for alcohol treatment: Differences in ethnic and sexual Identity." *J Urban Health*.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Maglione, M., B. Chao and M. D. Anglin (1998). "Methamphetamine abuse in California: Correlates of injection use." *AIDS and Behavior* 2(3): 257-261.
- Ompad, D. C., S. Galea, et al. (2004). "Club drug use among minority substance users in New York City." *J Psychoactive Drugs* 36(3): 397-9.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.

Historical Overview

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.
- Anglin, M. D., C. Burke, et al. (2000). "History of the methamphetamine problem." *J Psychoactive Drugs* 32(2): 137-41.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Greberman, S. B. and K. Wada (1994). "Social and legal factors related to drug abuse in the United States and Japan." *Public Health Rep* 109(6): 731-7.
- Hanson, G. R., K. S. Rau and A. E. Fleckenstein (2004). "The methamphetamine experience: A NIDA partnership." *Neuropharmacology* 47(Suppl 1): 92-100.
- Meyer, U. (2005). "[Fritz Hauschild (1908-1974) and drug research in the 'German Democratic Republic' (GDR)]." *Pharmazie* 60(6): 468-72.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.
- Suwanwela, C. and V. Poshychinda (1986). "Drug abuse in Asia." *Bull Narc* 38(1-2): 41-53.

HIV, Methamphetamine Interactions with

- Bobkov, A. F., L. M. Selimova, et al. (2005). "Human immunodeficiency virus type 1 in illicit-drug solutions used intravenously retains infectivity." *J Clin Microbiol* 43(4): 1937-9.
- Carey, C. L., S. P. Woods, et al. (2006). "Additive deleterious effects of methamphetamine dependence and immunosuppression on neuropsychological functioning in HIV infection." *AIDS Behav* 10(2): 185-90.
- Chang, L., T. Ernst, et al. (2005). "Additive effects of HIV and chronic methamphetamine use on brain metabolite abnormalities." *Am J Psychiatry* 162(2): 361-9.
- Cherner, M., S. Letendre, et al. (2005). "Hepatitis C augments cognitive deficits associated with HIV infection and methamphetamine." *Neurology* 64(8): 1343-7.
- Conant, K., C. St Hillaire, C. Anderson, D. Galey, J. Wang and A. Nath (2004). "Human immunodeficiency virus type 1 Tat and methamphetamine affect the release and activation of matrix-degrading proteinases." *J Neurovirol* 10(1): 21-8.
- Everall, I., S. Salaria, et al. (2005). "Methamphetamine stimulates interferon inducible genes in HIV infected brain." *J Neuroimmunol* 170(1-2): 158-71.
- Jernigan, T. L., A. C. Gamst, et al. (2005). "Effects of methamphetamine dependence and HIV infection on cerebral morphology." *Am J Psychiatry* 162(8): 1461-72.
- Jones, K. (2005). "Methamphetamine, the brain, HIV, and mental health." *Focus* 20(6): 1-5.
- Langford, D., A. Adame, A. Grigorian, I. Grant, J. A. McCutchan, R. J. Ellis, T. D. Marcotte and E. Masliah (2003). "Patterns of selective neuronal damage in methamphetamine-user AIDS patients." *J Acquir Immune Defic Syndr* 34(5): 467-74.
- Levine, A. J., D. J. Hardy, et al. (2006). "The effect of recent stimulant use on sustained attention in HIV-infected adults." *J Clin Exp Neuropsychol* 28(1): 29-42.

- Nath, A., K. F. Hauser, et al. (2002). "Molecular basis for interactions of HIV and drugs of abuse." *J Acquir Immune Defic Syndr* 31 Suppl 2: S62-9.
- Nath, A., W. F. Maragos, et al. (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.
- Nath, A., C. Anderson, et al. (2000). "Neurotoxicity and dysfunction of dopaminergic systems associated with AIDS dementia." *J Psychopharmacol* 14(3): 222-7.
- Pol, S., P. Lebray, et al. (2004). "HIV infection and hepatic enzyme abnormalities: Intricacies of the pathogenic mechanisms." *Clin Infect Dis* 38 Suppl 2: S65-72.
- Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.
- van Gorp, W. G. and C. H. Hinkin (2005). "Triple trouble: Cognitive deficits from hepatitis C, HIV, and methamphetamine." *Neurology* 64(8): 1328-9.
- Yu, Q., D. F. Larson, et al. (2003). "Heart disease, methamphetamine and AIDS." *Life Sci* 73(2): 129-40.

HIV, Methamphetamine Interactions with (animals)

- Ahmad, K. (2002). "Addictive drug increases HIV replication and mutation." *Lancet Infect Dis* 2(8): 456.
- Cass, W. A., M. E. Harned, L. E. Peters, A. Nath and W. F. Maragos (2003). "HIV-1 protein tat potentiation of methamphetamine-induced decreases in evoked overflow of dopamine in the striatum of the rat." *Brain Res* 984(1-2): 133-42.
- Flora, G., Y. W. Lee, A. Nath, B. Hennig, W. Maragos and M. Toborek (2003). "Methamphetamine potentiates HIV-1 tat protein-mediated activation of redox-sensitive pathways in discrete regions of the brain." *Exp Neurol* 179(1): 60-70.
- Gavrilin, M. A., L. E. Mathes and M. Podell (2002). "Methamphetamine enhances cell-associated feline immunodeficiency virus replication in astrocytes." *J Neurovirol* 8(3): 240-9.
- Maragos, W. F., K. L. Young, J. T. Turchan, M. Guseva, J. R. Pauly, A. Nath and W. A. Cass (2002). "Human immunodeficiency virus-1 tat protein and methamphetamine interact synergistically to impair striatal dopaminergic function." *J Neurochem* 83(4): 955-63.
- Phillips, T. R., J. N. Billaud, et al. (2000). "Methamphetamine and HIV-1: Potential interactions and the use of the FIV/cat model." *J Psychopharmacol* 14(3): 244-50.
- Theodore, S., W. A. Cass, et al. (2006). "Involvement of cytokines in human immunodeficiency virus-1 protein Tat and methamphetamine interactions in the striatum." *Exp Neurol*.
- Theodore, S., W. A. Cass, et al. (2006). "Methamphetamine and human immunodeficiency virus protein Tat synergize to destroy dopaminergic terminals in the rat striatum." *Neuroscience* 137(3): 925-35.

HIV Brain Disease

- Conant, K., C. St Hillaire, C. Anderson, D. Galey, J. Wang and A. Nath (2004). "Human immunodeficiency virus type 1 Tat and methamphetamine affect the release and activation of matrix-degrading proteinases." *J Neurovirol* 10(1): 21-8.
- Jones, K. (2005). "Methamphetamine, the brain, HIV, and mental health." *Focus* 20(6): 1-5.
- Langford, D., A. Adame, A. Grigorian, I. Grant, J. A. McCutchan, R. J. Ellis, T. D. Marcotte and E. Masliah (2003). "Patterns of selective neuronal damage in methamphetamine-user AIDS patients." *J Acquir Immune Defic Syndr* 34(5): 467-74.
- Nath, A., W. F. Maragos, M. J. Avison, F. A. Schmitt and J. R. Berger (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.
- Theodore, S., W. A. Cass, et al. (2006). "Involvement of cytokines in human immunodeficiency virus-1 protein Tat and methamphetamine interactions in the striatum." *Exp Neurol*.

HIV Counseling and Testing

- Buchacz, K., W. McFarland, et al. (2005). "Amphetamine use is associated with increased HIV incidence among men." *AIDS* 19(13): 1423-24.
- Pugatch, D. L., B. G. Levesque, et al. (2001). "HIV testing among young adults and older adolescents in the setting of acute substance abuse treatment." *Journal of Acquired Immune Deficiency Syndromes: JAIDS*. 27(2): 135-42.
- Viani, R. M., M. R. Araneta, et al. (2006). "Perinatal HIV counseling and rapid testing in Tijuana, Baja California, Mexico: Seroprevalence and correlates of HIV infection." *J Acquir Immune Defic Syndr* 41(1): 87-92.

HIV Disclosure

- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.
- Larkins, S., C. J. Reback, et al. (2005). "Methamphetamine-dependent gay men's disclosure of their HIV status to sexual partners." *AIDS Care* 17(4): 521-32.
- Purcell, D. W., S. Moss, et al. (2005). "Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: Differences by Brewer, D. D., M. R. Golden, et al. (2006). "Unsafe sexual behavior and correlates of risk in a probability sample of men who have sex with men in the era of highly active antiretroviral therapy." *Sex Transm Dis*. serostatus of casual partners." *AIDS* 19: S37-S47.

HIV-Positive Individuals

- Anonymous (2005). "Meth use increases HIV cases in South Dakota." *AIDS Patient Care STDS* 19(9): 619-20.
- Benotsch, E. G., S. Kalichman, et al. (2002). "Men who have met sex partners via the Internet: Prevalence, predictors, and implications for HIV prevention." *Arch Sex Behav* 31(2): 177-83.
- Bluthenthal, R. N., A. H. Kral, et al. (2001). "Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000." *J Acquir Immune Defic Syndr* 28(3): 264-9.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Bull, S. S., P. Piper and C. Rietmeijer (2002). "Men who have sex with men and also inject drugs—profiles of risk related to the synergy of sex and drug injection behaviors." *J Homosex* 42(3): 31-51.
- Carey, C. L., S. P. Woods, et al. (2006). "Additive deleterious effects of methamphetamine dependence and immunosuppression on neuropsychological functioning in HIV infection." *AIDS Behav* 10(2): 185-90.
- Chang, L., T. Ernst, et al. (2005). "Additive effects of HIV and chronic methamphetamine use on brain metabolite abnormalities." *Am J Psychiatry* 162(2): 361-9.
- Cherner, M., S. Letendre, et al. (2005). "Hepatitis C augments cognitive deficits associated with HIV infection and methamphetamine." *Neurology* 64(8): 1343-7.
- Colfax, G. and S. Shoptaw (2005). "The methamphetamine epidemic: Implications for HIV prevention and treatment." *Curr HIV/AIDS Rep* 2(4): 194-9.
- Conant, K., C. St Hillaire, C. Anderson, D. Gale, J. Wang and A. Nath (2004). "Human immunodeficiency virus type 1 Tat and methamphetamine affect the release and activation of matrix-degrading proteinases." *J Neurovirol* 10(1): 21-8.
- Everall, I., S. Salaria, et al. (2005). "Methamphetamine stimulates interferon inducible genes in HIV infected brain." *J Neuroimmunol* 170(1-2): 158-71.
- Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.
- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.
- Gorman, M. (1996). "Speed use and HIV transmission." *Focus* 11(7): 4-6.
- Halkitis, P. N., B. N. Fischgrund, et al. (2005). "Explanations for methamphetamine use among gay and bisexual men in New York City." *Subst Use Misuse* 40(9): 1331-45.
- Halkitis, P. N., K. A. Green, et al. (2005). "Seroconcordant sexual partnerings of HIV-seropositive men who have sex with men." *AIDS* 19: S77-S86.
- Halkitis, P. N., K. A. Green, et al. (2005). "Longitudinal investigation of methamphetamine use among gay and bisexual men in New York City: findings from Project BUMPS." *J Urban Health* 82(1 Suppl 1): i18-25.
- Halkitis, P. N., L. Wilton, et al. (2005). "Barebacking identity among HIV-positive gay and bisexual men: demographic, psychological, and behavioral correlates." *AIDS* 19: S27-S35.
- Hirshfield, S., R. H. Remien, et al. (2004). "Crystal methamphetamine use predicts incident STD infection among men who have sex with men recruited online: A nested case-control study." *J Med Internet Res* 6(4): e41.
- Ibanez, G. E., D. W. Purcell, et al. (2005). "Sexual risk, substance use, and psychological distress in HIV-positive gay and bisexual men who also inject drugs." *AIDS* 19: S49-S55.
- Jernigan, T. L., A. C. Gamst, et al. (2005). "Effects of methamphetamine dependence and HIV infection on cerebral morphology." *Am J Psychiatry* 162(8): 1461-72.

- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.
- Knight, K. R., D. Purcell, et al. (2005). "Sexual risk taking among HIV-positive injection drug users: Contexts, characteristics, and implications for prevention." *AIDS Educ Prev* 17(1 Suppl A): 76-88.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Langford, D., A. Adame, A. Grigorian, I. Grant, J. A. McCutchan, R. J. Ellis, T. D. Marcotte and E. Masliah (2003). "Patterns of selective neuronal damage in methamphetamine-user AIDS patients." *J Acquir Immune Defic Syndr* 34(5): 467-74.
- Larkins, S., C. J. Reback, et al. (2005). "Methamphetamine-dependent gay men's disclosure of their HIV status to sexual partners." *AIDS Care* 17(4): 521-32.
- Letendre, S. L., M. Cherner, et al. (2005). "The effects of hepatitis C, HIV, and methamphetamine dependence on neuropsychological performance: Biological correlates of disease." *AIDS* 19 Suppl 3: S72-8.
- Levine, A. J., D. J. Hardy, et al. (2006). "The effect of recent stimulant use on sustained attention in HIV-infected adults." *J Clin Exp Neuropsychol* 28(1): 29-42.
- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the healthy living project." *J Acquir Immune Defic Syndr* 40(2): 226-235.
- Patterson, T. L. and S. J. Semple (2003). "Sexual risk reduction among HIV-positive drug-using men who have sex with men." *J Urban Health* 80(4 Suppl 3): iii77-87.
- Pol, S., P. Lebray, et al. (2004). "HIV infection and hepatic enzyme abnormalities: Intricacies of the pathogenic mechanisms." *Clin Infect Dis* 38 Suppl 2: S65-72.
- Nath, A., K. F. Hauser, V. Wojna, R. M. Booze, W. Maragos, M. Prendergast, W. Cass and J. T. Turchan (2002). "Molecular basis for interactions of HIV and drugs of abuse." *J Acquir Immune Defic Syndr* 31 Suppl 2: S62-9.
- Nath, A., W. F. Maragos, et al. (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.
- Pol, S., P. Lebray and A. Vallet-Pichard (2004). "HIV infection and hepatic enzyme abnormalities: Intricacies of the pathogenic mechanisms." *Clin Infect Dis* 38 Suppl 2: S65-72.
- Purcell, D. W., S. Moss, et al. (2005). "Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: Differences by serostatus of casual partners." *AIDS* 19: S37-S47.
- Purcell, D. W., J. T. Parsons, P. N. Halkitis, Y. Mizuno and W. J. Woods (2001). "Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men." *J Subst Abuse* 13(1-2): 185-200.
- Reback, C. J., S. Larkins, et al. (2003). "Methamphetamine abuse as a barrier to HIV medication adherence among gay and bisexual men." *AIDS Care* 15(6): 775-85.
- Rippeth, J. D., R. K. Heaton, C. L. Carey, T. D. Marcotte, D. J. Moore, R. Gonzalez, T. Wolfson and I. Grant (2004). "Methamphetamine dependence increases risk of neuropsychological impairment in HIV infected persons." *J Int Neuropsychol Soc* 10(1): 1-14.
- Romanelli, F. and K. M. Smith (2004). "Recreational use of sildenafil by HIV-positive and -negative homosexual/bisexual males." *Ann Pharmacother* 38(6): 1024-30.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Semple, S. J., T. L. Patterson, et al. (2003). "Binge use of methamphetamine among HIV-positive men who have sex with men: Pilot data and HIV prevention implications." *AIDS Educ Prev* 15(2): 133-47.
- Semple, S. J., T. L. Patterson and I. Grant (2002). "Motivations associated with methamphetamine use among HIV+ men who have sex with men." *J Subst Abuse Treat* 22(3): 149-56.
- Shoptaw, S., C. J. Reback and T. E. Freese (2002). "Patient characteristics, HIV serostatus, and risk behaviors among gay and bisexual males seeking treatment for methamphetamine abuse and dependence in Los Angeles." *J Addict Dis* 21(1): 91-105.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Sullivan, P. S., A. K. Nakashima, D. W. Purcell and J. W. Ward (1998). "Geographic differences in noninjection and injection substance use among HIV-seropositive men who have sex with men: Western United States versus other regions. Supplement to HIV/AIDS surveillance Study Group." *J Acquir Immune Defic Syndr Hum Retrovirol* 19(3): 266-73.
- Theodore, S., W. A. Cass, et al. (2006). "Involvement of cytokines in human immunodeficiency virus-1 protein Tat and methamphetamine interactions in the striatum." *Exp Neurol*.

Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.

Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.

Yu, Q., D. F. Larson and R. R. Watson (2003). "Heart disease, methamphetamine and AIDS." *Life Sci* 73(2): 129-40.

HIV Prevention

Anonymous (2005). "Meth use increases HIV cases in South Dakota." *AIDS Patient Care STDS* 19(9): 619-20.

Benotsch, E. G., S. Kalichman, et al. (2002). "Men who have met sex partners via the Internet: Prevalence, predictors, and implications for HIV prevention." *Arch Sex Behav* 31(2): 177-83.

Bluthenthal, R. N., A. H. Kral, et al. (2001). "Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000." *J Acquir Immune Defic Syndr* 28(3): 264-9.

Buchacz, K., W. McFarland, et al. (2005). "Amphetamine use is associated with increased HIV incidence among men." *AIDS* 19(13): 1423-24.

Colfax, G. and S. Shoptaw (2005). "The methamphetamine epidemic: Implications for HIV prevention and treatment." *Curr HIV/AIDS Rep* 2(4): 194-9.

Chu, P. L., W. McFarland, et al. (2003). "Viagra use in a community-recruited sample of men who have sex with men, San Francisco." *J Acquir Immune Defic Syndr* 33(2): 191-3.

Fernandez, M. I., L. M. Varga, T. Perrino, J. B. Collazo, F. Subiaul, A. Rehbein, H. Torres, M. Castro and G. S. Bowen (2004). "The Internet as recruitment tool for HIV studies: Viable strategy for reaching at-risk Hispanic MSM in Miami?" *AIDS Care* 16(8): 953-63.

Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.

Gorman, M. (1996). "Speed use and HIV transmission." *Focus* 11(7): 4-6.

Herbst, J. H., R. T. Sherba, et al. (2005). "A meta-analytic review of HIV behavioral interventions for reducing sexual risk behavior of men who have sex with men." *J Acquir Immune Defic Syndr* 39(2): 228-41.

Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.

Kral, A. H., R. N. Bluthenthal, et al. (2001). "Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: Risk-factor analysis." *Lancet* 357(9266): 1397-401.

Knight, K. R., D. Purcell, et al. (2005). "Sexual risk taking among HIV-positive injection drug users: Contexts, characteristics, and implications for prevention." *AIDS Educ Prev* 17(1 Suppl A): 76-88.

Koester, S., J. Glanz, et al. (2005). "Drug sharing among heroin networks: Implications for HIV and hepatitis B and C prevention." *AIDS Behav* 9(1): 27-39.

Lum, P. J., C. Sears, et al. (2005). "Injection risk behavior among women syringe exchangers in San Francisco." *Subst Use Misuse* 40(11): 1681-96.

Mansergh, G., D. W. Purcell, et al. (2006). "CDC consultation on methamphetamine use and sexual risk behavior for HIV/STD infection: summary and suggestions." *Public Health Rep* 121(2): 127-32.

Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.

Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the healthy living project." *J Acquir Immune Defic Syndr* 40(2): 226-235.

Patterson, T. L. and S. J. Semple (2003). "Sexual risk reduction among HIV-positive drug-using men who have sex with men." *J Urban Health* 80(4 Suppl 3): iii77-87.

Razak, M. H., J. Jittiwutikarn, et al. (2003). "HIV prevalence and risks among injection and noninjection drug users in northern Thailand: Need for comprehensive HIV prevention programs." *J Acquir Immune Defic Syndr* 33(2): 259-66.

Reback, C. J. and C. E. Grella (1999). "HIV risk behaviors of gay and bisexual male methamphetamine users contacted through street outreach." *Journal of Drug Issues* 29(1): 155-66.

Richard, A. J., V. Mosier, et al. (2002). "New syringe acquisition and multi-person use of syringes among illegal drug users." *J Public Health Policy* 23(3): 324-43.

Sears, C., J. R. Gudyish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.

- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.
- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Semple, S. J., T. L. Patterson, et al. (2003). "Binge use of methamphetamine among HIV-positive men who have sex with men: Pilot data and HIV prevention implications." *AIDS Educ Prev* 15(2): 133-47.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., C. J. Reback, D. L. Frosch and R. A. Rawson (1998). "Stimulant abuse treatment as HIV prevention." *J Addict Dis* 17(4): 19-32.
- Simbulan, N. P., A. S. Aguilar, et al. (2001). "High-risk behaviors and the prevalence of sexually transmitted diseases among women prisoners at the women state penitentiary in Metro Manila." *Soc Sci Med* 52(4): 599-608.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.
- Verachai, V., T. Phutiprawan, et al. (2005). "HIV infection among substance abusers in Thanyarak Institute On Drug Abuse, Thailand, 1987-2002." *J Med Assoc Thai* 88(1): 76-9.
- Zenilman, J. M. (2005). "Behavioral interventions--rationale, measurement, and effectiveness." *Infect Dis Clin North Am* 19(2): 541-62.

HIV Replication

- Ellis, R. J., M. E. Childers, et al. (2003). "Increased human immunodeficiency virus loads in active methamphetamine users are explained by reduced effectiveness of antiretroviral therapy." *J Infect Dis* 188(12): 1820-6.
- Flora, G., Y. W. Lee, A. Nath, B. Hennig, W. Maragos and M. Toborek (2003). "Methamphetamine potentiates HIV-1 tat protein-mediated activation of redox-sensitive pathways in discrete regions of the brain." *Exp Neurol* 179(1): 60-70.

Homeless Populations

- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: A preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Kral, A. H., J. Lorvick, et al. (2000). "Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco." *J Acquir Immune Defic Syndr* 24(2): 162-7.
- Kushel, M. B., J. A. Hahn, et al. (2005). "Revolving doors: Imprisonment among the homeless and marginally housed population." *Am J Public Health* 95(10): 1747-52.
- Nyamathi, A. M., E. L. Dixon, et al. (2002). "Risk factors for hepatitis C virus infection among homeless adults." *J Gen Intern Med* 17(2): 134-43.
- Nyamathi, A., W. A. Robbins, et al. (2002). "Presence and predictors of hepatitis C virus RNA in the semen of homeless men." *Biol Res Nurs* 4(1): 22-30.
- Okudaira, K., T. Yabana, et al. (1994). "[Clinical problems of alcoholics with a history of methamphetamine abuse]." *Arukuru Kenkyuto Yakubutsu Ison* 29(3): 185-9.
- Sears, C., J. R. Gudyish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Smith, D. E. (1969). "Runaways and their health problems in Haight-Ashbury during the summer of 1967." *Am J Public Health Nations Health* 59(11): 2046-50.
- Van Leeuwen, J. M., C. Hopfer, et al. (2004). "A snapshot of substance abuse among homeless and runaway youth in Denver, Colorado." *J Community Health* 29(3): 217-29.

Wenzel, S. L., P. A. Ebener, et al. (1996). "Drug-abusing homeless clients in California's substance abuse treatment system." *J Psychoactive Drugs* 28(2): 147-59.

Hong Kong

Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.

Cheng, J. Y., D. T. Chan, et al. (2005). "An epidemiological study on alcohol/drugs related fatal traffic crash cases of deceased drivers in Hong Kong between 1996 and 2000." *Forensic Sci Int* 153(2-3): 196-201.

Cheng, W. C., N. L. Poon, et al. (2003). "Chemical profiling of 3,4-methylenedioxyamphetamine (MDMA) tablets seized in Hong Kong." *J Forensic Sci* 48(6): 1249-59.

Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.

McGrath, C. and B. Chan (2005). "Oral health sensations associated with illicit drug abuse." *Br Dent J* 198(3): 159-62; discussion 147; quiz 174.

Honolulu

Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.

Hospital Utilization

Danks, R. R., L. A. Wibbenmeyer, L. D. Faucher, K. C. Sihler, G. P. Kealey, P. Chang, M. Amelon and R. W. Lewis, 3rd (2004). "Methamphetamine-associated burn injuries: A retrospective analysis." *J Burn Care Rehabil* 25(5): 425-9.

Kerr, T., E. Wood, et al. (2005). "High rates of primary care and emergency department use among injection drug users in Vancouver." *J Public Health (Oxf)* 27(1): 62-6.

Leamon, M. H., D. R. Gibson, R. D. Canning and L. Benjamin (2002). "Hospitalization of patients with cocaine and amphetamine use disorders from a psychiatric emergency service." *Psychiatr Serv* 53(11): 1461-6.

Richards, J. R., S. W. Bretz, et al. (1999). "Methamphetamine abuse and emergency department utilization." *West J Med* 170(4): 198-202.

Tominaga, G. T., G. Garcia, et al. (2004). "Toll of methamphetamine on the trauma system." *Arch Surg* 139(8): 844-7.

Houston

Richard, A. J., V. Mosier, et al. (2002). "New syringe acquisition and multi-person use of syringes among illegal drug users." *J Public Health Policy* 23(3): 324-43.

Williams, M. L., J. Atkinson, et al. (2005). "Spatial bridging in a network of drug-using male sex workers." *J Urban Health* 82(1 Suppl 1): i35-42.

Hyperactivity

See also [Attention Deficit Hyperactivity Disorder](#)

Yui, K., K. Goto and S. Ikemoto (2004). "The role of noradrenergic and dopaminergic hyperactivity in the development of spontaneous recurrence of methamphetamine psychosis and susceptibility to episode recurrence." *Ann N Y Acad Sci* 1025: 296-306.

Yui, K., S. Ikemoto, et al. (2002). "Factors for susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Ann N Y Acad Sci* 965: 292-304.

Yui, K., K. Goto, et al. (1999). "Increased sensitivity to stress and episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 145(3): 267-72.

Hyperactivity (animals)

Araki, H., T. Yamamoto, et al. (2002). "Effect of methamphetamine and imipramine on cerebral ischemia-induced hyperactivity in Mongolian gerbils." *Jpn J Pharmacol* 88(3): 293-9.

Araki, H., T. Yamamoto, et al. (2001). "Chronic methamphetamine administration inhibits cerebral ischemia-induced hyperactivity in Mongolian gerbils." *Physiol Behav* 74(1-2): 127-31.

Bevins, R. A. and J. L. Peterson (2004). "Individual differences in rats' reactivity to novelty and the unconditioned and conditioned locomotor effects of methamphetamine." *Pharmacol Biochem Behav* 79(1): 65-74.

- Eradiri, O. L. and M. S. Starr (1999). "Striatal dopamine depletion and behavioural sensitization induced by methamphetamine and 3-nitropropionic acid." *Eur J Pharmacol* 386(2-3): 217-26.
- Gentry, W. B., E. M. Laurenzana, et al. (2006). "Safety and efficiency of an anti-(+)-methamphetamine monoclonal antibody in the protection against cardiovascular and central nervous system effects of (+)-methamphetamine in rats." *Int Immunopharmacol* 6(6): 968-77.
- Ginawi, O. T., A. A. Al-Majed, et al. (2004). "Involvement of some 5-HT receptors in methamphetamine-induced locomotor activity in mice." *J Physiol Pharmacol* 55(2): 357-69.
- Hirose, A., T. Kato, et al. (1990). "Pharmacological actions of SM-9018, a new neuroleptic drug with both potent 5-hydroxytryptamine₂ and dopamine₂ antagonistic actions." *Jpn J Pharmacol* 53(3): 321-9.
- Itzhak, Y. and S. F. Ali (2002). "Behavioral consequences of methamphetamine-induced neurotoxicity in mice: Relevance to the psychopathology of methamphetamine addiction." *Ann N Y Acad Sci* 965: 127-35.
- Iwabuchi, K., Y. Kubota, et al. (2004). "Methamphetamine and brain histamine: A study using histamine-related gene knockout mice." *Ann N Y Acad Sci* 1025: 129-34.
- Kawakami, Y., K. Suemaru, et al. (1996). "[Behavioral changes induced by repeated administration of mazindol, an anorexiant, in rats]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 16(4): 139-43.
- Kitanaka, N., J. Kitanaka, et al. (2005). "Inhibition of methamphetamine-induced hyperlocomotion in mice by clorgyline, a monoamine oxidase-a inhibitor, through alteration of the 5-hydroxytryptamine turnover in the striatum." *Neuroscience* 130(2): 295-308.
- Koshikawa, N., S. Aoki, et al. (1986). "Effects of sulpiride injected into the dorsal striatum and the nucleus accumbens on dopamine-mediated oral stereotypy and hyperlocomotion in rats." *J Nihon Univ Sch Dent* 28(2): 109-16.
- Kubota, Y., C. Ito, et al. (2002). "Increased methamphetamine-induced locomotor activity and behavioral sensitization in histamine-deficient mice." *J Neurochem* 83(4): 837-45.
- Kwon, Y. S., T. Nabeshima, et al. (2004). "PAP 9704, a Korean herbal medicine attenuates methamphetamine-induced hyperlocomotion via adenosine A_{2A} receptor stimulation in mice." *Biol Pharm Bull* 27(6): 906-9.
- Liang, J. H., K. Wang, et al. (2006). "Potentiating effect of tramadol on methamphetamine-induced behavioral sensitization in mice." *Psychopharmacology (Berl)* 185(1): 1-10.
- Mattei, R. and E. A. Carlini (1996). "A comparative study of the anorectic and behavioral effects of fenproporex on male and female rats." *Braz J Med Biol Res* 29(8): 1025-30.
- Miller, D. K., M. M. Dopheide, et al. (2005). "Dietary cadmium exposure attenuates D-amphetamine-evoked [3H]dopamine release from striatal slices and methamphetamine-induced hyperactivity." *Pharmacol Biochem Behav* 80(4): 557-66.
- Miyamoto, Y., K. Yamada, et al. (2004). "Behavioural adaptations to addictive drugs in mice lacking the NMDA receptor epsilon1 subunit." *Eur J Neurosci* 19(1): 151-8.
- Nagai, T., Y. Noda, et al. (2005). "The role of tissue plasminogen activator in methamphetamine-related reward and sensitization." *J Neurochem* 92(3): 660-7.
- Nakagawa, T., M. Fujio, et al. (2005). "Effect of MS-153, a glutamate transporter activator, on the conditioned rewarding effects of morphine, methamphetamine and cocaine in mice." *Behav Brain Res* 156(2): 233-9.
- Nakajima, H., R. Shigehara, et al. (1981). "[Effect of alpha-methyl-para-tyrosine on "methamphetamine-induced stereotypy and hypermotility" of reserpinized rats (author's transl)]." *Nippon Yakurigaku Zasshi* 78(6): 557-69.
- Narita, M., M. Miyatake, et al. (2005). "Long-lasting change in brain dynamics induced by methamphetamine: enhancement of protein kinase C-dependent astrocytic response and behavioral sensitization." *J Neurochem* 93(6): 1383-92.
- Nguyen, E. C., K. A. McCracken, et al. (2005). "Involvement of sigma (σ) receptors in the acute actions of methamphetamine: receptor binding and behavioral studies." *Neuropharmacology* 49(5): 638-45.
- Nishio, M., Y. Kuroki, et al. (2003). "Role of hippocampal alpha(2A)-adrenergic receptor in methamphetamine-induced hyperlocomotion in the mouse." *Neurosci Lett* 341(2): 156-60.
- Nomura, Y., S. Ashikari, et al. (1982). "[Effect of dopamine intracerebrally injected by the Valzelli method on methamphetamine-stereotypy and hypermotility]." *Yakubutsu Seishin Kodo* 2(1): 25-37.
- Ogura, H., Y. Furuya, et al. (1998). "Peptide N- and P/Q-type Ca²⁺ blockers inhibit stimulant-induced hyperactivity in mice." *Peptides* 19(6): 1017-22.
- Okabe, C., H. Takeshima, et al. (2005). "Methamphetamine sensitization in nociceptin receptor knockout mice: Locomotor and c-fos expression." *Eur J Pharmacol* 507(1-3): 57-67.
- Sano, H., Y. Totsuka, et al. (1982). "[Methamphetamine-stereotypy and hypermotility" in rats chronically treated with reserpine--the effect of intracerebral injection of chlorpromazine]." *Nippon Yakurigaku Zasshi* 80(2): 113-24.
- Shimazu, S., A. Minami, et al. (2005). "Antidepressant-like effects of selegiline in the forced swim test." *Eur Neuropsychopharmacol* 15(5): 563-71.

- Shimosato, K. and S. Watanabe (1989). "Modification of behavioral responses to methamphetamine evoked by the stimulant's metabolite p-hydroxynorephedrine in rats." *Pharmacol Biochem Behav* 33(2): 423-9.
- Shin, E. J., T. Nabeshima, et al. (2005). "Ginsenosides attenuate methamphetamine-induced behavioral side effects in mice via activation of adenosine A2A receptors: possible involvements of the striatal reduction in AP-1 DNA binding activity and proenkephalin gene expression." *Behav Brain Res* 158(1): 143-57.
- Subarnas, A., T. Tadano, et al. (1993). "Pharmacological properties of beta-amyrin palmitate, a novel centrally acting compound, isolated from *Lobelia inflata* leaves." *J Pharm Pharmacol* 45(6): 545-50.
- Szumliński, K. K., M. Y. Balogun, et al. (2000). "Interactions between iboga agents and methamphetamine sensitization: studies of locomotion and stereotypy in rats." *Psychopharmacology (Berl)* 151(2-3): 234-41.
- Takigawa, M., H. Wang, et al. (2000). "Directed coherence of EEG on ICSS rats with methamphetamine-induced hyperactivity and stereotyped behavior." *Ann N Y Acad Sci* 914: 311-5.
- Ujike, H., K. Akiyama, et al. (1990). "D-2 but not D-1 dopamine agonists produce augmented behavioral response in rats after subchronic treatment with methamphetamine or cocaine." *Psychopharmacology (Berl)* 102(4): 459-64.
- Wallace, T. L., G. A. Gudelsky, et al. (1999). "Methamphetamine-induced neurotoxicity alters locomotor activity, stereotypic behavior, and stimulated dopamine release in the rat." *J Neurosci* 19(20): 9141-8.
- Witkin, J. M. (1993). "Blockade of the locomotor stimulant effects of cocaine and methamphetamine by glutamate antagonists." *Life Sci* 53(24): PL405-10.
- Yamamoto, T. and S. Ueki (1975). "Behavioral effects of 2,5-dimethoxy-4-methylamphetamine (DOM) in rats and mice." *Eur J Pharmacol* 32(02): 156-62.
- Yamanaka, Y., R. Takano, et al. (1986). "Methamphetamine-induced behavioral alterations following repeated administration of methamphetamine." *Jpn J Pharmacol* 41(2): 147-54.
- Yamanaka, Y., T. Yamamoto, et al. (1983). "Methamphetamine-induced behavioral effects and releases of brain catecholamines and brain concentrations of methamphetamine in mice." *Jpn J Pharmacol* 33(1): 33-40.

Hypertension

- Johnson, B. A., L. T. Wells, et al. (2005). "Isradipine decreases the hemodynamic response of cocaine and methamphetamine results from two human laboratory studies: Results from two human laboratory studies." *Am J Hypertens* 18(6): 813-22.
- Martin, W. R., J. W. Sloan, et al. (1971). "Physiologic, subjective, and behavioral effects of amphetamine, methamphetamine, ephedrine, phenmetrazine, and methylphenidate in man." *Clin Pharmacol Ther* 12(2): 245-58.
- Mendelson, J., R. T. Jones, et al. (1995). "Methamphetamine and ethanol interactions in humans." *Clin Pharmacol Ther* 57(5): 559-68.
- Newton, T. F., R. De La Garza, 2nd, et al. (2005). "Cocaine and methamphetamine produce different patterns of subjective and cardiovascular effects." *Pharmacol Biochem Behav* 82(1): 90-7.
- Perez-Reyes, M., W. R. White, et al. (1991). "Clinical effects of daily methamphetamine administration." *Clin Neuropharmacol* 14(4): 352-8.

Hyperthermia

- Bowyer, J. F., D. L. Davies, et al. (1994). "Further studies of the role of hyperthermia in methamphetamine neurotoxicity." *J Pharmacol Exp Ther* 268(3): 1571-80.
- Cappon, G. D., L. L. Morford and C. V. Vorhees (1997). "Ontogeny of methamphetamine-induced neurotoxicity and associated hyperthermic response." *Brain Res Dev Brain Res* 103(2): 155-62.
- Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.
- de Wit, H., M. Clark, et al. (1997). "Effects of d-amphetamine in grouped versus isolated humans." *Pharmacol Biochem Behav* 57(1-2): 333-40.
- Ishigami, A., S. Kubo, et al. (2003). "The application of immunohistochemical findings in the diagnosis in methamphetamine-related death-two forensic autopsy cases." *J Med Invest* 50(1-2): 112-6.
- Kiyatkin, E. A. (2005). "Brain hyperthermia as physiological and pathological phenomena." *Brain Res Brain Res Rev* 50(1): 27-56.
- Kojima, T., I. Une, M. Yashiki, J. Noda, K. Sakai and K. Yamamoto (1984). "A fatal methamphetamine poisoning associated with hyperpyrexia." *Forensic Sci Int* 24(1): 87-93.
- Lavoie, G. (1966). "[Hyperpyrexia during general anaesthesia: a case report]." *Can Anaesth Soc J* 13(5): 444-6.
- Martin, W. R., J. W. Sloan, et al. (1971). "Physiologic, subjective, and behavioral effects of amphetamine, methamphetamine, ephedrine, phenmetrazine, and methylphenidate in man." *Clin Pharmacol Ther* 12(2): 245-58.

- Rusyniak, D. E. and J. E. Sprague (2005). "Toxin-induced hyperthermic syndromes." *Med Clin North Am* 89(6): 1277-96.
- Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.

Hyperthermia (animals)

- Albers, D. S. and P. K. Sonsalla (1995). "Methamphetamine-induced hyperthermia and dopaminergic neurotoxicity in mice: pharmacological profile of protective and nonprotective agents." *J Pharmacol Exp Ther* 275(3): 1104-14.
- Ali, S. F., R. R. Newport, et al. (1995). "Low environmental temperatures or pharmacologic agents that produce hyperthermia decrease methamphetamine neurotoxicity in mice." *Ann N Y Acad Sci* 765: 338.
- Baucum, A. J., 2nd, K. S. Rau, E. L. Riddle, G. R. Hanson and A. E. Fleckenstein (2004). "Methamphetamine increases dopamine transporter higher molecular weight complex formation via a dopamine- and hyperthermia-associated mechanism." *J Neurosci* 24(13): 3436-43.
- Bowyer, J. F., R. R. Holson, D. B. Miller and J. P. O'Callaghan (2001). "Phenobarbital and dizocilpine can block methamphetamine-induced neurotoxicity in mice by mechanisms that are independent of thermoregulation." *Brain Res* 919(1): 179-83.
- Bowyer, J. F., B. Gough, et al. (1993). "Effects of a cold environment or age on methamphetamine-induced dopamine release in the caudate putamen of female rats." *Pharmacol Biochem Behav* 44(1): 87-98.
- Broening, H. W., L. L. Morford, et al. (2005). "Interactions of dopamine D1 and D2 receptor antagonists with D-methamphetamine-induced hyperthermia and striatal dopamine and serotonin reductions." *Synapse* 56(2): 84-93.
- Cappon, G. D., L. L. Morford and C. V. Vorhees (1997). "Ontogeny of methamphetamine-induced neurotoxicity and associated hyperthermic response." *Brain Res Dev Brain Res* 103(2): 155-62.
- Clemens, K. J., J. L. Cornish, et al. (2005). "MDMA ('Ecstasy') and methamphetamine combined: Order of administration influences hyperthermic and long-term adverse effects in female rats." *Neuropharmacology* 49(2): 195-207.
- Eyerman, D. J. and B. K. Yamamoto (2005). "Lobeline attenuates methamphetamine-induced changes in vesicular monoamine transporter 2 immunoreactivity and monoamine depletions in the striatum." *J Pharmacol Exp Ther* 312(1): 160-9.
- Fukumura, M., G. D. Cappon, H. W. Broening and C. V. Vorhees (1998). "Methamphetamine-induced dopamine and serotonin reductions in neostriatum are not gender specific in rats with comparable hyperthermic responses." *Neurotoxicol Teratol* 20(4): 441-8.
- Golembiowska, K., J. Konieczny, S. Wolfarth and K. Ossowska (2003). "Neuroprotective action of MPEP, a selective mGluR5 antagonist, in methamphetamine-induced dopaminergic neurotoxicity is associated with a decrease in dopamine outflow and inhibition of hyperthermia in rats." *Neuropharmacology* 45(4): 484-92.
- Halladay, A. K., A. Kusnecov, L. Michna, T. Kita, C. Hara and G. C. Wagner (2003). "Relationship between methamphetamine-induced dopamine release, hyperthermia, self-injurious behaviour and long term dopamine depletion in balb/c and c57bl/6 mice." *Pharmacol Toxicol* 93(1): 33-41.
- He, J., H. Xu, et al. (2005). "Chronic administration of quetiapine alleviates the anxiety-like behavioural changes induced by a neurotoxic regimen of dl-amphetamine in rats." *Behav Brain Res* 160(1): 178-87.
- Imam, S. Z. and S. F. Ali (2001). "Aging increases the susceptibility to methamphetamine-induced dopaminergic neurotoxicity in rats: Correlation with peroxynitrite production and hyperthermia." *J Neurochem* 78(5): 952-9.
- Itzhak, Y., J. L. Martin and S. F. Ali (2000). "nNOS inhibitors attenuate methamphetamine-induced dopaminergic neurotoxicity but not hyperthermia in mice." *Neuroreport* 11(13): 2943-6.
- Johnson-Davis, K. L., A. E. Fleckenstein and D. G. Wilkins (2003). "The role of hyperthermia and metabolism as mechanisms of tolerance to methamphetamine neurotoxicity." *Eur J Pharmacol* 482(1-3): 151-4.
- Kita, T., Y. Matsunari, et al. (2000). "Methamphetamine-induced striatal dopamine release, behavior changes and neurotoxicity in BALB/c mice." *Int J Dev Neurosci* 18(6): 521-30.
- Kita, T., Y. Matsunari, T. Saraya, K. Shimada, K. O'Hara, K. Kubo, G. C. Wagner and T. Nakashima (2000). "Evaluation of the effects of alpha-phenyl-N-tert-butyl nitron pretreatment on the neurobehavioral effects of methamphetamine." *Life Sci* 67(13): 1559-71.
- Kiyatkin, E. A. (2005). "Brain hyperthermia as physiological and pathological phenomena." *Brain Res Brain Res Rev* 50(1): 27-56.
- Kokoshka, J. M., A. E. Fleckenstein, D. G. Wilkins and G. R. Hanson (2000). "Age-dependent differential responses of monoaminergic systems to high doses of methamphetamine." *J Neurochem* 75(5): 2095-102.
- Kuperman, D. I., T. E. Freyaldenhoven, L. C. Schmued and S. F. Ali (1997). "Methamphetamine-induced hyperthermia in mice: Examination of dopamine depletion and heat-shock protein induction." *Brain Res* 771(2): 221-7.
- Metzger, R. R., H. M. Haughey, D. G. Wilkins, J. W. Gibb, G. R. Hanson and A. E. Fleckenstein (2000). "Methamphetamine-induced rapid decrease in dopamine transporter function: Role of dopamine and hyperthermia." *J Pharmacol Exp Ther* 295(3): 1077-85.

- Sanchez, V., M. Zeini, J. Camarero, E. O'Shea, L. Bosca, A. R. Green and M. I. Colado (2003). "The nNOS inhibitor, AR-R17477AR, prevents the loss of NF68 immunoreactivity induced by methamphetamine in the mouse striatum." *J Neurochem* 85(2): 515-24.
- Xie, T., U. D. McCann, S. Kim, J. Yuan and G. A. Ricaurte (2000). "Effect of temperature on dopamine transporter function and intracellular accumulation of methamphetamine: Implications for methamphetamine-induced dopaminergic neurotoxicity." *J Neurosci* 20(20): 7838-45.
- Yamamura, T., S. Hishida, et al. (1987). "[Interaction of alcohol and methamphetamine with acute high dose administration to rats]." *Arukoru Kenkyuto Yakubutsu Ison* 22(4): 286-99.
- Yoshida, K., A. Morimoto, et al. (1993). "Cardiovascular, thermal and behavioral sensitization to methamphetamine in freely moving rats." *J Pharmacol Exp Ther* 267(3): 1538-43.
- Yu, X., S. Z. Imam, et al. (1999). "Ibogaine blocked methamphetamine-induced hyperthermia and induction of heat shock protein in mice." *Brain Res* 823(1-2): 213-6.
- Yuan, J., G. Hatzidimitriou, et al. (2005). "Relationship between temperature, dopaminergic neurotoxicity and plasma drug concentrations in methamphetamine-treated squirrel monkeys." *J Pharmacol Exp Ther*.

Illinois

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Fendrich, M., J. S. Wislar, T. P. Johnson and A. Hubbell (2003). "A contextual profile of club drug use among adults in Chicago." *Addiction* 98(12): 1693-703.

Immune Function

See also HIV, Methamphetamine Interactions with; HIV Replication

- Carey, C. L., S. P. Woods, et al. (2006). "Additive deleterious effects of methamphetamine dependence and immunosuppression on neuropsychological functioning in HIV infection." *AIDS Behav* 10(2): 185-90.
- Yu, Q., D. F. Larson, et al. (2003). "Heart disease, methamphetamine and AIDS." *Life Sci* 73(2): 129-40.

Immune Function (animals)

- Ahmad, K. (2002). "Addictive drug increases HIV replication and mutation." *Lancet Infect Dis* 2(8): 456.
- Cass, W. A., M. E. Harned, L. E. Peters, A. Nath and W. F. Maragos (2003). "HIV-1 protein tat potentiation of methamphetamine-induced decreases in evoked overflow of dopamine in the striatum of the rat." *Brain Res* 984(1-2): 133-42.
- Flora, G., Y. W. Lee, A. Nath, B. Hennig, W. Maragos and M. Toborek (2003). "Methamphetamine potentiates HIV-1 tat protein-mediated activation of redox-sensitive pathways in discrete regions of the brain." *Exp Neurol* 179(1): 60-70.
- House, R. V., P. T. Thomas, et al. (1994). "Comparison of immune functional parameters following in vitro exposure to natural and synthetic amphetamines." *Immunopharmacol Immunotoxicol* 16(1): 1-21.
- In, S. W., E. W. Son, et al. (2005). "Methamphetamine administration produces immunomodulation in mice." *J Toxicol Environ Health A* 68(23-24): 2133-45.
- Maragos, W. F., K. L. Young, J. T. Turchan, M. Guseva, J. R. Pauly, A. Nath and W. A. Cass (2002). "Human immunodeficiency virus-1 tat protein and methamphetamine interact synergistically to impair striatal dopaminergic function." *J Neurochem* 83(4): 955-63.
- Yu, Q., D. Zhang, et al. (2002). "Chronic methamphetamine exposure alters immune function in normal and retrovirus-infected mice." *Int Immunopharmacol* 2(7): 951-62.

Impulsivity

- Monterosso, J. R., A. R. Aron, et al. (2005). "Deficits in response inhibition associated with chronic methamphetamine abuse." *Drug Alcohol Depend* 79(2): 273-7.
- Semple, S. J., J. Zians, et al. (2005). "Impulsivity and methamphetamine use." *J Subst Abuse Treat* 29(2): 85-93.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.

Incarceration, Alternatives to

See also Drug Courts and Court-Mandated Treatment

- Brecht, M. L., M. D. Anglin, et al. (2005). "Coerced treatment for methamphetamine abuse: Differential patient characteristics and outcomes." *Am J Drug Alcohol Abuse* 31(2): 337-56.
- Evans, E. and D. Longshore (2004). "Evaluation of the Substance Abuse and Crime Prevention Act: Treatment clients and program types during the first year of implementation." *J Psychoactive Drugs Suppl*(2): 165-74.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Hser, Y. I., C. Teruya, et al. (2003). "Treating drug-abusing offenders. Initial findings from a five-county study on the impact of California's Proposition 36 on the treatment system and patient outcomes." *Eval Rev* 27(5): 479-505.

Incarceration and Incarcerated Individuals

- Assael, L. A. (2005). "Methamphetamine: An epidemic of oral health neglect, loss of access to care, abuse, and violence." *J Oral Maxillofac Surg* 63(9): 1253-4.
- Buavirat, A., K. Page-Shafer, et al. (2003). "Risk of prevalent HIV infection associated with incarceration among injecting drug users in Bangkok, Thailand: Case-control study." *BMJ* 326(7384): 308.
- Cartier, J., D. Farabee, et al. (2006). "Methamphetamine use, self-reported violent crime, and recidivism among offenders in California who abuse substances." *J Interpers Violence* 21(4): 435-45.
- Farabee, D., M. Prendergast and J. Cartier (2002). "Methamphetamine use and HIV risk among substance-abusing offenders in California." *J Psychoactive Drugs* 34(3): 295-300.
- Kalechstein, A. D., T. F. Newton, et al. (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Kushel, M. B., J. A. Hahn, et al. (2005). "Revolving doors: Imprisonment among the homeless and marginally housed population." *Am J Public Health* 95(10): 1747-52.
- Lin, S. K., D. Ball, et al. (2004). "Psychiatric comorbidity and gender differences of persons incarcerated for methamphetamine abuse in Taiwan." *Psychiatry Clin Neurosci* 58(2): 206-12.
- Matsumoto, T., A. Yamaguchi, et al. (2005). "Drug preferences in illicit drug abusers with a childhood tendency of attention deficit/hyperactivity disorder: A study using the Wender Utah Rating Scale in a Japanese prison." *Psychiatry Clin Neurosci* 59(3): 311-8.
- Simbulan, N. P., A. S. Aguilar, et al. (2001). "High-risk behaviors and the prevalence of sexually transmitted diseases among women prisoners at the women state penitentiary in Metro Manila." *Soc Sci Med* 52(4): 599-608.
- Stoops, W. W., M. S. Tindall, et al. (2005). "Methamphetamine use in nonurban and urban drug court clients." *Int J Offender Ther Comp Criminol* 49(3): 260-76.
- Vong, S., A. E. Fiore, et al. (2005). "Vaccination in the county jail as a strategy to reach high risk adults during a community-based hepatitis A outbreak among methamphetamine drug users." *Vaccine* 23(8): 1021-8.
- Yacoubian, G. S., Jr. and R. J. Peters (2004). "Exploring the prevalence and correlates of methamphetamine use: Findings from Sacramento's ADAM program." *J Drug Educ* 34(3): 281-94.
- Yui, K., S. Ikemoto, et al. (2002). "Factors for susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Ann N Y Acad Sci* 965: 292-304.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.

India

- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.

Injection of Methamphetamine

- Anonymous (1990). "From the Centers for Disease Control. Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *JAMA* 263(6): 797-8.
- Anonymous (1989). "Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *MMWR Morb Mortal Wkly Rep* 38(48): 830-1.
- Baker, A. and S. Dawe (2005). "Amphetamine use and co-occurring psychological problems: Review of the literature and implications for treatment." *Australian Psychologist* 40(2): 88-95.

- Binswanger, I. A., A. H. Kral, et al. (2000). "High prevalence of abscesses and cellulitis among community-recruited injection drug users in San Francisco." *Clin Infect Dis* 30(3): 579-81.
- Bluthenthal, R. N., A. H. Kral, et al. (2001). "Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000." *J Acquir Immune Defic Syndr* 28(3): 264-9.
- Bobkov, A. F., L. M. Selimova, et al. (2005). "Human immunodeficiency virus type 1 in illicit-drug solutions used intravenously retains infectivity." *J Clin Microbiol* 43(4): 1937-9.
- Boddiger, D. (2005). "Metamphetamine use linked to rising HIV transmission." *Lancet* 365(9466): 1217-8.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Braine, N., D. C. Des Jarlais, et al. (2005). "HIV risk behavior among amphetamine injectors at U.S. syringe exchange programs." *AIDS Educ Prev* 17(6): 515-24.
- Braine, N., D. C. Des Jarlais, S. Ahmad, D. Purchase and C. Turner (2004). "Long-term effects of syringe exchange on risk behavior and HIV prevention." *AIDS Educ Prev* 16(3): 264-75.
- Buavirat, A., K. Page-Shafer, et al. (2003). "Risk of prevalent HIV infection associated with incarceration among injecting drug users in Bangkok, Thailand: Case-control study." *BMJ* 326(7384): 308.
- Buffum, J. C. and A. T. Shulgin (2001). "Overdose of 2.3 grams of intravenous methamphetamine: Case, analysis and patient perspective." *J Psychoactive Drugs* 33(4): 409-12.
- Bull, S. S., P. Piper and C. Rietmeijer (2002). "Men who have sex with men and also inject drugs--profiles of risk related to the synergy of sex and drug injection behaviors." *J Homosex* 42(3): 31-51.
- Clatts, M. C., D. L. Welle, et al. (2001). "Reconceptualizing the interaction of drug and sexual risk among MSM speed users: Notes toward an ethno-epidemiology." *AIDS and Behavior* 5(2): 115-130.
- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Darke, S., S. Kaye, et al. (1999). "Transitions between the injection of heroin and amphetamines." *Addiction* 94(12): 1795-803.
- Darke, S. and W. Hall (1995). "Levels and correlates of polydrug use among heroin users and regular amphetamine users." *Drug Alcohol Depend* 39(3): 231-5.
- Darke, S., J. Ross, et al. (1995). "Injecting and sexual risk-taking behaviour among regular amphetamine users." *AIDS Care* 7(1): 19-26.
- Darke, S., J. Cohen, et al. (1994). "Transitions between routes of administration of regular amphetamine users." *Addiction* 89(9): 1077-83.
- Darke, S., J. Ross, et al. (1994). "The use of benzodiazepines among regular amphetamine users." *Addiction* 89(12): 1683-90.
- Darke, S., W. Hall, et al. (1992). "Benzodiazepine use and HIV risk-taking behaviour among injecting drug users." *Drug Alcohol Depend* 31(1): 31-6.
- Davis, L. E., G. Kalousek, et al. (1970). "Hepatitis associated with illicit use of intravenous methamphetamine." *Public Health Rep* 85(9): 809-13.
- Doherty, M. C., R. S. Garfein, E. Monterroso, D. Brown and D. Vlahov (2000). "Correlates of HIV infection among young adult short-term injection drug users." *AIDS* 14(6): 717-26.
- Domier, C. P., S. L. Simon, R. A. Rawson, A. Huber and W. Ling (2000). "A comparison of injecting and noninjecting methamphetamine users." *J Psychoactive Drugs* 32(2): 229-32.
- Farabee, D., M. Prendergast and J. Cartier (2002). "Methamphetamine use and HIV risk among substance-abusing offenders in California." *J Psychoactive Drugs* 34(3): 295-300.
- Garfein, R. S., W. A. Bower, et al. (2004). "Factors associated with fulminant liver failure during an outbreak among injection drug users with acute hepatitis B." *Hepatology* 40(4): 865-73.
- Gibson, D. R., M. H. Leamon and N. Flynn (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.
- Gorman, E. M., B. D. Barr, A. Hansen, B. Robertson and C. Green (1997). "Speed, sex, gay men, and HIV: Ecological and community perspectives." *Med Anthropol Q* 11(4): 505-15.
- Grinde, B., K. Stene-Johansen, et al. (1997). "Characterisation of an epidemic of hepatitis A virus involving intravenous drug abusers--infection by needle sharing?" *J Med Virol* 53(1): 69-75.

- Hahn, J. A., K. Page-Shafer, P. J. Lum, K. Ochoa and A. R. Moss (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Halkitis, P. N., L. Wilton, et al. (2005). "Barebacking identity among HIV-positive gay and bisexual men: demographic, psychological, and behavioral correlates." *AIDS* 19: S27-S35.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Hall, W., S. Darke, et al. (1993). "Patterns of drug use and risk-taking among injecting amphetamine and opioid drug users in Sydney, Australia." *Addiction* 88(4): 509-16.
- Harkess, J., B. Gildon, et al. (1989). "Outbreaks of hepatitis A among illicit drug users, Oklahoma, 1984-87." *Am J Public Health* 79(4): 463-6.
- Heinzerling, K. G., A. H. Kral, et al. (2006). "Unmet need for recommended preventive health services among clients of California syringe exchange programs: Implications for quality improvement." *Drug Alcohol Depend* 81(2): 167-78.
- Hiroshi, K., K. Akira, et al. (2005). "An autopsy case of infectious endocarditis in a methamphetamine abuser usefulness of microbiological examination." *Soud Lek* 50(2): 18-22.
- Hwang, W., J. Ralph, et al. (2003). "Incomplete Brown-Sequard syndrome after methamphetamine injection into the neck." *Neurology* 60(12): 2015-6.
- Ibanez, G. E., D. W. Purcell, et al. (2005). "Sexual risk, substance use, and psychological distress in HIV-positive gay and bisexual men who also inject drugs." *AIDS* 19: S49-S55.
- Iwanami, A., D. Kuwakado, et al. (1997). "Relapse of panic disorder induced by a single intravenous methamphetamine injection." *J Anxiety Disord* 11(1): 113-6.
- John, D., C. F. Kwiatkowski, et al. (2001). "Differences among out-of-treatment drug injectors who use stimulants only, opiates only or both: implications for treatment entry." *Drug Alcohol Depend* 64(2): 165-72.
- Kamijo, Y., K. Soma, et al. (2002). "Acute liver failure following intravenous methamphetamine." *Vet Hum Toxicol* 44(4): 216-7.
- Kaye, S. and S. Darke (2000). "A comparison of the harms associated with the injection of heroin and amphetamines." *Drug Alcohol Depend* 58(1-2): 189-95.
- Kerr, T., E. Wood, et al. (2005). "High rates of primary care and emergency department use among injection drug users in Vancouver." *J Public Health (Oxf)* 27(1): 62-6.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Knight, K. R., D. Purcell, et al. (2005). "Sexual risk taking among HIV-positive injection drug users: Contexts, characteristics, and implications for prevention." *AIDS Educ Prev* 17(1 Suppl A): 76-88.
- Koester, S., J. Glanz, et al. (2005). "Drug sharing among heroin networks: Implications for HIV and hepatitis B and C prevention." *AIDS Behav* 9(1): 27-39.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Kral, A. H., R. N. Bluthenthal, et al. (2001). "Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: Risk-factor analysis." *Lancet* 357(9266): 1397-401.
- Kral, A. H., J. Lorvick, et al. (2000). "Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco." *J Acquir Immune Defic Syndr* 24(2): 162-7.
- Kral, A. H., R. N. Bluthenthal, et al. (1999). "Risk factors among IDUs who give injections to or receive injections from other drug users." *Addiction* 94(5): 675-83.
- Kresina, T. F., J. Normand, et al. (2004). "Addressing the need for treatment paradigms for drug-abusing patients with multiple morbidities." *Clin Infect Dis* 38 Suppl 5: S398-401.
- Leino, T., P. Leinikki, et al. (1997). "Hepatitis A outbreak amongst intravenous amphetamine abusers in Finland." *Scand J Infect Dis* 29(3): 213-6.
- Lum, P. J., C. Sears, et al. (2005). "Injection risk behavior among women syringe exchangers in San Francisco." *Subst Use Misuse* 40(11): 1681-96.
- Maglione, M., B. Chao and M. D. Anglin (1998). "Methamphetamine abuse in California: Correlates of injection use." *AIDS and Behavior* 2(3): 257-261.
- Matsumoto, T., A. Kamijo, et al. (2002). "Methamphetamine in Japan: The consequences of methamphetamine abuse as a function of route of administration." *Addiction* 97(7): 809-17.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.

- Mravcik, V., H. Sebakova, et al. (2000). "[Seroprevalence of viral hepatitis A, B and C in intravenous drug users]." *Epidemiol Mikrobiol Immunol* 49(1): 19-23.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nyamathi, A. M., E. L. Dixon, et al. (2002). "Risk factors for hepatitis C virus infection among homeless adults." *J Gen Intern Med* 17(2): 134-43.
- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.
- Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.
- Poshyachinda, V. (1993). "Drug injecting and HIV infection among the population of drug abusers in Asia." *Bull Narc* 45(1): 77-90.
- Razak, M. H., J. Jittiwutikarn, et al. (2003). "HIV prevalence and risks among injection and noninjection drug users in northern Thailand: Need for comprehensive HIV prevention programs." *J Acquir Immune Defic Syndr* 33(2): 259-66.
- Richard, A. J., V. Mosier, et al. (2002). "New syringe acquisition and multi-person use of syringes among illegal drug users." *J Public Health Policy* 23(3): 324-43.
- Richards, J. R. and B. T. Brofeldt (2000). "Patterns of tooth wear associated with methamphetamine use." *J Periodontol* 71(8): 1371-4.
- Rietmeijer, C. A., R. J. Wolitski, et al. (1998). "Sex hustling, injection drug use, and non-gay identification by men who have sex with men. Associations with high-risk sexual behaviors and condom use." *Sex Transm Dis* 25(7): 353-60.
- Roxburgh, A., L. Degenhardt, et al. (2005). "Drug use and risk behaviours among injecting drug users: A comparison between sex workers and non-sex workers in Sydney, Australia." *Harm Reduct J* 2(1): 7.
- Sears, C., J. R. Guydish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Somlai, A. M., J. A. Kelly, T. L. McAuliffe, K. Ksobiech and K. L. Hackl (2003). "Predictors of HIV sexual risk behaviors in a community sample of injection drug-using men and women." *AIDS Behav* 7(4): 383-93.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Sullivan, P. S., A. K. Nakashima, D. W. Purcell and J. W. Ward (1998). "Geographic differences in noninjection and injection substance use among HIV-seropositive men who have sex with men: Western United States versus other regions. Supplement to HIV/AIDS surveillance Study Group." *J Acquir Immune Defic Syndr Hum Retrovirol* 19(3): 266-73.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- van Griensvan, F., J. Keawkungwal, et al. (2004). "Lack of increased HIV risk behavior among injection drug users participating in the AIDSVAX B/E HIV vaccine trial in Bangkok, Thailand." *AIDS* 18(2): 295-301.
- Verachai, V., T. Phutiprawan, et al. (2002). "Prevalence and genotypes of hepatitis C virus infection among drug addicts and blood donors in Thailand." *Southeast Asian J Trop Med Public Health* 33(4): 849-51.
- Viani, R. M., M. R. Araneta, et al. (2006). "Perinatal HIV counseling and rapid testing in Tijuana, Baja California, Mexico: Seroprevalence and correlates of HIV infection." *J Acquir Immune Defic Syndr* 41(1): 87-92.
- Vong, S., A. E. Fiore, et al. (2005). "Vaccination in the county jail as a strategy to reach high risk adults during a community-based hepatitis A outbreak among methamphetamine drug users." *Vaccine* 23(8): 1021-8.
- Wada, K. (2004). "[HCV infection among narcotics/methamphetamine abusers]." *Nippon Rinsho* 62 Suppl 7(Pt 1): 326-9.
- Wada, K., S. B. Greberman, et al. (1999). "HIV and HCV infection among drug users in Japan." *Addiction* 94(7): 1063-9.
- Wenzel, S. L., P. A. Ebener, et al. (1996). "Drug-abusing homeless clients in California's substance abuse treatment system." *J Psychoactive Drugs* 28(2): 147-59.
- White, B., C. Day, et al. (2005). "Prevalence of injecting drug use and associated risk behavior among regular ecstasy users in Australia." *Drug Alcohol Depend*.
- Wilmarth, S. S., D. R. May, et al. (1983). "Aspergillus endophthalmitis in an intravenous drug user." *Ann Ophthalmol* 15(5): 470-2, 74-6.
- Yoshizawa, H. (2002). "Hepatocellular carcinoma associated with hepatitis C virus infection in Japan: Projection to other countries in the foreseeable future." *Oncology* 62 Suppl 1: 8-17.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Internet

- Benotsch, E. G., S. Kalichman, et al. (2002). "Men who have met sex partners via the Internet: Prevalence, predictors, and implications for HIV prevention." *Arch Sex Behav* 31(2): 177-83.
- Fernandez, M. I., L. M. Varga, T. Perrino, J. B. Collazo, F. Subiaul, A. Rehbein, H. Torres, M. Castro and G. S. Bowen (2004). "The Internet as recruitment tool for HIV studies: Viable strategy for reaching at-risk Hispanic MSM in Miami?" *AIDS Care* 16(8): 953-63.
- Hirshfield, S., R. H. Remien, M. Humberstone, I. Walavalkar and M. A. Chiasson (2004). "Substance use and high-risk sex among men who have sex with men: A national online study in the USA." *AIDS Care* 16(8): 1036-47.
- Hirshfield, S., R. H. Remien, et al. (2004). "Crystal methamphetamine use predicts incident STD infection among men who have sex with men recruited online: A nested case-control study." *J Med Internet Res* 6(4): e41.
- Klausner, J. D., D. K. Levine, et al. (2004). "Internet-based site-specific interventions for syphilis prevention among gay and bisexual men." *AIDS Care* 16(8): 964-70.
- Wong, W., J. K. Chaw, et al. (2005). "Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003." *Sex Transm Dis* 32(7): 458-63.

Iowa

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Charukamnoetkanok, P. and M. D. Wagoner (2004). "Facial and ocular injuries associated with methamphetamine production accidents." *Am J Ophthalmol* 138(5): 875-6.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Gunter, T. D., D. W. Black, et al. (2004). "Drug and alcohol treatment services effective for methamphetamine abuse." *Ann Clin Psychiatry* 16(4): 195-200.
- Hutin, Y. J., B. P. Bell, et al. (1999). "Identifying target groups for a potential vaccination program during a hepatitis A communitywide outbreak." *Am J Public Health* 89(6): 918-21.

Ireland

- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

Italy

- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

Japan

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.
- Ashizawa, T., T. Saito, et al. (1996). "[A case of amotivational syndrome as a residual symptom after methamphetamine abuse]." *Nihon Arukoru Yakubutsu Igakkai Zasshi* 31(5): 451-61.
- Fukunaga, T., Y. Mizoi, et al. (1987). "Methamphetamine concentrations in blood, urine, and organs of fatal cases after abuse." *Nippon Hoigaku Zasshi* 41(4): 328-34.
- Greberman, S. B. and K. Wada (1994). "Social and legal factors related to drug abuse in the United States and Japan." *Public Health Rep* 109(6): 731-7.
- Harano, M., N. Uchimura, et al. (2004). "A polymorphism of DRD2 gene and brain atrophy in methamphetamine psychosis." *Ann N Y Acad Sci* 1025: 307-15.
- Hashimoto, T., K. Hashimoto, et al. (2005). "A functional glutathione S-transferase P1 gene polymorphism is associated with methamphetamine-induced psychosis in Japanese population." *Am J Med Genet B Neuropsychiatr Genet* 135(1): 5-9.
- Hirabayashi, N., K. Wada, et al. (2004). "Prevalence of substance abuse among patients with physical diseases seen in an emergency room in Japan." *Am J Addict* 13(4): 398-404.
- Hiroshi, K., K. Akira, et al. (2005). "An autopsy case of infectious endocarditis in a methamphetamine abuser usefulness of microbiological examination." *Soud Lek* 50(2): 18-22.

- Horiguchi, T., S. Hori, et al. (1999). "A case of traumatic shock complicated by methamphetamine intoxication." *Intensive Care Med* 25(7): 758-60.
- Ide, S., H. Kobayashi, et al. (2006). "Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms." *Pharmacogenomics J*.
- Ide, S., H. Kobayashi, et al. (2004). "Gene polymorphisms of the mu opioid receptor in methamphetamine abusers." *Ann N Y Acad Sci* 1025: 316-24.
- Ikeda, M., N. Iwata, et al. (2006). "Positive association of AKT1 haplotype to Japanese methamphetamine use disorder." *Int J Neuropsychopharmacol* 9(1): 77-81.
- Inada, T., Y. Iijima, et al. (2004). "No association found between the type 1 sigma receptor gene polymorphisms and methamphetamine abuse in the Japanese population: a collaborative study by the Japanese Genetics Initiative for Drug Abuse." *Ann N Y Acad Sci* 1025: 27-33.
- Inoue, H., N. Ikeda, et al. (2006). "Methamphetamine-related sudden death with a concentration which was of a 'toxic level'." *Leg Med (Tokyo)*.
- Ishigami, A., S. Kubo, et al. (2003). "The application of immunohistochemical findings in the diagnosis in methamphetamine-related death-two forensic autopsy cases." *J Med Invest* 50(1-2): 112-6.
- Itoh, K., K. Hashimoto, et al. (2005). "Association study between brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan." *Am J Med Genet B Neuropsychiatr Genet* 132(1): 70-3.
- Iwanami, A., D. Kuwakado, et al. (1997). "Relapse of panic disorder induced by a single intravenous methamphetamine injection." *J Anxiety Disord* 11(1): 113-6.
- Iwanami, A., N. Kato, et al. (1991). "P300 in methamphetamine psychosis." *Biol Psychiatry* 30(7): 726-30.
- Iwata, N., T. Inada, et al. (2004). "No association is found between the candidate genes of t-PA/plasminogen system and Japanese methamphetamine-related disorder: A collaborative study by the Japanese Genetics Initiative for Drug Abuse." *Ann N Y Acad Sci* 1025: 34-8.
- Kamijo, Y., K. Soma, M. Nishida, A. Namera and T. Ohwada (2002). "Acute liver failure following intravenous methamphetamine." *Vet Hum Toxicol* 44(4): 216-7.
- Katsumata, S., K. Sato, et al. (1993). "Sudden death due presumably to internal use of methamphetamine." *Forensic Sci Int* 62(3): 209-15.
- Katsuragawa, Y. (1999). "Effect of methamphetamine abuse on the bone quality of the calcaneus." *Forensic Sci Int* 101(1): 43-8.
- Kobayashi, H., S. Ide, J. Hasegawa, H. Ujike, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, M. Iyo, H. W. Shen, K. Ikeda and I. Soraa (2004). "Study of association between {alpha}-synuclein gene polymorphism and methamphetamine psychosis/dependence." *Ann N Y Acad Sci* 1025: 325-334.
- Koizumi, H., K. Hashimoto, C. Kumakiri, E. Shimizu, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, I. Sora, H. Ujike, N. Takei and M. Iyo (2004). "Association between the glutathione S-transferase m1 gene deletion and female methamphetamine abusers." *Am J Med Genet* 126B(1): 43-5.
- Matoba, R., S. Onishi, et al. (1984). "[Sudden death in methamphetamine abusers: a histological study of the heart]." *Nippon Hoigaku Zasshi* 38(2): 199-205.
- Matsumoto, T., A. Kamijo, et al. (2005). "Childhood histories of attention-deficit hyperactivity disorders in Japanese methamphetamine and inhalant abusers: Preliminary report." *Psychiatry Clin Neurosci* 59(1): 102-5.
- Matsumoto, T., A. Yamaguchi, et al. (2005). "Drug preferences in illicit drug abusers with a childhood tendency of attention deficit/hyperactivity disorder: A study using the Wender Utah Rating Scale in a Japanese prison." *Psychiatry Clin Neurosci* 59(3): 311-8.
- Matsumoto, T., A. Kamijo, et al. (2002). "Methamphetamine in Japan: The consequences of methamphetamine abuse as a function of route of administration." *Addiction* 97(7): 809-17.
- Mori, A., H. Suzuki, et al. (1992). "[Three cases of acute methamphetamine intoxication--Analysis of optically active methamphetamine]." *Nippon Hoigaku Zasshi* 46(4): 266-70.
- Morita, Y., H. Ujike, et al. (2005). "A nonsynonymous polymorphism in the human fatty acid amide hydrolase gene did not associate with either methamphetamine dependence or schizophrania." *Neurosci Lett* 376(3): 182-7.
- Morita, Y., H. Ujike, et al. (2005). "The X-box binding protein 1 (XBP1) gene is not associated with methamphetamine dependence." *Neurosci Lett* 383(1-2): 194-8.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nagata, T., J. Oshima, et al. (2003). "Repetitive self-mutilation among Japanese eating disorder patients with drug use disorder: Comparison with patients with methamphetamine use disorder." *J Nerv Ment Dis* 191(5): 319-23.
- Nakatani, Y. and T. Hara (1998). "Disturbance of consciousness due to methamphetamine abuse. A study of 2 patients." *Psychopathology* 31(3): 131-7.

- Nishida, N., N. Ikeda, et al. (2003). "Sudden unexpected death of a methamphetamine abuser with cardiopulmonary abnormalities: A case report." *Med Sci Law* 43(3): 267-71.
- Nishiyama, T., M. Ikeda, et al. (2005). "Haplotype association between GABAA receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder." *Pharmacogenomics J* 5(2): 89-95.
- Nomura, A., H. Ujike, et al. (2006). "Genetic variant of prodynorphin gene is risk factor for methamphetamine dependence." *Neurosci Lett*.
- Ogai, Y., A. Haraguchi, et al. (2005). "[Control of craving for methamphetamine: Development of scales for dependence and search for medicines for treatment]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 25(5): 227-33.
- Okudaira, K., T. Yabana, et al. (1994). "[Clinical problems of alcoholics with a history of methamphetamine abuse]." *Arukuru Kenkyuto Yakubutsu Ison* 29(3): 185-9.
- Poshyachinda, V. (1993). "Drug injecting and HIV infection among the population of drug abusers in Asia." *Bull Narc* 45(1): 77-90.
- Sato, M. (2002). "[Basic and clinical studies on methamphetamine-related psychosis]." *Seishin Shinkeigaku Zasshi* 104(3): 179-90.
- Sato, M., Y. Numachi, et al. (1992). "Relapse of paranoid psychotic state in methamphetamine model of schizophrenia." *Schizophr Bull* 18(1): 115-22.
- Sato, M. (1992). "A lasting vulnerability to psychosis in patients with previous methamphetamine psychosis." *Ann N Y Acad Sci* 654: 160-70.
- Sato, M., C. C. Chen, et al. (1983). "Acute exacerbation of paranoid psychotic state after long-term abstinence in patients with previous methamphetamine psychosis." *Biol Psychiatry* 18(4): 429-40.
- Sekine, Y., Y. Ouchi, et al. (2006). "Brain serotonin transporter density and aggression in abstinent methamphetamine abusers." *Arch Gen Psychiatry* 63(1): 90-100.
- Shimazono, Y. and E. Matsushima (1995). "Behavioral and neuroimaging studies on schizophrenia in Japan." *Psychiatry Clin Neurosci* 49(1): 3-11.
- Srisurapanont, M., R. Ali, et al. (2003). "Psychotic symptoms in methamphetamine psychotic in-patients." *Int J Neuropsychopharmacol* 6(4): 347-52.
- Suwanwela, C. and V. Poshyachinda (1986). "Drug abuse in Asia." *Bull Narc* 38(1-2): 41-53.
- Ujike, H. and M. Sato (2004). "Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis." *Ann N Y Acad Sci* 1025: 279-87.
- Wada, K. (2004). "[HCV infection among narcotics/methamphetamine abusers]." *Nippon Rinsho* 62 Suppl 7(Pt 1): 326-9.
- Wada, K., S. B. Greberman, et al. (1999). "HIV and HCV infection among drug users in Japan." *Addiction* 94(7): 1063-9.
- Wada, K. (1994). "Cocaine abuse in Japan." *Arukuru Kenkyuto Yakubutsu Ison* 29(2): 83-91.
- Yamamoto, K., H. Watanabe, et al. (1991). "[3 fatalities after communal use of methamphetamine]." *Arch Kriminol* 188(3-4): 72-6.
- Yamamura, T., S. Hisida, et al. (1991). "Alcohol addiction of methamphetamine abusers in Japan." *J Forensic Sci* 36(3): 754-64.
- Yamamura, T., H. Hasegawa, et al. (1987). "[Alcohol intake on methamphetamine abusers]." *Nippon Hoigaku Zasshi* 41(1): 21-30.
- Yamasaki, M., H. Suwaki, et al. (1992). "Patterns of alcohol abuse from the viewpoint of multiple substance abuse." *Arukuru Kenkyuto Yakubutsu Ison* 27(5): 540-52.
- Yoshizawa, H. (2002). "Hepatocellular carcinoma associated with hepatitis C virus infection in Japan: Projection to other countries in the foreseeable future." *Oncology* 62 Suppl 1: 8-17.
- Yui, K., K. Goto and S. Ikemoto (2004). "The role of noradrenergic and dopaminergic hyperactivity in the development of spontaneous recurrence of methamphetamine psychosis and susceptibility to episode recurrence." *Ann N Y Acad Sci* 1025: 296-306.
- Yui, K., S. Ikemoto, et al. (2003). "Susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *J Clin Psychopharmacol* 23(5): 525-8.
- Yui, K., S. Ikemoto, et al. (2002). "Factors for susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Ann N Y Acad Sci* 965: 292-304.
- Yui, K., S. Ikemoto, et al. (2002). "Spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory states in female subjects: Susceptibility to psychotic states and implications for relapse of schizophrenia." *Pharmacopsychiatry* 35(2): 62-71.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.
- Yui, K., K. Goto, et al. (2000). "Stress induced spontaneous recurrence of methamphetamine psychosis: The relation between stressful experiences and sensitivity to stress." *Drug Alcohol Depend* 58(1-2): 67-75.
- Yui, K., K. Goto, et al. (2000). "Increased sensitivity to stress in spontaneous recurrence of methamphetamine psychosis: noradrenergic hyperactivity with contribution from dopaminergic hyperactivity." *J Clin Psychopharmacol* 20(2): 165-74.

- Yui, K., T. Ishiguro, et al. (1999). "Spontaneous recurrence of methamphetamine psychosis: increased sensitivity to stress associated with noradrenergic hyperactivity and dopaminergic change." *Eur Arch Psychiatry Clin Neurosci* 249(2): 103-11.
- Yui, K., T. Ishiguro, et al. (1998). "Factors affecting the development of spontaneous recurrence of methamphetamine psychosis." *Acta Psychiatr Scand* 97(3): 220-7.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.
- Yui, K., T. Ishiguro, et al. (1997). "Precipitating factors in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 134(3): 303-8.
- Yui, K., K. Goto, et al. (1997). "Noradrenergic activity and spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 44(2-3): 183-7.
- Yui, K., K. Goto, et al. (1997). "Noradrenergic activity and spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 44(2-3): 183-7.
- Yukitake, A. (1983). "Amphetamine psychosis in Tokyo--Its clinical features and social problems." *Folia Psychiatr Neurol Jpn* 37(2): 115-20.
- Zhu, B. L., T. Ishikawa, et al. (2005). "Postmortem cardiac troponin T levels in the blood and pericardial fluid. Part 1. Analysis with special regard to traumatic causes of death." *Leg Med (Tokyo)*.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Kentucky

- Joosen, M., T. F. Garrity, et al. (2005). "Predictors of current depressive symptoms in a sample of drug court participants." *Subst Use Misuse* 40(8): 1113-25.
- Nath, A., W. F. Maragos, et al. (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.
- Stoops, W. W., M. S. Tindall, et al. (2005). "Methamphetamine use in nonurban and urban drug court clients." *Int J Offender Ther Comp Criminol* 49(3): 260-76.

Ketamine

See also Polydrug Use

- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From "Candy Kids" to "Chemi-Kids": A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9-10): 1503-23.
- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav*.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.

Ketamine (animals)

- Hayase, T., Y. Yamamoto, et al. (2006). "Behavioral effects of ketamine and toxic interactions with psychostimulants." *BMC Neurosci* 7(1): 25.

Kidney Function and Disease

- Bingham, C., M. Beaman, et al. (1998). "Necrotizing renal vasculopathy resulting in chronic renal failure after ingestion of methamphetamine and 3,4-methylenedioxyamphetamine ('ecstasy')." *Nephrol Dial Transplant* 13(10): 2654-5.
- Longstreth, P. L. and M. Korobkin (1976). "Intrarenal arterial aneurysms." *CRC Crit Rev Clin Radiol Nucl Med* 8(1): 129-51.

Kidney Function and Disease (animals)

Tokunaga, I., S. Kubo, et al. (2006). "Changes in renal function and oxidative damage in methamphetamine-treated rat." *Leg Med (Tokyo)* 8(1): 16-21.

Korea

Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.

Cho, B. I. (1991). "Trends and patterns of methamphetamine abuse in the Republic of Korea." *NIDA Res Monogr* 115: 99-108.

Chung, H., M. Park, et al. (2004). "Recent trends of drug abuse and drug-associated deaths in Korea." *Ann N Y Acad Sci* 1025: 458-64.

Chung, H. (1998). "Drug abuse trends and epidemiological aspects of drug associated deaths in Korea." *J Toxicol Sci* 23 Suppl 2: 197-200.

Kim, S. J., I. K. Lyoo, et al. (2006). "Prefrontal grey-matter changes in short-term and long-term abstinent methamphetamine abusers." *Int J Neuropsychopharmacol* 9(2): 221-8.

Poshyachinda, V. (1993). "Drug injecting and HIV infection among the population of drug abusers in Asia." *Bull Narc* 45(1): 77-90.

Yoon, S. J., C. U. Pae, et al. (2005). "Ghrelin precursor gene polymorphism and methamphetamine dependence in the Korean population." *Neurosci Res* 53(4): 391-5.

Laboratories

See Methamphetamine Laboratories

Laos

Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.

Latinos

See Hispanics

Latvia

Lagerspetz, M. and J. Moskalewicz (2002). "Drugs in the postsocialist transitions of Estonia, Latvia, Lithuania and Poland." *Eur Addict Res* 8(4): 177-83.

Law Enforcement

See also Crime; Drug Courts and Court-Mandated Treatment; Incarceration, Alternatives to; Incarceration and Incarcerated Individuals

Altshuler, S. J. (2005). "Drug-endangered children need a collaborative community response." *Child Welfare* 84(2): 171-90.

Anonymous (2005). "Anhydrous ammonia thefts and releases associated with illicit methamphetamine production--16 states, January 2000-June 2004." *MMWR Morb Mortal Wkly Rep* 54(14): 359-61.

Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Brecht, M. L., M. D. Anglin, et al. (2005). "Coerced treatment for methamphetamine abuse: Differential patient characteristics and outcomes." *Am J Drug Alcohol Abuse* 31(2): 337-56.

Caldicott, D. G., P. E. Pigou, et al. (2005). "Clandestine drug laboratories in Australia and the potential for harm." *Aust N Z J Public Health* 29(2): 155-62.

Colker, A. C. (2005). "Restricting the sale of pseudoephedrine to prevent methamphetamine production." *NCSL Legisbrief* 13(7): 1-2.

Cunningham, J. K. and L. M. Liu (2005). "Impacts of federal precursor chemical regulations on methamphetamine arrests." *Addiction* 100(4): 479-88.

Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl.*

Gunter, T. D., D. W. Black, et al. (2004). "Drug and alcohol treatment services effective for methamphetamine abuse." *Ann Clin Psychiatry* 16(4): 195-200.

Marris, E. (2005). "Police urge speedy action to clean up home drug factories." *Nature* 434(7030): 129.

- O'Halloran, R. L. and L. V. Lewman (1993). "Restraint asphyxiation in excited delirium." *Am J Forensic Med Pathol* 14(4): 289-95.
- Qi, Y., I. D. Evans, et al. (2006). "Australian Federal Police seizures of illicit crystalline methamphetamine ('ice') 1998-2002: Impurity analysis." *Forensic Sci Int*.
- Rawson, R. A., M. D. Anglin and W. Ling (2002). "Will the methamphetamine problem go away?" *J Addict Dis* 21(1): 5-19.
- Room, R. (2006). "The dangerousness of drugs." *Addiction* 101(2): 166-8.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Silber, B. Y., K. Papafotiou, et al. (2005). "An evaluation of the sensitivity of the standardised field sobriety tests to detect the presence of amphetamine." *Psychopharmacology (Berl)*: 1-7.

Lead Poisoning

- Allcott, J. V., 3rd, R. A. Barnhart, et al. (1987). "Acute lead poisoning in two users of illicit methamphetamine." *JAMA* 258(4): 510-1.
- Anonymous (1990). "From the Centers for Disease Control. Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *JAMA* 263(6): 797-8.
- Anonymous (1989). "Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *MMWR Morb Mortal Wkly Rep* 38(48): 830-1.
- Burton, B. T. (1991). "Heavy metal and organic contaminants associated with illicit methamphetamine production." *NIDA Res Monogr* 115: 47-59.
- Norton, R. L., B. T. Burton, et al. (1996). "Blood lead of intravenous drug users." *J Toxicol Clin Toxicol* 34(4): 425-30.

Learning (animals)

See also Behavioral Responses (animals)

- Achat-Mendes, C., S. F. Ali, et al. (2005). "Differential effects of amphetamines-induced neurotoxicity on appetitive and aversive Pavlovian conditioning in mice." *Neuropsychopharmacology* 30(6): 1128-37.
- Belcher, A. M., J. O'Dell S, et al. (2006). "A sensitizing regimen of methamphetamine causes impairments in a novelty preference task of object recognition." *Behav Brain Res*.
- Belcher, A. M., S. J. O'Dell, et al. (2005). "Impaired object recognition memory following methamphetamine, but not p-chloroamphetamine- or d-amphetamine-induced neurotoxicity." *Neuropsychopharmacology* 30(11): 2026-34.
- Daberkow, D. P., R. P. Kesner, et al. (2005). "Relation between methamphetamine-induced monoamine depletions in the striatum and sequential motor learning." *Pharmacol Biochem Behav* 81(1): 198-204.
- Ellinwood, E. H., Jr. and M. M. Kilbey (1975). "Amphetamine stereotypy: the influence of environmental factors and prepotent behavioral patterns on its topography and development." *Biol Psychiatry* 10(1): 3-16.
- Gasbarri, A., A. Sulli, et al. (1997). "The dopaminergic mesencephalic projections to the hippocampal formation in the rat." *Prog Neuropsychopharmacol Biol Psychiatry* 21(1): 1-22.
- Glickstein, S. B. and C. Schmauss (2004). "Effect of methamphetamine on cognition and repetitive motor behavior of mice deficient for dopamine D2 and D3 receptors." *Ann N Y Acad Sci* 1025: 110-8.
- Glickstein, S. B. and C. Schmauss (2004). "Focused motor stereotypies do not require enhanced activation of neurons in striosomes." *J Comp Neurol* 469(2): 227-38.
- Golembiowska, K. and A. Zylewska (2000). "Effect of adenosine kinase, adenosine deaminase and transport inhibitors on striatal dopamine and stereotypy after methamphetamine administration." *Neuropharmacology* 39(11): 2124-32.
- Green, A. R. and P. H. Kelly (1976). "Evidence concerning the involvement of 5-hydroxytryptamine in the locomotor activity produced by amphetamine or tranlycypromine plus L-DOPA." *Br J Pharmacol* 57(1): 141-7.
- Hamamura, T., K. Akiyama, et al. (1991). "Co-administration of either a selective D1 or D2 dopamine antagonist with methamphetamine prevents methamphetamine-induced behavioral sensitization and neurochemical change, studied by in vivo intracerebral dialysis." *Brain Res* 546(1): 40-6.
- Hirose, A., T. Kato, et al. (1990). "Pharmacological actions of SM-9018, a new neuroleptic drug with both potent 5-hydroxytryptamine2 and dopamine2 antagonistic actions." *Jpn J Pharmacol* 53(3): 321-9.
- Iorio, L. C., A. Barnett, et al. (1983). "SCH 23390, a potential benzazepine antipsychotic with unique interactions on dopaminergic systems." *J Pharmacol Exp Ther* 226(2): 462-8.
- Kamei, H., T. Nagai, et al. (2006). "Repeated methamphetamine treatment impairs recognition memory through a failure of novelty-induced ERK1/2 activation in the prefrontal cortex of mice." *Biol Psychiatry* 59(1): 75-84.
- Ozawa, K., K. Hashimoto, et al. (2006). "Immune activation during pregnancy in mice leads to dopaminergic hyperfunction and cognitive impairment in the offspring: A neurodevelopmental animal model of schizophrenia." *Biol Psychiatry* 59(6): 546-54.

- Slamberova, R., M. Pometlova, et al. (2006). "Postnatal development of rat pups is altered by prenatal methamphetamine exposure." *Prog Neuropsychopharmacol Biol Psychiatry* 30(1): 82-8.
- Slamberova, R., M. Pometlova, et al. (2005). "Learning in the place navigation task, not the new-learning task, is altered by prenatal methamphetamine exposure." *Brain Res Dev Brain Res* 157(2): 217-9.
- Vorhees, C. V., T. M. Reed, et al. (2005). "Periadolescent rats (P41-50) exhibit increased susceptibility to D-methamphetamine-induced long-term spatial and sequential learning deficits compared to juvenile (P21-30 or P31-40) or adult rats (P51-60)." *Neurotoxicol Teratol* 27(1): 117-34.
- Vorhees, C. V., S. L. Inman-Wood, et al. (2000). "Adult learning deficits after neonatal exposure to D-methamphetamine: Selective effects on spatial navigation and memory." *J Neurosci* 20(12): 4732-9.
- Vorhees, C. V., K. G. Ahrens, et al. (1994). "Methamphetamine exposure during early postnatal development in rats: I. Acoustic startle augmentation and spatial learning deficits." *Psychopharmacology (Berl)* 114(3): 392-401.
- Williams, M. T., M. S. Moran, et al. (2004). "Behavioral and growth effects induced by low dose methamphetamine administration during the neonatal period in rats." *Int J Dev Neurosci* 22(5-6): 273-83.
- Williams, M. T., R. W. Brown, et al. (2004). "Neonatal methamphetamine administration induces region-specific long-term neuronal morphological changes in the rat hippocampus, nucleus accumbens and parietal cortex." *Eur J Neurosci* 19(12): 3165-70.
- Williams, M. T., M. S. Moran, et al. (2003). "Refining the critical period for methamphetamine-induced spatial deficits in the Morris water maze." *Psychopharmacology (Berl)* 168(3): 329-38.
- Williams, M. T., L. L. Morford, et al. (2003). "Developmental D-methamphetamine treatment selectively induces spatial navigation impairments in reference memory in the Morris water maze while sparing working memory." *Synapse* 48(3): 138-48.
- Williams, M. T., T. L. Blankenmeyer, et al. (2003). "Long-term effects of neonatal methamphetamine exposure in rats on spatial learning in the Barnes maze and on cliff avoidance, corticosterone release, and neurotoxicity in adulthood." *Brain Res Dev Brain Res* 147(1-2): 163-75.
- Williams, M. T., C. V. Vorhees, et al. (2002). "Methamphetamine exposure from postnatal day 11 to 20 causes impairments in both behavioral strategies and spatial learning in adult rats." *Brain Res* 958(2): 312-21.
- Williams, M. T., S. L. Inman-Wood, et al. (2000). "Prewaning treatment with methamphetamine induces increases in both corticosterone and ACTH in rats." *Neurotoxicol Teratol* 22(5): 751-9.
- Wolthuis, O. L. (1971). "Experiments with UCB 6215, a drug which enhances acquisition in rats: Its effects compared with those of metamphetamine." *Eur J Pharmacol* 16(3): 283-97.
- Yamamura, T., S. Hishida, et al. (1993). "Effects of daily administration of methamphetamine on multiple active/passive avoidance performance in rats." *Behav Brain Res* 53(1-2): 105-12.
- Yamamura, T., S. Hishida, et al. (1992). "Effects of methamphetamine and ethanol on learning and brain neurotransmitters in rats." *Pharmacol Biochem Behav* 42(3): 389-400.
- Yamazaki, Y., N. Shinohara, et al. (2004). "Visual discrimination of normal and drug induced behavior in quails (*Coturnix coturnix japonica*)." *Anim Cogn* 7(2): 128-32.
- Yasar, S., J. Gaal, et al. (2005). "Discriminative stimulus and reinforcing effects of p-fluoro-L-deprenyl in monkeys." *Psychopharmacology (Berl)* 182(1): 95-103

Lesbians

- Degenhardt, L. (2005). "Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?" *Culture, Health & Sexuality* 7(6): 599-614.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav.*

Lithuania

- Lagerspetz, M. and J. Moskalewicz (2002). "Drugs in the postsocialist transitions of Estonia, Latvia, Lithuania and Poland." *Eur Addict Res* 8(4): 177-83.

Liver Disease

- Cherner, M., S. Letendre, et al. (2005). "Hepatitis C augments cognitive deficits associated with HIV infection and methamphetamine." *Neurology* 64(8): 1343-7.

- Davis, L. E., G. Kalousek, et al. (1970). "Hepatitis associated with illicit use of intravenous methamphetamine." *Public Health Rep* 85(9): 809-13.
- Garfein, R. S., W. A. Bower, et al. (2004). "Factors associated with fulminant liver failure during an outbreak among injection drug users with acute hepatitis B." *Hepatology* 40(4): 865-73.
- Grinde, B., K. Stene-Johansen, et al. (1997). "Characterisation of an epidemic of hepatitis A virus involving intravenous drug abusers--infection by needle sharing?" *J Med Virol* 53(1): 69-75.
- Hahn, J. A., K. Page-Shafer, P. J. Lum, K. Ochoa and A. R. Moss (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Harkess, J., B. Gildon, et al. (1989). "Outbreaks of hepatitis A among illicit drug users, Oklahoma, 1984-87." *Am J Public Health* 79(4): 463-6.
- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.
- Kamijo, Y., K. Soma, et al. (2002). "Acute liver failure following intravenous methamphetamine." *Vet Hum Toxicol* 44(4): 216-7.
- Koester, S., J. Glanz, et al. (2005). "Drug sharing among heroin networks: Implications for HIV and hepatitis B and C prevention." *AIDS Behav* 9(1): 27-39.
- Leino, T., P. Leinikki, et al. (1997). "Hepatitis A outbreak amongst intravenous amphetamine abusers in Finland." *Scand J Infect Dis* 29(3): 213-6.
- Nyamathi, A. M., E. L. Dixon, et al. (2002). "Risk factors for hepatitis C virus infection among homeless adults." *J Gen Intern Med* 17(2): 134-43.
- Nyamathi, A., W. A. Robbins, et al. (2002). "Presence and predictors of hepatitis C virus RNA in the semen of homeless men." *Biol Res Nurs* 4(1): 22-30.
- Pol, S., P. Lebray, et al. (2004). "HIV infection and hepatic enzyme abnormalities: Intricacies of the pathogenic mechanisms." *Clin Infect Dis* 38 Suppl 2: S65-72.
- Sanga, M., I. R. Younis, et al. (2005). "Epoxidation of the methamphetamine pyrolysis product, trans-phenylpropene, to trans-phenylpropylene oxide by CYP enzymes and stereoselective glutathione adduct formation." *Toxicol Appl Pharmacol*.
- Taylor, M. J., S. L. Letendre, et al. (2004). "Hepatitis C virus infection is associated with reduced white matter N-acetylaspartate in abstinent methamphetamine users." *J Int Neuropsychol Soc* 10(1): 110-3.
- van Gorp, W. G. and C. H. Hinkin (2005). "Triple trouble: cognitive deficits from hepatitis C, HIV, and methamphetamine." *Neurology* 64(8): 1328-9.
- Verachai, V., T. Phutiprawan, et al. (2002). "Prevalence and genotypes of hepatitis C virus infection among drug addicts and blood donors in Thailand." *Southeast Asian J Trop Med Public Health* 33(4): 849-51.
- Vong, S., A. E. Fiore, et al. (2005). "Vaccination in the county jail as a strategy to reach high risk adults during a community-based hepatitis A outbreak among methamphetamine drug users." *Vaccine* 23(8): 1021-8.
- Yoshizawa, H. (2002). "Hepatocellular carcinoma associated with hepatitis C virus infection in Japan: Projection to other countries in the foreseeable future." *Oncology* 62 Suppl 1: 8-17.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Los Angeles

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Baskin-Sommers, A. and I. Sommers (2006). "The co-occurrence of substance use and high-risk behaviors." *J Adolesc Health* 38(5): 609-11.
- Brecht, M. L., M. D. Anglin, et al. (2005). "Coerced treatment for methamphetamine abuse: Differential patient characteristics and outcomes." *Am J Drug Alcohol Abuse* 31(2): 337-56.
- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Demetriades, D., G. Gkiokas, et al. (2004). "Alcohol and illicit drugs in traumatic deaths: Prevalence and association with type and severity of injuries." *J Am Coll Surg* 199(5): 687-92.
- Frosch, D., S. Shoptaw, et al. (1996). "Sexual HIV risk among gay and bisexual male methamphetamine abusers." *J Subst Abuse Treat* 13(6): 483-6.
- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.

- Greenwell, L. and M. L. Brecht (2003). "Self-reported health status among treated methamphetamine users." *Am J Drug Alcohol Abuse* 29(1): 75-104.
- Jain, N. C., R. D. Budd, et al. (1979). "Frequency of use or abuse of amphetamine-related drugs." *Am J Drug Alcohol Abuse* 6(1): 53-7.
- Jain, N. C., R. D. Budd, et al. (1978). "A survey of drug use among probationers in the Los Angeles area in 1976." *Int J Addict* 13(8): 1319-25.
- Jain, N. C., R. Budd, et al. (1977). "Patterns of drug use among methadone maintenance patients in Los Angeles county." *Bull Narc* 29(2): 45-53.
- Kalechstein, A. D., T. F. Newton, et al. (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Larkins, S., C. J. Reback, et al. (2005). "Methamphetamine-dependent gay men's disclosure of their HIV status to sexual partners." *AIDS Care* 17(4): 521-32.
- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the Healthy Living Project." *J Acquir Immune Defic Syndr* 40(2): 226-235.
- Nyamathi, A. M., E. L. Dixon, et al. (2002). "Risk factors for hepatitis C virus infection among homeless adults." *J Gen Intern Med* 17(2): 134-43.
- Nyamathi, A., W. A. Robbins, et al. (2002). "Presence and predictors of hepatitis C virus RNA in the semen of homeless men." *Biol Res Nurs* 4(1): 22-30.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2002). "Status of methamphetamine users 2-5 years after outpatient treatment." *J Addict Dis* 21(1): 107-19.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., C. J. Reback and T. E. Freese (2002). "Patient characteristics, HIV serostatus, and risk behaviors among gay and bisexual males seeking treatment for methamphetamine abuse and dependence in Los Angeles." *J Addict Dis* 21(1): 91-105.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.
- von Mayrhauser, C., M. L. Brecht and M. D. Anglin (2002). "Use ecology and drug use motivations of methamphetamine users admitted to substance abuse treatment facilities in Los Angeles: An emerging profile." *J Addict Dis* 21(1): 45-60.
- Wenzel, S. L., P. A. Ebener, et al. (1996). "Drug-abusing homeless clients in California's substance abuse treatment system." *J Psychoactive Drugs* 28(2): 147-59.
- Willers-Russo, L. J. (1999). "Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing." *J Forensic Sci* 44(3): 647-52.
- Wohl, A. R., D. F. Johnson, et al. (2002). "HIV risk behaviors among African American men in Los Angeles County who self-identify as heterosexual." *J Acquir Immune Defic Syndr* 31(3): 354-60.
- Zweben, J. E., J. B. Cohen, et al. (2000). "Conducting trials in community settings: The provider perspective." *J Psychoactive Drugs* 32(2): 193-9.

LSD

- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav*.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.

Lungs

See Pulmonary and Thoracic Disease

Marijuana

See also Polydrug Use

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Forney, R., R. Martz, et al. (1976). "The combined effect of marihuana and dextroamphetamine." *Ann N Y Acad Sci* 281: 162-70.
- Gonzalez, R., J. D. Rippeth, C. L. Carey, R. K. Heaton, D. J. Moore, B. C. Schweinsburg, M. Cherner and I. Grant (2004). "Neurocognitive performance of methamphetamine users discordant for history of marijuana exposure." *Drug Alcohol Depend* 76(2): 181-90.
- Logan, B. K. (1996). "Methamphetamine and driving impairment." *J Forensic Sci* 41(3): 457-64.
- Lundqvist, T. (2005). "Cognitive consequences of cannabis use: Comparison with abuse of stimulants and heroin with regard to attention, memory and executive functions." *Pharmacol Biochem Behav* 81(2): 319-30.
- Matsumoto, T., A. Kamijo, et al. (2002). "Methamphetamine in Japan: The consequences of methamphetamine abuse as a function of route of administration." *Addiction* 97(7): 809-17.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From "Candy Kids" to "Chemi-Kids": A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9-10): 1503-23.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.
- Voytek, B., S. M. Berman, et al. (2005). "Differences in regional brain metabolism associated with marijuana abuse in methamphetamine abusers." *Synapse* 57(2): 113-5.

Marijuana (animals)

- Consroe, P., B. Jones, et al. (1976). "EEG and behavioral effects of delta9-tetrahydrocannabinol in combination with stimulant drugs in rabbits." *Psychopharmacology (Berl)* 50(1): 47-52.
- Forney, R., R. Martz, et al. (1976). "The combined effect of marihuana and dextroamphetamine." *Ann N Y Acad Sci* 281: 162-70.

Maryland

- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

Massachusetts

- Seage, G. R., 3rd, K. H. Mayer, et al. (1998). "The social context of drinking, drug use, and unsafe sex in the Boston Young Men Study." *J Acquir Immune Defic Syndr Hum Retrovirol* 17(4): 368-75.

Matrix Model

- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Domier, C. P., S. L. Simon, R. A. Rawson, A. Huber and W. Ling (2000). "A comparison of injecting and noninjecting methamphetamine users." *J Psychoactive Drugs* 32(2): 229-32.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Hamilton Brown, A. (2004). "Integrating research and practice in the CSAT Methamphetamine Treatment Project." *J Subst Abuse Treat* 26(2): 103-8.
- Huber, A., R. H. Lord, et al. (2000). "The CSAT methamphetamine treatment program: Research design accommodations for "real world" application." *J Psychoactive Drugs* 32(2): 149-56.
- Huber, A., W. Ling, et al. (1997). "Integrating treatments for methamphetamine abuse: A psychosocial perspective." *J Addict Dis* 16(4): 41-50.
- Obert, J. L., A. H. Brown, et al. (2005). "When treatment meets research: Clinical perspectives from the CSAT Methamphetamine Treatment Project." *J Subst Abuse Treat* 28(3): 231-7.

- Obert, J. L., E. D. London, et al. (2002). "Incorporating brain research findings into standard treatment: An example using the Matrix Model." *J Subst Abuse Treat* 23(2): 107-13.
- Obert, J. L., M. J. McCann, et al. (2000). "The Matrix model of outpatient stimulant abuse treatment: history and description." *J Psychoactive Drugs* 32(2): 157-64.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., P. Marinelli-Casey, et al. (2004). "A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence." *Addiction* 99(6): 708-17.
- Rawson, R. A., R. Gonzales, et al. (2002). "Treatment of methamphetamine use disorders: An update." *J Subst Abuse Treat* 23(2): 145-50.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., R. A. Rawson, et al. (1994). "The Matrix model of outpatient stimulant abuse treatment: Evidence of efficacy." *J Addict Dis* 13(4): 129-41.
- Vazquez, E. (2005). "Crystal meth recovery. A step-by-step guide." *Posit Aware* 16(5): 20-2, 25.
- Zweben, J. E., J. B. Cohen, et al. (2000). "Conducting trials in community settings: The provider perspective." *J Psychoactive Drugs* 32(2): 193-9.

MDMA

See also Polydrug Use

- Brecht, M. L. and C. von Mayrhauser (2002). "Differences between Ecstasy-using and nonusing methamphetamine users." *J Psychoactive Drugs* 34(2): 215-23.
- Cheng, W. C., N. L. Poon, et al. (2003). "Chemical profiling of 3,4-methylenedioxymethamphetamine (MDMA) tablets seized in Hong Kong." *J Forensic Sci* 48(6): 1249-59.
- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.
- Christophersen, A. S. (2000). "Amphetamine designer drugs - An overview and epidemiology." *Toxicol Lett* 112-113: 127-31.
- Degenhardt, L. (2005). "Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?" *Culture, Health & Sexuality* 7(6): 599-614.
- Delgado, J. H., M. J. Caruso, J. C. Waksman, B. Honigman and D. Stillman (2004). "Acute, transient urinary retention from combined ecstasy and methamphetamine use." *J Emerg Med* 26(2): 173-5.
- Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Irvine, R. J., M. Keane, et al. (2006). "Plasma drug concentrations and physiological measures in 'dance party' participants." *Neuropsychopharmacology* 31(2): 424-30.
- Itzhak, Y. and C. Achat-Mendes (2004). "Methamphetamine and MDMA (ecstasy) neurotoxicity: 'Of mice and men'." *IUBMB Life* 56(5): 249-55.
- Kalasinsky, K. S., J. Hugel, et al. (2004). "Use of MDA (the "love drug") and methamphetamine in Toronto by unsuspecting users of ecstasy (MDMA)." *J Forensic Sci* 49(5): 1106-12.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From "Candy Kids" to "Chemi-Kids": A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9): 1503-23.
- Morton, J. (2005). "Ecstasy: Pharmacology and neurotoxicity." *Curr Opin Pharmacol* 5(1): 79-86.
- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav.*

- Schilder, A. J., T. M. Lampinen, et al. (2005). "Crystal methamphetamine and ecstasy differ in relation to unsafe sex among young gay men." *Can J Public Health* 96(5): 340-3.
- White, B., C. Day, et al. (2005). "Prevalence of injecting drug use and associated risk behavior among regular ecstasy users in Australia." *Drug Alcohol Depend*.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.

MDMA (animals)

- Clemens, K. J., J. L. Cornish, et al. (2005). "MDMA ('Ecstasy') and methamphetamine combined: Order of administration influences hyperthermic and long-term adverse effects in female rats." *Neuropharmacology* 49(2): 195-207.
- Itzhak, Y. and C. Achat-Mendes (2004). "Methamphetamine and MDMA (ecstasy) neurotoxicity: 'Of mice and men'." *IUBMB Life* 56(5): 249-55.
- Neto, P. R. (2005). "Activation of striatal dopamine receptors by psychostimulants: Chemical anatomy, autonomic and behavioural effects." *Dan Med Bull* 52(3): 114.
- Pubill, D., A. M. Canudas, M. Pallas, A. Camins, J. Camarasa and E. Escubedo (2003). "Different glial response to methamphetamine- and methylenedioxyamphetamine-induced neurotoxicity." *Naunyn Schmiedeberg's Arch Pharmacol* 367(5): 490-9.
- Zacny, J. P., R. M. Virus, et al. (1990). "Tolerance and cross-tolerance to 3,4-methylenedioxyamphetamine (MDMA), methamphetamine and methylenedioxyamphetamine." *Pharmacol Biochem Behav* 35(3): 637-42.

Medical Care

See also Emergency Care

- Albertson, T. E., R. W. Derlet and B. E. Van Hoozen (1999). "Methamphetamine and the expanding complications of amphetamines." *West J Med* 170(4): 214-9.
- Antoniou, T. and A. L. Tseng (2002). "Interactions between recreational drugs and antiretroviral agents." *Ann Pharmacother* 36(10): 1598-1613.
- Cunningham, J. K. and L. M. Liu (2005). "Impacts of federal precursor chemical regulations on methamphetamine arrests." *Addiction* 100(4): 479-88.
- Delgado, J. H., M. J. Caruso, J. C. Waksman, B. Honigman and D. Stillman (2004). "Acute, transient urinary retention from combined ecstasy and methamphetamine use." *J Emerg Med* 26(2): 173-5.
- Duterte, M., S. O'Neil, et al. (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Ellis, R. J., M. E. Childers, et al. (2003). "Increased human immunodeficiency virus loads in active methamphetamine users are explained by reduced effectiveness of antiretroviral therapy." *J Infect Dis* 188(12): 1820-6.
- Freese, T. E., K. Miotto and C. J. Reback (2002). "The effects and consequences of selected club drugs." *J Subst Abuse Treat* 23(2): 151-6.
- Hart, C. L., M. Haney, et al. (2005). "Combined effects of methamphetamine and zolpidem on performance and mood during simulated night shift work." *Pharmacol Biochem Behav* 81(3): 559-68.
- Hart, C. L., A. S. Ward, et al. (2003). "Methamphetamine attenuates disruptions in performance and mood during simulated night-shift work." *Psychopharmacology (Berl)* 169(1): 42-51.
- Heinzerling, K. G., A. H. Kral, et al. (2006). "Unmet need for recommended preventive health services among clients of California syringe exchange programs: Implications for quality improvement." *Drug Alcohol Depend* 81(2): 167-78.
- Horiguchi, T., S. Hori, et al. (1999). "A case of traumatic shock complicated by methamphetamine intoxication." *Intensive Care Med* 25(7): 758-60.
- Jenkins, L. C. and H. B. Graves (1965). "Potential hazards of psychoactive drugs in association with anaesthesia." *Can Anaesth Soc J* 12: 121-8.
- Kresina, T. F., J. Normand, J. Khalsa, J. Mitty, T. Flanigan and H. Francis (2004). "Addressing the need for treatment paradigms for drug-abusing patients with multiple morbidities." *Clin Infect Dis* 38(Suppl 5): S398-401.
- Kohrs, F. P., C. Mann and R. Greenberg (2004). "The use of amphetamine in gamma-hydroxybutyrate overdose: A case report." *J Psychoactive Drugs* 36(3): 401-2.
- Lavoie, G. (1966). "[Hyperpyrexia during general anaesthesia: a case report]." *Can Anaesth Soc J* 13(5): 444-6.
- Reback, C. J., S. Larkins, et al. (2003). "Methamphetamine abuse as a barrier to HIV medication adherence among gay and bisexual men." *AIDS Care* 15(6): 775-85.

- Shoptaw, S., J. Peck, C. J. Reback and E. Rotheram-Fuller (2003). "Psychiatric and substance dependence comorbidities, sexually transmitted diseases, and risk behaviors among methamphetamine-dependent gay and bisexual men seeking outpatient drug abuse treatment." *J Psychoactive Drugs* 35(Suppl 1): 161-8.
- Turnipseed, S. D., J. R. Richards, J. D. Kirk, D. B. Diercks and E. A. Amsterdam (2003). "Frequency of acute coronary syndrome in patients presenting to the emergency department with chest pain after methamphetamine use." *J Emerg Med* 24(4): 369-73.
- Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.
- Warner, P., J. P. Connolly, N. S. Gibran, D. M. Heimbach and L. H. Engrav (2003). "The methamphetamine burn patient." *J Burn Care Rehabil* 24(5): 275-8.

Medical Uses

See also Pharmacokinetics and Pharmacodynamics

- Armstrong, P. A., J. E. Carless, et al. (1973). "The effect of pore size of the inhaler support upon the concentration of volatile drug emerging in the air stream from a nasal inhaler." *J Pharm Pharmacol* 25(1): 35-41.
- Armstrong, P. A., J. E. Carless, et al. (1972). "The influence of the moisture content of the fibrous support of a nasal inhaler upon the concentration of drug in the air stream." *J Pharm Pharmacol* 24(1): 13-9.
- Armstrong, P. A., J. E. Carless, et al. (1971). "The relation between the vapour pressure of a drug and its concentration emerging in the air stream from a nasal inhaler." *J Pharm Pharmacol* 23(7): 473-81.
- Aviado, D. M. (1965). "Pharmacologic Approach to the Treatment of Shock." *Ann Intern Med* 62: 1050-9.
- Carnwath, T., T. Garvey and M. Holland (2002). "The prescription of dexamphetamine to patients with schizophrenia and amphetamine dependence." *J Psychopharmacol* 16(4): 373-7.
- Chorpita, B. F. and J. O. Viesselman (2005). "Staying in the clinical ballpark while running the evidence bases." *J Am Acad Child Adolesc Psychiatry* 44(11): 1193-7.
- Doleys, D. M. (1977). "Behavioral treatments for nocturnal enuresis in children: A review of the recent literature." *Psychol Bull* 84(1): 30-54.
- Ferrando, R. L., E. McCorvey, Jr., et al. (1988). "Bizarre behavior following the ingestion of levo-desoxyephedrine." *Drug Intell Clin Pharm* 22(3): 214-7.
- Fry, J. M. (1998). "Treatment modalities for narcolepsy." *Neurology* 50(2 Suppl 1): S43-8.
- Goldstein, D. J., A. H. Rampey, Jr., et al. (1993). "Analyses of suicidality in double-blind, placebo-controlled trials of pharmacotherapy for weight reduction." *J Clin Psychiatry* 54(8): 309-16.
- Grabowski, J., J. Shearer, J. Merrill and S. S. Negus (2004). "Agonist-like, replacement pharmacotherapy for stimulant abuse and dependence." *Addict Behav* 29(7): 1439-64.
- Herting, R. L. and G. Dillon (1966). "Acute clinical assay for appetite suppression." *J New Drugs* 6(4): 232-6.
- Joffe, G. M. and T. Kasnic (1994). "Medical prescription of dextroamphetamine during pregnancy." *J Perinatol* 14(4): 301-3.
- Kroutil, L. A., D. L. Van Brunt, et al. (2006). "Nonmedical use of prescription stimulants in the United States." *Drug Alcohol Depend.*
- LeRiche, W. H. and A. Csimas (1967). "Trial of appetite suppressant. Study of a short-acting and sustained release appetite suppressant on patients paired by initial weight." *Appl Ther* 9(3): 260-2.
- Linquette, A. and P. Fossati (1971). "[Hunger control with benzphetamine hydrochloride in the treatment of obesity]." *Lille Med* 16: Suppl 2:620-4.
- Matthews, C. (1970). "Overweight relapse: Effects of training and methamphetamine with pentobarbital." *Curr Ther Res Clin Exp* 12(1): 34-9.
- Mitler, M. M. (1993). "Daytime sleepiness and cognitive functioning in sleep apnea." *Sleep* 16(8 Suppl): S68-70.
- Mitler, M. M., M. Erman, et al. (1993). "The treatment of excessive somnolence with stimulant drugs." *Sleep* 16(3): 203-6.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- NTP-CERHR (2005). "NTP-CERHR monograph on the potential human reproductive and developmental effects of amphetamines." *NTP CEHR Mon*(16): i-III1.
- Pope, H. G., Jr. and J. I. Hudson (1986). "Antidepressant drug therapy for bulimia: Current status." *J Clin Psychiatry* 47(7): 339-45.
- Popper, C. W. (1997). "Antidepressants in the treatment of attention-deficit/hyperactivity disorder." *J Clin Psychiatry* 58 Suppl 14: 14-29; discussion 30-1.
- Shearer, J., J. Sherman, et al. (2002). "Substitution therapy for amphetamine users." *Drug Alcohol Rev* 21(2): 179-85.
- Shearer, J., A. Wodak, R. P. Mattick, I. Van Beek, J. Lewis, W. Hall and K. Dolan (2001). "Pilot randomized controlled study of dexamphetamine substitution for amphetamine dependence." *Addiction* 96(9): 1289-96.

- Smirnov, A. V. (1990). "[Psychomotor stimulants as agents for enhancing work capacity]." *Farmakol Toksikol* 53(4): 72-7.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.
- Tolstoi, L. G. (1989). "The role of pharmacotherapy in anorexia nervosa and bulimia." *J Am Diet Assoc* 89(11): 1640-6.
- Yoss, R. E., N. J. Moyer, et al. (1969). "The pupillogram and narcolepsy. A method to measure decreased levels of wakefulness." *Neurology* 19(10): 921-8.
- Yoss, R. E. and D. D. Daly (1968). "On the treatment of narcolepsy." *Med Clin North Am* 52(4): 781-7.
- Young, G. C. and R. T. Morgan (1973). "Rapidly of response to the treatment of enuresis." *Dev Med Child Neurol* 15(4): 488-96.
- Young, G. C. and R. K. Turner (1965). "CNS stimulant drugs and conditioning treatment of nocturnal enuresis." *Behav Res Ther* 3(2): 93-101.
- Young, H. B. (1963). "Treatment of hiccup." *Br Med J* 5329: 543-4.

Memory

See also Cognitive Performance; Learning (animals)

- Bechara, A., S. Dolan, et al. (2001). "Decision-making deficits, linked to a dysfunctional ventromedial prefrontal cortex, revealed in alcohol and stimulant abusers." *Neuropsychologia* 39(4): 376-89.
- Lundqvist, T. (2005). "Cognitive consequences of cannabis use: Comparison with abuse of stimulants and heroin with regard to attention, memory and executive functions." *Pharmacol Biochem Behav* 81(2): 319-30.
- McKetin, R. and R. P. Mattick (1998). "Attention and memory in illicit amphetamine users: Comparison with non-drug-using controls." *Drug Alcohol Depend* 50(2): 181-4.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Nordahl, T. E., R. Salo, et al. (2003). "Neuropsychological effects of chronic methamphetamine use on neurotransmitters and cognition: a review." *J Neuropsychiatry Clin Neurosci* 15(3): 317-25.
- Sim, T., S. L. Simon, et al. (2002). "Cognitive deficits among methamphetamine users with attention deficit hyperactivity disorder symptomatology." *J Addict Dis* 21(1): 75-89.
- Woods, S. P., J. D. Rippeth, et al. (2005). "Deficient strategic control of verbal encoding and retrieval in individuals with methamphetamine dependence." *Neuropsychology* 19(1): 35-43.

Men

See Gay Men/Men who Have Sex with Men; Gender Factors; Heterosexuals; and other populations

Mental Health and Illness

See also Cognitive Performance; Depression; Mood; Psychosis

- Baker, A. and S. Dawe (2005). "Amphetamine use and co-occurring psychological problems: Review of the literature and implications for treatment." *Australian Psychologist* 40(2): 88-95.
- Baker, A., N. K. Lee, et al. (2004). "Drug use patterns and mental health of regular amphetamine users during a reported 'heroin drought'." *Addiction* 99(7): 875-84.
- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Caetano, R. and C. Weisner (1995). "The association between DSM-III-R alcohol dependence, psychological distress and drug use." *Addiction* 90(3): 351-9.
- Camacho, A. and H. S. Akiskal (2005). "Proposal for a bipolar-stimulant spectrum: Temperament, diagnostic validation and therapeutic outcomes with mood stabilizers." *J Affect Disord* 85(1-2): 217-30.
- Carnwath, T., T. Garvey and M. Holland (2002). "The prescription of dexamphetamine to patients with schizophrenia and amphetamine dependence." *J Psychopharmacol* 16(4): 373-7.
- Chen, C. K., S. K. Lin, et al. (2005). "Morbid risk for psychiatric disorder among the relatives of methamphetamine users with and without psychosis." *Am J Med Genet B Neuropsychiatr Genet* 136(1): 87-91.
- Chen, C. K., X. Hu, et al. (2004). "Association analysis of dopamine D2-like receptor genes and methamphetamine abuse." *Psychiatr Genet* 14(4): 223-226.

- Chen, C. K., S. K. Lin, et al. (2003). "Pre-morbid characteristics and co-morbidity of methamphetamine users with and without psychosis." *Psychol Med* 33(8): 1407-14.
- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Farrell, M., J. Marsden, et al. (2002). "Methamphetamine: Drug use and psychoses becomes a major public health issue in the Asia Pacific region." *Addiction* 97(7): 771-2.
- Gunter, T. D., D. W. Black, et al. (2004). "Drug and alcohol treatment services effective for methamphetamine abuse." *Ann Clin Psychiatry* 16(4): 195-200.
- Iwanami, A., D. Kuwakado, et al. (1997). "Relapse of panic disorder induced by a single intravenous methamphetamine injection." *J Anxiety Disord* 11(1): 113-6.
- John, D., C. F. Kwiatkowski, et al. (2001). "Differences among out-of-treatment drug injectors who use stimulants only, opiates only or both: implications for treatment entry." *Drug Alcohol Depend* 64(2): 165-72.
- Jones, K. (2005). "Methamphetamine, the brain, HIV, and mental health." *Focus* 20(6): 1-5.
- Halkitis, P. N. and M. T. Shrem (2005). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav*.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Kalechstein, A. D., T. F. Newton, et al. (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Kresina, T. F., J. Normand, J. Khalsa, J. Mitty, T. Flanigan and H. Francis (2004). "Addressing the need for treatment paradigms for drug-abusing patients with multiple morbidities." *Clin Infect Dis* 38(Suppl 5): S398-401.
- Kushel, M. B., J. A. Hahn, et al. (2005). "Revolving doors: Imprisonment among the homeless and marginally housed population." *Am J Public Health* 95(10): 1747-52.
- Leamon, M. H., D. R. Gibson, R. D. Canning and L. Benjamin (2002). "Hospitalization of patients with cocaine and amphetamine use disorders from a psychiatric emergency service." *Psychiatr Serv* 53(11): 1461-6.
- Lehmann, H. E. and T. A. Ban (1971). "Effects of psychoactive drugs on conflict avoidance behavior in human subjects." *Act Nerv Super (Praha)* 13(2): 82-5.
- Lehmann, H. E., P. Black, et al. (1970). "The effect of psychostimulants on psychometric test performance with special reference to conflict avoidance behavior." *Curr Ther Res Clin Exp* 12(6): 390-3.
- Lin, S. K., D. Ball, et al. (2004). "Psychiatric comorbidity and gender differences of persons incarcerated for methamphetamine abuse in Taiwan." *Psychiatry Clin Neurosci* 58(2): 206-12.
- Maxwell, J. C. and R. T. Spence (2005). "Profiles of club drug users in treatment." *Subst Use Misuse* 40(9): 1409-26.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Nagata, T., J. Oshima, et al. (2003). "Repetitive self-mutilation among Japanese eating disorder patients with drug use disorder: Comparison with patients with methamphetamine use disorder." *J Nerv Ment Dis* 191(5): 319-23.
- Riehm, K. S., M. Y. Iguchi and M. D. Anglin (2002). "Depressive symptoms among amphetamine and cocaine users before and after substance abuse treatment." *Psychol Addict Behav* 16(4): 333-7.
- Rothman, R. B., B. E. Blough and M. H. Baumann (2002). "Appetite suppressants as agonist substitution therapies for stimulant dependence." *Ann N Y Acad Sci* 965: 109-26.
- Sekine, Y., Y. Minabe, Y. Ouchi, N. Takei, M. Iyo, K. Nakamura, K. Suzuki, H. Tsukada, H. Okada, E. Yoshikawa, M. Futatsubashi and N. Mori (2003). "Association of dopamine transporter loss in the orbitofrontal and dorsolateral prefrontal cortices with methamphetamine-related psychiatric symptoms." *Am J Psychiatry* 160(9): 1699-701.
- Sekine, Y., M. Iyo, Y. Ouchi, T. Matsunaga, H. Tsukada, H. Okada, E. Yoshikawa, M. Futatsubashi, N. Takei and N. Mori (2001). "Methamphetamine-related psychiatric symptoms and reduced brain dopamine transporters studied with PET." *Am J Psychiatry* 158(8): 1206-14.
- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.
- Shoptaw, S., J. Peck, C. J. Reback and E. Rotheram-Fuller (2003). "Psychiatric and substance dependence comorbidities, sexually transmitted diseases, and risk behaviors among methamphetamine-dependent gay and bisexual men seeking outpatient drug abuse treatment." *J Psychoactive Drugs* 35(Suppl 1): 161-8.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Soellner, R. (2005). "Club drug use in Germany." *Subst Use Misuse* 40(9): 1279-93.

- Wada, K., S. B. Greberman, et al. (1999). "HIV and HCV infection among drug users in Japan." *Addiction* 94(7): 1063-9.
- Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.
- Yamashita, I., T. Moroji, et al. (1969). "Neuroendocrinological studies in mental disorders and psychotropic drugs. I. On the circadian rhythm of the plasma adrenocortical hormone in mental patients and methamphetamine- and chlorpromazine-treated animals." *Folia Psychiatr Neurol Jpn* 23(2): 143-58.
- Yen, C. F. and M. Y. Chong (2006). "Comorbid psychiatric disorders, sex, and methamphetamine use in adolescents: A case-control study." *Compr Psychiatry* 47(3): 215-20.
- Yen, C. F. and Y. C. Su (2006). "The associations of early-onset methamphetamine use with psychiatric morbidity among Taiwanese adolescents." *Subst Use Misuse* 41(1): 35-44.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.
- Yui, K., T. Ishiguro, et al. (1997). "Precipitating factors in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 134(3): 303-8.
- Zweben, J. E., J. B. Cohen, et al. (2004). "Psychiatric symptoms in methamphetamine users." *Am J Addict* 13(2): 181-90.

Metabolic Acidosis

- Burchell, S. A., H. C. Ho, M. Yu and D. R. Margulies (2000). "Effects of methamphetamine on trauma patients: A cause of severe metabolic acidosis?" *Crit Care Med* 28(6): 2112-5.
- Horiguchi, T., S. Hori, et al. (1999). "A case of traumatic shock complicated by methamphetamine intoxication." *Intensive Care Med* 25(7): 758-60.

Methamphetamine, Medical Uses for

See Medical Uses

Methamphetamine Abstinence Syndrome

See also Former Methamphetamine Users

- Kalechstein, A. D., T. F. Newton and M. Green (2003). "Methamphetamine dependence is associated with neurocognitive impairment in the initial phases of abstinence." *J Neuropsychiatry Clin Neurosci* 15(2): 215-20.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Prefrontal grey-matter changes in short-term and long-term abstinent methamphetamine abusers." *Int J Neuropsychopharmacol*: 1-8.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Frontal glucose hypometabolism in abstinent methamphetamine users." *Neuropsychopharmacology* 30(7): 1383-91.
- London, E. D., S. L. Simon, S. M. Berman, M. A. Mandelkern, A. M. Lichtman, J. Bramen, A. K. Shinn, K. Miotto, J. Learn, Y. Dong, J. A. Matochik, V. Kurian, T. Newton, R. Woods, R. Rawson and W. Ling (2004). "Mood disturbances and regional cerebral metabolic abnormalities in recently abstinent methamphetamine abusers." *Arch Gen Psychiatry* 61(1): 73-84.
- Newton, T. F., A. D. Kalechstein, S. Duran, N. Vansluis and W. Ling (2004). "Methamphetamine abstinence syndrome: Preliminary findings." *Am J Addict* 13(3): 248-55.

Methamphetamine Laboratories and Manufacture

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.
- Anglin, M. D., C. Burke, et al. (2000). "History of the methamphetamine problem." *J Psychoactive Drugs* 32(2): 137-41.
- Anonymous (2005). "Anhydrous ammonia thefts and releases associated with illicit methamphetamine production--16 states, January 2000-June 2004." *MMWR Morb Mortal Wkly Rep* 54(14): 359-61.
- Anonymous (2005). "Acute public health consequences of methamphetamine laboratories--16 states, January 2000-June 2004." *MMWR Morb Mortal Wkly Rep* 54(14): 356-9.
- Anonymous (2000). "Public health consequences among first responders to emergency events associated with illicit methamphetamine laboratories--selected states, 1996-1999." *MMWR Morb Mortal Wkly Rep* 49(45): 1021-4.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Burgess, J. L., D. F. Kovalchick, et al. (2002). "Medical surveillance of clandestine drug laboratory investigators." *J Occup Environ Med* 44(2): 184-9.

- Burgess, J. L. (2001). "Phosphine exposure from a methamphetamine laboratory investigation." *J Toxicol Clin Toxicol* 39(2): 165-8.
- Burgess, J. L., S. Barnhart, et al. (1996). "Investigating clandestine drug laboratories: Adverse medical effects in law enforcement personnel." *Am J Ind Med* 30(4): 488-94.
- Burton, B. T. (1991). "Heavy metal and organic contaminants associated with illicit methamphetamine production." *NIDA Res Monogr* 115: 47-59.
- Caldicott, D. G., P. E. Pigou, et al. (2005). "Clandestine drug laboratories in Australia and the potential for harm." *Aust N Z J Public Health* 29(2): 155-62.
- Charukamnoetkanok, P. and M. D. Wagoner (2004). "Facial and ocular injuries associated with methamphetamine production accidents." *Am J Ophthalmol* 138(5): 875-6.
- Colker, A. C. (2005). "Restricting the sale of pseudoephedrine to prevent methamphetamine production." *NCSL Legisbrief* 13(7): 1-2.
- Danks, R. R., L. A. Wibbenmeyer, et al. (2004). "Methamphetamine-associated burn injuries: A retrospective analysis." *J Burn Care Rehabil* 25(5): 425-9.
- Dayrit, F. M. and M. C. Dumlao (2004). "Impurity profiling of methamphetamine hydrochloride drugs seized in the Philippines." *Forensic Sci Int* 144(1): 29-36.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Frank, R. S. (1983). "The clandestine drug laboratory situation in the United States." *J Forensic Sci* 28(1): 18-31.
- Friese, G. (2006). "The methamphetamine crisis. What EMS providers need to know to stay safe and treat patients." *Emerg Med Serv* 35(3): 55-64.
- Hohman, M., R. Oliver, et al. (2004). "Methamphetamine abuse and manufacture: The child welfare response." *Soc Work* 49(3): 373-81.
- Irvine, G. D. and L. Chin (1991). "The environmental impact and adverse health effects of the clandestine manufacture of methamphetamine." *NIDA Res Monogr* 115: 33-46.
- Knops, L. A., D. M. Northrop, et al. (2006). "Capillary electrophoretic analysis of phosphorus species in clandestine methamphetamine laboratory samples." *J Forensic Sci* 51(1): 82-6.
- Lambrechts, M. and K. E. Rasmussen (1984). "Leuckart-specific impurities in amphetamine and methamphetamine seized in Norway." *Bull Narc* 36(1): 47-57.
- Lee, J. H., C. L. Farley, C. D. Brodrick and P. H. Blomquist (2003). "Anhydrous ammonia eye injuries associated with illicit methamphetamine production." *Ann Emerg Med* 41(1): 157.
- Lineberry, T. W. and J. M. Bostwick (2006). "Methamphetamine abuse: A perfect storm of complications." *Mayo Clin Proc* 81(1): 77-84.
- Marris, E. (2005). "Police urge speedy action to clean up home drug factories." *Nature* 434(7030): 129.
- Mecham, N. and J. Melini (2002). "Unintentional victims: Development of a protocol for the care of children exposed to chemicals at methamphetamine laboratories." *Pediatr Emerg Care* 18(4): 327-32.
- Mitka, M. (2005). "Meth lab fires put heat on burn centers." *JAMA* 294(16): 2009-10.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Person, E. C., J. A. Meyer, et al. (2005). "Structural determination of the principal byproduct of the lithium-ammonia reduction method of methamphetamine manufacture." *J Forensic Sci* 50(1): 87-95.
- Puder, K. S., D. V. Kagan, et al. (1988). "Illicit methamphetamine: analysis, synthesis, and availability." *Am J Drug Alcohol Abuse* 14(4): 463-73.
- Santos, A. P., A. K. Wilson, et al. (2005). "Methamphetamine laboratory explosions: A new and emerging burn injury." *J Burn Care Rehabil* 26(3): 228-32.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Sudakin, D. L. (2005). "Occupational exposure to aluminium phosphide and phosphine gas? A suspected case report and review of the literature." *Hum Exp Toxicol* 24(1): 27-33.
- Tanne, J. H. (2006). "Methamphetamine epidemic hits middle America." *BMJ* 332(7538): 382.
- Willers-Russo, L. J. (1999). "Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing." *J Forensic Sci* 44(3): 647-52.
- Windahl, K. L., M. J. McTigue, et al. (1995). "Investigation of the impurities found in methamphetamine synthesised from pseudoephedrine by reduction with hydriodic acid and red phosphorus." *Forensic Sci Int* 76(2): 97-114.

Methamphetamine Psychosis

See Psychosis

Methamphetamine Toxicity

See Neurotoxicity; Neurotoxicity (animals)

Methamphetamine Trafficking

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Inoue, H., T. Kanamori, et al. (2003). "Methamphetamine impurity profiling using a 0.32 mm i.d. nonpolar capillary column." *Forensic Sci Int* 135(1): 42-7.
- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.
- Puder, K. S., D. V. Kagan, et al. (1988). "Illicit methamphetamine: analysis, synthesis, and availability." *Am J Drug Alcohol Abuse* 14(4): 463-73.
- Senjo, S. R. (2005). "Trafficking in meth: An analysis of the differences between male and female dealers." *J Drug Educ* 35(1): 59-77.

Mexico

- Strathdee, S. A., W. D. Fraga, et al. (2005). "'Vivo para consumirla y la consumo para vivir" ["I live to inject and inject to live"]: High-risk injection behaviors in Tijuana, Mexico." *J Urban Health* 82(3 Suppl 4): iv58-73.
- Viani, R. M., M. R. Araneta, et al. (2006). "Perinatal HIV counseling and rapid testing in Tijuana, Baja California, Mexico: Seroprevalence and correlates of HIV infection." *J Acquir Immune Defic Syndr* 41(1): 87-92.

Miami

- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.
- Fernandez, M. I., L. M. Varga, T. Perrino, J. B. Collazo, F. Subiaul, A. Rehbein, H. Torres, M. Castro and G. S. Bowen (2004). "The Internet as recruitment tool for HIV studies: Viable strategy for reaching at-risk Hispanic MSM in Miami?" *AIDS Care* 16(8): 953-63.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

Michigan

- Lin, S. J., S. Y. Crawford, et al. (2005). "Trend and area variation in amphetamine prescription usage among children and adolescents in Michigan." *Soc Sci Med* 60(3): 617-26.

Milwaukee

- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the Healthy Living Project." *J Acquir Immune Defic Syndr* 40(2): 226-235.

Minnesota

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Monoamine Transporter Function and Depletion

- Daberkow, D. P., R. P. Kesner, et al. (2005). "Relation between methamphetamine-induced monoamine depletions in the striatum and sequential motor learning." *Pharmacol Biochem Behav* 81(1): 198-204.
- Fleckenstein, A. E., J. W. Gibb, et al. (2000). "Differential effects of stimulants on monoaminergic transporters: pharmacological consequences and implications for neurotoxicity." *Eur J Pharmacol* 406(1): 1-13.
- Friedman, S. D., E. Castaneda, et al. (1998). "Long-term monoamine depletion, differential recovery, and subtle behavioral impairment following methamphetamine-induced neurotoxicity." *Pharmacol Biochem Behav* 61(1): 35-44.
- Fuller, R. W. (1978). "Structure-activity relationships among the halogenated amphetamines." *Ann N Y Acad Sci* 305: 147-59.
- Kubota, Y., C. Ito, et al. (2002). "Increased methamphetamine-induced locomotor activity and behavioral sensitization in histamine-deficient mice." *J Neurochem* 83(4): 837-45.
- Youdim, M. B., W. Maruyama, et al. (2005). "Neuropharmacological, neuroprotective and amyloid precursor processing properties of selective MAO-B inhibitor antiparkinsonian drug, rasagiline." *Drugs Today (Barc)* 41(6): 369-91.

Montana

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Garfein, R. S., W. A. Bower, et al. (2004). "Factors associated with fulminant liver failure during an outbreak among injection drug users with acute hepatitis B." *Hepatology* 40(4): 865-73.
- Huber, A., R. H. Lord, et al. (2000). "The CSAT methamphetamine treatment program: Research design accommodations for "real world" application." *J Psychoactive Drugs* 32(2): 149-56.
- Rawson, R. A., P. Marinelli-Casey, et al. (2004). "A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence." *Addiction* 99(6): 708-17.

Mood

- Angrist, B., J. Corwin, et al. (1987). "Early pharmacokinetics and clinical effects of oral D-amphetamine in normal subjects." *Biol Psychiatry* 22(11): 1357-68.
- Brauer, L. H., J. Ambre, et al. (1996). "Acute tolerance to subjective but not cardiovascular effects of d-amphetamine in normal, healthy men." *J Clin Psychopharmacol* 16(1): 72-6.
- Brauer, L. H. and H. de Wit (1996). "Subjective responses to d-amphetamine alone and after pimozide pretreatment in normal, healthy volunteers." *Biol Psychiatry* 39(1): 26-32.
- Camacho, A. and H. S. Akiskal (2005). "Proposal for a bipolar-stimulant spectrum: Temperament, diagnostic validation and therapeutic outcomes with mood stabilizers." *J Affect Disord* 85(1-2): 217-30.
- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: a preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Comer, S. D., C. L. Hart, et al. (2001). "Effects of repeated oral methamphetamine administration in humans." *Psychopharmacology (Berl)* 155(4): 397-404.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- de Wit, H., M. Clark, et al. (1997). "Effects of d-amphetamine in grouped versus isolated humans." *Pharmacol Biochem Behav* 57(1-2): 333-40.
- Hart, C. L., M. Haney, et al. (2005). "Combined effects of methamphetamine and zolpidem on performance and mood during simulated night shift work." *Pharmacol Biochem Behav* 81(3): 559-68.
- Harris, D. S., V. I. Reus, et al. (2003). "Altering cortisol level does not change the pleasurable effects of methamphetamine in humans." *Neuropsychopharmacology* 28(9): 1677-84.
- Hart, C. L., A. S. Ward, M. Haney, J. Nasser and R. W. Foltin (2003). "Methamphetamine attenuates disruptions in performance and mood during simulated night-shift work." *Psychopharmacology (Berl)* 169(1): 42-51. Epub 2003 May 07.
- Hart, C. L., M. Haney, et al. (2002). "Effects of the NMDA antagonist memantine on human methamphetamine discrimination." *Psychopharmacology (Berl)* 164(4): 376-84.
- Hart, C. L., A. S. Ward, et al. (2001). "Methamphetamine self-administration by humans." *Psychopharmacology (Berl)* 157(1): 75-81.
- Iwanami, A., D. Kuwakado, et al. (1997). "Relapse of panic disorder induced by a single intravenous methamphetamine injection." *J Anxiety Disord* 11(1): 113-6.
- Johanson, C. E. and E. H. Uhlenhuth (1980). "Drug preference and mood in humans: d-amphetamine." *Psychopharmacology (Berl)* 71(3): 275-9.

- Johnson, B. A., J. D. Roache, et al. (1999). "Isradipine, a dihydropyridine-class calcium channel antagonist, attenuates some of d-methamphetamine's positive subjective effects: A preliminary study." *Psychopharmacology (Berl)* 144(3): 295-300.
- London, E. D., S. L. Simon, et al. (2004). "Mood disturbances and regional cerebral metabolic abnormalities in recently abstinent methamphetamine abusers." *Arch Gen Psychiatry* 61(1): 73-84.
- Mayfield, D. G. (1973). "The effect of intravenous methamphetamine on mood." *Int J Addict* 8(3): 565-8.
- Nakatani, Y. and T. Hara (1998). "Disturbance of consciousness due to methamphetamine abuse. A study of 2 patients." *Psychopathology* 31(3): 131-7.
- Newton, T. F., A. D. Kalechstein, S. Duran, N. Vansluis and W. Ling (2004). "Methamphetamine abstinence syndrome: Preliminary findings." *Am J Addict* 13(3): 248-55.
- Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.
- Perez-Reyes, M., W. R. White, et al. (1991). "Clinical effects of daily methamphetamine administration." *Clin Neuropharmacol* 14(4): 352-8.
- Rothman, R. B., B. E. Blough, et al. (2002). "Appetite suppressants as agonist substitution therapies for stimulant dependence." *Ann N Y Acad Sci* 965: 109-26.
- Rothman, R. B., J. S. Partilla, et al. (2000). "Methamphetamine dependence: Medication development efforts based on the dual deficit model of stimulant addiction." *Ann N Y Acad Sci* 914: 71-81.
- Rothman, R. B., M. H. Baumann, et al. (2001). "Amphetamine-type central nervous system stimulants release norepinephrine more potently than they release dopamine and serotonin." *Synapse* 39(1): 32-41.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Soderpalm, A., L. Nikolayev, et al. (2003). "Effects of stress on responses to methamphetamine in humans." *Psychopharmacology (Berl)* 170(2): 188-99.
- Wachtel, S. R., A. Ortengren, et al. (2002). "The effects of acute haloperidol or risperidone on subjective responses to methamphetamine in healthy volunteers." *Drug Alcohol Depend* 68(1): 23-33.
- Wachtel, S. R. and H. de Wit (1999). "Subjective and behavioral effects of repeated d-amphetamine in humans." *Behav Pharmacol* 10(3): 271-81.
- Zacny, J. P., B. K. Bodker, et al. (1992). "Effects of setting on the subjective and behavioral effects of d-amphetamine in humans." *Addict Behav* 17(1): 27-33.
- Zacny, J. P. and H. de Wit (1989). "Effects of food deprivation on subjective responses to d-amphetamine in humans." *Pharmacol Biochem Behav* 34(4): 791-5.
- Zweben, J. E., J. B. Cohen, et al. (2004). "Psychiatric symptoms in methamphetamine users." *Am J Addict* 13(2): 181-90.

Mortality, Methamphetamine-Associated

- Bailey, D. N. and R. F. Shaw (1989). "Cocaine- and methamphetamine-related deaths in San Diego County (1987): Homicides and accidental overdoses." *J Forensic Sci* 34(2): 407-22.
- Bartu, A., N. C. Freeman, et al. (2004). "Mortality in a cohort of opiate and amphetamine users in Perth, Western Australia." *Addiction* 99(1): 53-60.
- Berankova, K., V. Habrdova, et al. (2005). "Methamphetamine in hair and interpretation of forensic findings in a fatal case." *Forensic Sci Int* 153(1): 93-7.
- Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.
- Cheng, J. Y., D. T. Chan, et al. (2005). "An epidemiological study on alcohol/drugs related fatal traffic crash cases of deceased drivers in Hong Kong between 1996 and 2000." *Forensic Sci Int* 153(2-3): 196-201.
- Chung, H., M. Park, et al. (2004). "Recent trends of drug abuse and drug-associated deaths in Korea." *Ann N Y Acad Sci* 1025: 458-64.
- Chung, H. (1998). "Drug abuse trends and epidemiological aspects of drug associated deaths in Korea." *J Toxicol Sci* 23 Suppl 2: 197-200.
- Concheiro, M., A. D. Castro, et al. (2006). "Determination of drugs of abuse and their metabolites in human plasma by liquid chromatography-mass spectrometry An application to 156 road fatalities." *J Chromatogr B Analyt Technol Biomed Life Sci*.
- Crouch, D. J., M. M. Birky, et al. (1993). "The prevalence of drugs and alcohol in fatally injured truck drivers." *J Forensic Sci* 38(6): 1342-53.
- Davis, G. G. and C. I. Swalwell (1996). "The incidence of acute cocaine or methamphetamine intoxication in deaths due to ruptured cerebral (berry) aneurysms." *J Forensic Sci* 41(4): 626-8.

- Davis, G. G. and C. I. Swalwell (1994). "Acute aortic dissections and ruptured berry aneurysms associated with methamphetamine abuse." *J Forensic Sci* 39(6): 1481-5.
- Demetriades, D., G. Gkiokas, et al. (2004). "Alcohol and illicit drugs in traumatic deaths: Prevalence and association with type and severity of injuries." *J Am Coll Surg* 199(5): 687-92.
- Drummer, O. H., J. Gerostamoulos, et al. (2003). "The incidence of drugs in drivers killed in Australian road traffic crashes." *Forensic Sci Int* 134(2-3): 154-62.
- Fukunaga, T., Y. Mizoi, et al. (1987). "Methamphetamine concentrations in blood, urine, and organs of fatal cases after abuse." *Nippon Hoigaku Zasshi* 41(4): 328-34.
- Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.
- Inoue, H., N. Ikeda, et al. (2006). "Methamphetamine-related sudden death with a concentration which was of a 'toxic level'." *Leg Med (Tokyo)*.
- Ishigami, A., S. Kubo, et al. (2003). "The application of immunohistochemical findings in the diagnosis in methamphetamine-related death-two forensic autopsy cases." *J Med Invest* 50(1-2): 112-6.
- Karch, S. B., B. G. Stephens, et al. (1999). "Methamphetamine-related deaths in San Francisco: Demographic, pathologic, and toxicologic profiles." *J Forensic Sci* 44(2): 359-68.
- Katsumata, S., K. Sato, et al. (1993). "Sudden death due presumably to internal use of methamphetamine." *Forensic Sci Int* 62(3): 209-15.
- Logan, B. K. (2001). "Amphetamines: An update on forensic issues." *J Anal Toxicol* 25(5): 400-4.
- Logan, B. K., C. L. Fligner, et al. (1998). "Cause and manner of death in fatalities involving methamphetamine." *J Forensic Sci* 43(1): 28-34.
- Logan, B. K., E. L. Weiss, et al. (1996). "Case report: Distribution of methamphetamine in a massive fatal ingestion." *J Forensic Sci* 41(2): 322-3.
- Molina, N. M. and S. G. Jejurikar (1999). "Toxicological findings in a fatal ingestion of methamphetamine." *J Anal Toxicol* 23(1): 67-8.
- Mori, A., H. Suzuki, et al. (1992). "[Three cases of acute methamphetamine intoxication--Analysis of optically active methamphetamine]." *Nippon Hoigaku Zasshi* 46(4): 266-70.
- Nishida, N., N. Ikeda, et al. (2003). "Sudden unexpected death of a methamphetamine abuser with cardiopulmonary abnormalities: A case report." *Med Sci Law* 43(3): 267-71.
- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.
- Quan, L., T. Ishikawa, et al. (2005). "Ubiquitin-immunoreactive structures in the midbrain of methamphetamine abusers." *Leg Med (Tokyo)* 7(3): 144-50.
- Rajs, J. and B. Falconer (1979). "Cardiac lesions in intravenous drug addicts." *Forensic Sci Int* 13(3): 193-209.
- Shaw, K. P. (1999). "Human methamphetamine-related fatalities in Taiwan during 1991-1996." *J Forensic Sci* 44(1): 27-31.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Sribanditmongkol, P., M. Chokjamsai, et al. (2000). "Methamphetamine overdose and fatality: 2 cases report." *J Med Assoc Thai* 83(9): 1120-3.
- Toupalik, P., H. Vanerkova, et al. (2002). "[Morphologic findings in chronic abuse of heroin and pervitine]." *Soud Lek* 47(1): 5-11.
- Wermuth, L. (2000). "Methamphetamine use: Hazards and social influences." *J Drug Educ* 30(4): 423-33.
- Yamamoto, K., H. Watanabe, et al. (1991). "[3 fatalities after communal use of methamphetamine]." *Arch Kriminol* 188(3-4): 72-6.
- Zalis, E. G. and L. F. Parmley, Jr. (1963). "Fatal Amphetamine Poisoning." *Arch Intern Med* 112: 822-6.
- Zhu, B. L., T. Ishikawa, et al. (2005). "Postmortem cardiac troponin T levels in the blood and pericardial fluid. Part 1. Analysis with special regard to traumatic causes of death." *Leg Med (Tokyo)*.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Motivations for Use

- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Diaz, R. M., A. L. Heckert, et al. (2005). "Reasons for stimulant use among Latino gay men in San Francisco: a comparison between methamphetamine and cocaine users." *J Urban Health* 82(1 Suppl 1): i71-8.
- Halkitis, P. N. and M. T. Shrem (2006). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav* 31(3): 549-52.

- Halkitis, P. N., B. N. Fischgrund, et al. (2005). "Explanations for methamphetamine use among gay and bisexual men in New York City." *Subst Use Misuse* 40(9): 1331-45.
- Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Ross, M. W., A. M. Mattison, et al. (2003). "Club drugs and sex on drugs are associated with different motivations for gay circuit party attendance in men." *Subst Use Misuse* 38(8): 1173-83.
- Schilder, A. J., T. M. Lampinen, et al. (2005). "Crystal methamphetamine and ecstasy differ in relation to unsafe sex among young gay men." *Can J Public Health* 96(5): 340-3.
- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Semple, S. J., T. L. Patterson and I. Grant (2002). "Motivations associated with methamphetamine use among HIV+ men who have sex with men." *J Subst Abuse Treat* 22(3): 149-56.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- von Mayrhauser, C., M. L. Brecht and M. D. Anglin (2002). "Use ecology and drug use motivations of methamphetamine users admitted to substance abuse treatment facilities in Los Angeles: An emerging profile." *J Addict Dis* 21(1): 45-60.

Motor Skills

See Psychomotor Task Performance

Native Americans

- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Garfein, R. S., W. A. Bower, et al. (2004). "Factors associated with fulminant liver failure during an outbreak among injection drug users with acute hepatitis B." *Hepatology* 40(4): 865-73.
- Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.

Nebraska

- Brannan, T. A., S. Soundararajan, et al. (2004). "Methamphetamine-associated shock with intestinal infarction." *MedGenMed* 6(4): 6.

Needle Exchange

See Syringe Exchange and Syringe Access

Netherlands

- Uitermark, J. and P. Cohen (2004). Amphetamine users in Amsterdam: Patterns of use and modes of self-regulation, Centrum voor drugsonderzoek.

Neurological Development and Adaptations

See also Neurotoxicity

- Chang, L., C. Cloak, et al. (2005). "Enlarged striatum in abstinent methamphetamine abusers: A possible compensatory response." *Biol Psychiatry* 57(9): 967-74.
- Chang, L., L. M. Smith, et al. (2004). "Smaller subcortical volumes and cognitive deficits in children with prenatal methamphetamine exposure." *Psychiatry Res* 132(2): 95-106.
- Davies, J. K. and J. M. Bledsoe (2005). "Prenatal alcohol and drug exposures in adoption." *Pediatr Clin North Am* 52(5): 1369-93, vii.
- Frost, D. O. and J. L. Cadet (2000). "Effects of methamphetamine-induced neurotoxicity on the development of neural circuitry: A hypothesis." *Brain Res Brain Res Rev* 34(3): 103-18.

- Jernigan, T. L., A. C. Gamst, et al. (2005). "Effects of methamphetamine dependence and HIV infection on cerebral morphology." *Am J Psychiatry* 162(8): 1461-72.
- Nordahl, T. E., R. Salo, et al. (2005). "Methamphetamine users in sustained abstinence: A proton magnetic resonance spectroscopy study." *Arch Gen Psychiatry* 62(4): 444-52.
- NTP-CERHR (2005). "NTP-CERHR monograph on the potential human reproductive and developmental effects of amphetamines." NTP CEHR Mon(16): i-III1.
- Oh, J. S., I. K. Lyoo, et al. (2005). "Shape changes of the corpus callosum in abstinent methamphetamine users." *Neurosci Lett* 384(1-2): 76-81.
- Powrozek, T. A., Y. Sari, et al. (2004). "Neurotransmitters and substances of abuse: Effects on adult neurogenesis." *Curr Neurovasc Res* 1(3): 251-60.
- Sevarino, K. A., A. Oliveto, et al. (2000). "Neurobiological adaptations to psychostimulants and opiates as a basis of treatment development." *Ann N Y Acad Sci* 909: 51-87.

Neurological Development and Adaptations (animals)

See also Neurotoxicity (animals)

- Bagorda, F., G. Teuchert-Noodt, et al. (2006). "Isolation rearing or methamphetamine traumatization induce a "dysconnection" of prefrontal efferents in gerbils: Implications for schizophrenia." *J Neural Transm* 113(3): 365-79.
- Brady, A. M., S. D. Glick, et al. (2005). "Selective disruption of nucleus accumbens gating mechanisms in rats behaviorally sensitized to methamphetamine." *J Neurosci* 25(28): 6687-95.
- Brummelte, S., T. Grund, et al. (2006). "Long-term effects of a single adult methamphetamine challenge: Minor impact on dopamine fibre density in limbic brain areas of gerbils." *Behav Brain Funct* 2: 12.
- Busche, A., A. Bagorda, et al. (2006). "The maturation of the acetylcholine system in the dentate gyrus of gerbils (*Meriones unguiculatus*) is affected by epigenetic factors." *J Neural Transm* 113(2): 113-24.
- Busche, A., D. Polascheck, et al. (2004). "Developmentally induced imbalance of dopaminergic fibre densities in limbic brain regions of gerbils (*Meriones unguiculatus*)." *J Neural Transm* 111(4): 451-63.
- Busche, A., J. Neddens, et al. (2002). "Differential influence of rearing conditions and methamphetamine on serotonin fibre maturation in the dentate gyrus of gerbils (*Meriones unguiculatus*)." *Dev Neurosci* 24(6): 512-21.
- Chen, P. C. and J. C. Chen (2005). "Enhanced Cdk5 activity and p35 translocation in the ventral striatum of acute and chronic methamphetamine-treated rats." *Neuropsychopharmacology* 30(3): 538-49.
- Gomes-da-Silva, J., R. de Miguel, et al. (2004). "Effects of neonatal exposure to methamphetamine: Catecholamine levels in brain areas of the developing rat." *Ann N Y Acad Sci* 1025: 602-11.
- Gomes-da-Silva, J., A. Perez-Rosado, et al. (2002). "Prenatal exposure to methamphetamine in the rat: Ontogeny of tyrosine hydroxylase mRNA expression in mesencephalic dopaminergic neurons." *Ann N Y Acad Sci* 965: 68-77.
- Gomes-da-Silva, J., A. Perez-Rosado, et al. (2000). "Neonatal methamphetamine in the rat: Evidence for gender-specific differences upon tyrosine hydroxylase enzyme in the dopaminergic nigrostriatal system." *Ann N Y Acad Sci* 914: 431-8.
- Gomes-Da-Silva, J., M. C. Silva, et al. (1998). "Developmental exposure to methamphetamine: A neonatal model in the rat." *Ann N Y Acad Sci* 844: 310-3.
- Jeng, W., A. W. Wong, et al. (2005). "Methamphetamine-enhanced embryonic oxidative DNA damage and neurodevelopmental deficits." *Free Radic Biol Med* 39(3): 317-26.
- Lehmann, K., B. Hundsdoerfer, T. Hartmann and G. Teuchert-Noodt (2004). "The acetylcholine fiber density of the neocortex is altered by isolated rearing and early methamphetamine intoxication in rodents." *Exp Neurol* 189(1): 131-40.
- Lesting, J., J. Neddens, et al. (2005). "Hemisphere-specific effects on serotonin but not dopamine innervation in the nucleus accumbens of gerbils caused by isolated rearing and a single early methamphetamine challenge." *Brain Res* 1035(2): 168-76.
- Narita, M., M. Miyatake, et al. (2006). "Direct evidence of astrocytic modulation in the development of rewarding effects induced by drugs of abuse." *Neuropsychopharmacology*.
- Neddens, J., R. R. Dawirs, et al. (2004). "Postnatal maturation of cortical serotonin lateral asymmetry in gerbils is vulnerable to both environmental and pharmacological epigenetic challenges." *Brain Res* 1021(2): 200-8.
- Neddens, J., F. Bagorda, et al. (2003). "Epigenetic factors differentially influence postnatal maturation of serotonin (5-HT) innervation in cerebral cortex of gerbils: interaction of rearing conditions and early methamphetamine challenge." *Brain Res Dev Brain Res* 146(1-2): 119-30.
- Neddens, J., J. Lesting, et al. (2002). "An early methamphetamine challenge suppresses the maturation of dopamine fibres in the nucleus accumbens of gerbils: On the significance of rearing conditions." *J Neural Transm* 109(2): 141-55.

- NTP-CERHR (2005). "NTP-CERHR monograph on the potential human reproductive and developmental effects of amphetamines." NTP CEHR Mon(16): i-III.
- Ozawa, K., K. Hashimoto, et al. (2006). "Immune activation during pregnancy in mice leads to dopaminergic hyperfunction and cognitive impairment in the offspring: A neurodevelopmental animal model of schizophrenia." *Biol Psychiatry* 59(6): 546-54.
- Slamberova, R., M. Pometlova, et al. (2006). "Postnatal development of rat pups is altered by prenatal methamphetamine exposure." *Prog Neuropsychopharmacol Biol Psychiatry* 30(1): 82-8.
- Slamberova, R. (2005). "Flurothyl seizures susceptibility is increased in prenatally methamphetamine-exposed adult male and female rats." *Epilepsy Res* 65(1-2): 121-4.
- Vorhees, C. V. (1997). "Methods for detecting long-term CNS dysfunction after prenatal exposure to neurotoxins." *Drug Chem Toxicol* 20(4): 387-99.
- Vorhees, C. V., K. G. Ahrens, et al. (1994). "Methamphetamine exposure during early postnatal development in rats: I. Acoustic startle augmentation and spatial learning deficits." *Psychopharmacology (Berl)* 114(3): 392-401.
- Wells, P. G., Y. Bhuller, et al. (2005). "Molecular and biochemical mechanisms in teratogenesis involving reactive oxygen species." *Toxicol Appl Pharmacol* 207(2 Suppl): 354-66.
- Williams, M. T., M. S. Moran, et al. (2004). "Behavioral and growth effects induced by low dose methamphetamine administration during the neonatal period in rats." *Int J Dev Neurosci* 22(5-6): 273-83.
- Williams, M. T., R. W. Brown, et al. (2004). "Neonatal methamphetamine administration induces region-specific long-term neuronal morphological changes in the rat hippocampus, nucleus accumbens and parietal cortex." *Eur J Neurosci* 19(12): 3165-70.
- Williams, M. T., M. S. Moran, et al. (2003). "Refining the critical period for methamphetamine-induced spatial deficits in the Morris water maze." *Psychopharmacology (Berl)* 168(3): 329-38.
- Williams, M. T., T. L. Blankenmeyer, et al. (2003). "Long-term effects of neonatal methamphetamine exposure in rats on spatial learning in the Barnes maze and on cliff avoidance, corticosterone release, and neurotoxicity in adulthood." *Brain Res Dev Brain Res* 147(1-2): 163-75.
- Williams, M. T., C. V. Vorhees, et al. (2002). "Methamphetamine exposure from postnatal day 11 to 20 causes impairments in both behavioral strategies and spatial learning in adult rats." *Brain Res* 958(2): 312-21.
- Williams, M. T., S. L. Inman-Wood, et al. (2000). "Prenatal treatment with methamphetamine induces increases in both corticosterone and ACTH in rats." *Neurotoxicol Teratol* 22(5): 751-9.
- Won, L., N. Bubula, et al. (2002). "Fetal exposure to methamphetamine in utero stimulates development of serotonergic neurons in three-dimensional reaggregate tissue culture." *Synapse* 43(2): 139-44.
- Won, L., P. J. Kontur, et al. (1992). "Acute and persistent effects of methamphetamine on developing monoaminergic neurons in reaggregate tissue culture." *Brain Res* 575(1): 6-12.
- Yamada, K., T. Nagai, et al. (2005). "Drug dependence, synaptic plasticity, and tissue plasminogen activator." *J Pharmacol Sci* 97(2): 157-61.
- Yamamoto, H., K. Imai, et al. (2005). "Methamphetamine modulation of gene expression in the brain: Analysis using customized cDNA microarray system with the mouse homologues of KIAA genes." *Brain Res Mol Brain Res* 137(1-2): 40-6.

Neurotoxicity

- Ajjimaporn, A., J. Swinscoe, et al. (2005). "Metallothionein provides zinc-mediated protective effects against methamphetamine toxicity in SK-N-SH cells." *Brain Res Bull* 67(6): 466-475.
- Ali, S. F., S. Z. Imam, et al. (2005). "Role of peroxynitrite in methamphetamine-induced dopaminergic neurodegeneration and neuroprotection by antioxidants and selective NOS inhibitors." *Ann N Y Acad Sci* 1053: 97-8.
- Anglin, M. D., C. Burke, et al. (2000). "History of the methamphetamine problem." *J Psychoactive Drugs* 32(2): 137-41.
- Asanuma, M. and I. Miyazaki (2005). "[Expression profiling of molecules related to abused drug dependence and toxicity]." *Nippon Yakurigaku Zasshi* 126(1): 30-4, 42.
- Asanuma, M., I. Miyazaki, Y. Higashi, T. Tsuji and N. Ogawa (2004). "Specific gene expression and possible involvement of inflammation in methamphetamine-induced neurotoxicity." *Ann N Y Acad Sci* 1025: 69-75.
- Bae, S. C., I. K. Lyoo, et al. (2006). "Increased white matter hyperintensities in male methamphetamine abusers." *Drug Alcohol Depend* 81(1): 83-8.
- Bowyer, J. F., D. L. Davies, et al. (1994). "Further studies of the role of hyperthermia in methamphetamine neurotoxicity." *J Pharmacol Exp Ther* 268(3): 1571-80.
- Cadet, J. L., S. Jayanthi, et al. (2003). "Speed kills: Cellular and molecular bases of methamphetamine-induced nerve terminal degeneration and neuronal apoptosis." *FASEB J* 17(13): 1775-88.
- Cadet, J. L. and C. Brannock (1998). "Free radicals and the pathobiology of brain dopamine systems." *Neurochem Int* 32(2): 117-31.

- Caligiuri, M. P. and C. Buitenhuis (2005). "Do preclinical findings of methamphetamine-induced motor abnormalities translate to an observable clinical phenotype?" *Neuropsychopharmacology* 30(12): 2125-34.
- Carey, C. L., S. P. Woods, et al. (2006). "Additive deleterious effects of methamphetamine dependence and immunosuppression on neuropsychological functioning in HIV infection." *AIDS Behav* 10(2): 185-90.
- Chang, L., T. Ernst, et al. (2005). "Additive effects of HIV and chronic methamphetamine use on brain metabolite abnormalities." *Am J Psychiatry* 162(2): 361-9.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Davidson, C., A. J. Gow, et al. (2001). "Methamphetamine neurotoxicity: necrotic and apoptotic mechanisms and relevance to human abuse and treatment." *Brain Res Brain Res Rev* 36(1): 1-22.
- Dawson, R., Jr., M. F. Beal, et al. (1995). "Excitotoxins, aging, and environmental neurotoxins: Implications for understanding human neurodegenerative diseases." *Toxicol Appl Pharmacol* 134(1): 1-17.
- Everall, I., S. Salaria, et al. (2005). "Methamphetamine stimulates interferon inducible genes in HIV infected brain." *J Neuroimmunol* 170(1-2): 158-71.
- Frost, D. O. and J. L. Cadet (2000). "Effects of methamphetamine-induced neurotoxicity on the development of neural circuitry: A hypothesis." *Brain Res Brain Res Rev* 34(3): 103-18.
- Gibb, J. W., M. Johnson, et al. (1990). "Neurochemical basis of neurotoxicity." *Neurotoxicology* 11(2): 317-21.
- Golembiowska, K., J. Konieczny, et al. (2002). "The role of striatal metabotropic glutamate receptors in degeneration of dopamine neurons: Review article." *Amino Acids* 23(1-3): 199-205.
- Guilarte, T. R. (2001). "Is methamphetamine abuse a risk factor in parkinsonism?" *Neurotoxicology* 22(6): 725-31.
- Hanson, G. R., K. S. Rau, et al. (2004). "The methamphetamine experience: A NIDA partnership." *Neuropharmacology* 47 Suppl 1: 92-100.
- Heller, A., L. Won, et al. (1995). "Examination of developmental neurotoxicity by the use of tissue culture model systems." *Clin Exp Pharmacol Physiol* 22(5): 375-8.
- Itzhak, Y. and C. Achat-Mendes (2004). "Methamphetamine and MDMA (ecstasy) neurotoxicity: 'Of mice and men'." *IUBMB Life* 56(5): 249-55.
- Kim, D. J., S. Roh, et al. (2005). "High concentrations of plasma brain-derived neurotrophic factor in methamphetamine users." *Neurosci Lett*.
- Kim, S. J., I. K. Lyoo, et al. (2005). "Frontal glucose hypometabolism in abstinent methamphetamine users." *Neuropsychopharmacology* 30(7): 1383-91.
- Kitamura, O., I. Tokunaga, et al. (2006). "Immunohistochemical investigation of dopaminergic terminal markers and caspase-3 activation in the striatum of human methamphetamine users." *Int J Legal Med*.
- Kiyatkin, E. A. (2005). "Brain hyperthermia as physiological and pathological phenomena." *Brain Res Brain Res Rev* 50(1): 27-56.
- Kovacic, P. and A. L. Cooksy (2005). "Unifying mechanism for toxicity and addiction by abused drugs: electron transfer and reactive oxygen species." *Med Hypotheses* 64(2): 357-66.
- Langford, D., A. Adame, A. Grigorian, I. Grant, J. A. McCutchan, R. J. Ellis, T. D. Marcotte and E. Masliah (2003). "Patterns of selective neuronal damage in methamphetamine-user AIDS patients." *J Acquir Immune Defic Syndr* 34(5): 467-74.
- Li, T., C. K. Chen, et al. (2004). "Association analysis of the DRD4 and COMT genes in methamphetamine abuse." *Am J Med Genet* 129B(1): 120-4.
- Lotharius, J., J. Falsig, et al. (2005). "Progressive degeneration of human mesencephalic neuron-derived cells triggered by dopamine-dependent oxidative stress is dependent on the mixed-lineage kinase pathway." *J Neurosci* 25(27): 6329-42.
- McCann, U. D. and G. A. Ricaurte (2004). "Amphetamine neurotoxicity: Accomplishments and remaining challenges." *Neurosci Biobehav Rev* 27(8): 821-6.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Miyatake, M., M. Narita, et al. (2005). "Glutamatergic neurotransmission and protein kinase C play a role in neuron-glia communication during the development of methamphetamine-induced psychological dependence." *Eur J Neurosci* 22(6): 1476-88.
- Nath, A., K. F. Hauser, V. Wojna, R. M. Booze, W. Maragos, M. Prendergast, W. Cass and J. T. Turchan (2002). "Molecular basis for interactions of HIV and drugs of abuse." *J Acquir Immune Defic Syndr* 31 Suppl 2: S62-9.
- Nath, A., C. Anderson, et al. (2000). "Neurotoxicity and dysfunction of dopaminergic systems associated with AIDS dementia." *J Psychopharmacol* 14(3): 222-7.
- Nath, A., W. F. Maragos, M. J. Avison, F. A. Schmitt and J. R. Berger (2001). "Acceleration of HIV dementia with methamphetamine and cocaine." *J Neurovirol* 7(1): 66-71.

- Newton, T. F., A. D. Kalechstein, et al. (2004). "Association between quantitative EEG and neurocognition in methamphetamine-dependent volunteers." *Clin Neurophysiol* 115(1): 194-8.
- Nordahl, T. E., R. Salo, et al. (2003). "Neuropsychological effects of chronic methamphetamine use on neurotransmitters and cognition: a review." *J Neuropsychiatry Clin Neurosci* 15(3): 317-25.
- Quan, L., T. Ishikawa, et al. (2005). "Ubiquitin-immunoreactive structures in the midbrain of methamphetamine abusers." *Leg Med (Tokyo)* 7(3): 144-50.
- Rippeth, J. D., R. K. Heaton, C. L. Carey, T. D. Marcotte, D. J. Moore, R. Gonzalez, T. Wolfson and I. Grant (2004). "Methamphetamine dependence increases risk of neuropsychological impairment in HIV infected persons." *J Int Neuropsychol Soc* 10(1): 1-14.
- Sanga, M., I. R. Younis, et al. (2006). "Epoxidation of the methamphetamine pyrolysis product, trans-phenylpropene, to trans-phenylpropylene oxide by CYP enzymes and stereoselective glutathione adduct formation." *Toxicol Appl Pharmacol* 211(2): 148-56.
- Segura Aguilar, J. and R. M. Kostrzewa (2004). "Neurotoxins and neurotoxic species implicated in neurodegeneration." *Neurotox Res* 6(7-8): 615-30.
- Seiden, L. S. and K. E. Sabol (1996). "Methamphetamine and methylenedioxymethamphetamine neurotoxicity: Possible mechanisms of cell destruction." *NIDA Res Monogr* 163: 251-76.
- Selden, L. S. (1991). "Neurotoxicity of methamphetamine: Mechanisms of action and issues related to aging." *NIDA Res Monogr* 115: 24-32.
- Thompson, P. M., K. M. Hayashi, S. L. Simon, J. A. Geaga, M. S. Hong, Y. Sui, J. Y. Lee, A. W. Toga, W. Ling and E. D. London (2004). "Structural abnormalities in the brains of human subjects who use methamphetamine." *J Neurosci* 24(26): 6028-36.
- Toupalik, P., H. Vanerkova, et al. (2002). "[Morphologic findings in chronic abuse of heroin and pervitine]." *Soud Lek* 47(1): 5-11.
- Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.
- Virmani, A., F. Gaetani, et al. (2005). "Effects of metabolic modifiers such as carnitines, coenzyme Q10, and PUFAs against different forms of neurotoxic insults: Metabolic inhibitors, MPTP, and methamphetamine." *Ann N Y Acad Sci* 1053: 183-91.
- Vorhees, C. V. (1994). "Developmental neurotoxicity induced by therapeutic and illicit drugs." *Environ Health Perspect* 102 Suppl 2: 145-53.
- Wang, G. J., N. D. Volkow, L. Chang, E. Miller, M. Sedler, R. Hitzemann, W. Zhu, J. Logan, Y. Ma and J. S. Fowler (2004). "Partial recovery of brain metabolism in methamphetamine abusers after protracted abstinence." *Am J Psychiatry* 161(2): 242-8.
- Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.
- Wrona, M. Z., Z. Yang, et al. (1997). "Potential new insights into the molecular mechanisms of methamphetamine-induced neurodegeneration." *NIDA Res Monogr* 173: 146-74.

Neurotoxicity (animals)

- Achat-Mendes, C., S. F. Ali, et al. (2005). "Differential effects of amphetamines-induced neurotoxicity on appetitive and aversive Pavlovian conditioning in mice." *Neuropsychopharmacology* 30(6): 1128-37.
- Acikgoz, O., S. Gonenc, et al. (2000). "The effects of single dose of methamphetamine on lipid peroxidation levels in the rat striatum and prefrontal cortex." *Eur Neuropsychopharmacol* 10(5): 415-8.
- Acikgoz, O., S. Gonenc, et al. (1998). "Methamphetamine causes lipid peroxidation and an increase in superoxide dismutase activity in the rat striatum." *Brain Res* 813(1): 200-2.
- Albers, D. S. and P. K. Sonsalla (1995). "Methamphetamine-induced hyperthermia and dopaminergic neurotoxicity in mice: pharmacological profile of protective and nonprotective agents." *J Pharmacol Exp Ther* 275(3): 1104-14.
- Ali, S. F., R. R. Newport, et al. (1995). "Low environmental temperatures or pharmacologic agents that produce hyperthermia decrease methamphetamine neurotoxicity in mice." *Ann N Y Acad Sci* 765: 338.
- Anderson, L. I., R. E. Leipheimer, et al. (2005). "Effects of neonatal and prepubertal hormonal manipulations upon estrogen neuroprotection of the nigrostriatal dopaminergic system within female and male mice." *Neuroscience* 130(2): 369-82.
- Ando, K. (1996). "Test methods for predicting tardive toxicity of therapeutic drugs using laboratory animals." *J Toxicol Sci* 21(1): 105-7.
- Angulo, J. A., N. Angulo and J. Yu (2004). "Antagonists of the neurokinin-1 or dopamine d1 receptors confer protection from methamphetamine on dopamine terminals of the mouse striatum." *Ann N Y Acad Sci* 1025: 171-80.
- Baucum, A. J., 2nd, K. S. Rau, E. L. Riddle, G. R. Hanson and A. E. Fleckenstein (2004). "Methamphetamine increases dopamine transporter higher molecular weight complex formation via a dopamine- and hyperthermia-associated mechanism." *J Neurosci* 24(13): 3436-43.
- Belcher, A. M., J. O'Dell S, et al. (2006). "A sensitizing regimen of methamphetamine causes impairments in a novelty preference task of object recognition." *Behav Brain Res*.

- Belcher, A. M., S. J. O'Dell, et al. (2005). "Impaired object recognition memory following methamphetamine, but not p-chloroamphetamine- or d-amphetamine-induced neurotoxicity." *Neuropsychopharmacology* 30(11): 2026-34.
- Bhatt, S. D. and D. E. Dluzen (2005). "Dopamine transporter function differences between male and female CD-1 mice." *Brain Res* 1035(2): 188-95.
- Bisagno, V., R. Bowman, et al. (2003). "Functional aspects of estrogen neuroprotection." *Endocrine* 21(1): 33-41.
- Booij, J., K. de Bruin, et al. (2006). "Repeated administration of d-amphetamine induces loss of [(123)I]FP-CIT binding to striatal dopamine transporters in rat brain: A validation study." *Nucl Med Biol* 33(3): 409-11.
- Bowyer, J. F., R. R. Holson, D. B. Miller and J. P. O'Callaghan (2001). "Phenobarbital and dizocilpine can block methamphetamine-induced neurotoxicity in mice by mechanisms that are independent of thermoregulation." *Brain Res* 919(1): 179-83.
- Brown, J. M., M. S. Quinton, et al. (2005). "Methamphetamine-induced inhibition of mitochondrial complex II: roles of glutamate and peroxynitrite." *J Neurochem* 95(2): 429-36.
- Brady, A. M., S. D. Glick, et al. (2005). "Selective disruption of nucleus accumbens gating mechanisms in rats behaviorally sensitized to methamphetamine." *J Neurosci* 25(28): 6687-95.
- Brummelte, S., T. Grund, et al. (2006). "Long-term effects of a single adult methamphetamine challenge: Minor impact on dopamine fibre density in limbic brain areas of gerbils." *Behav Brain Funct* 2: 12.
- Byrnes-Blake, K. A., E. M. Laurenzana, et al. (2005). "Monoclonal IgG affinity and treatment time alters antagonism of (+)-methamphetamine effects in rats." *Eur J Pharmacol* 521(1-3): 86-94.
- Cadet, J. L., S. V. Ordonez and J. V. Ordonez (1997). "Methamphetamine induces apoptosis in immortalized neural cells: Protection by the proto-oncogene, bcl-2." *Synapse* 25(2): 176-84.
- Cadet, J. L., S. F. Ali, et al. (1995). "Neurotoxicity, drugs and abuse, and the CuZn-superoxide dismutase transgenic mice." *Mol Neurobiol* 11(1-3): 155-63.
- Callahan, B. T., B. J. Cord, J. Yuan, U. D. McCann and G. A. Ricaurte (2001). "Inhibitors of Na(+)/H(+) and Na(+)/Ca(2+) exchange potentiate methamphetamine-induced dopamine neurotoxicity: Possible role of ionic dysregulation in methamphetamine neurotoxicity." *J Neurochem* 77(5): 1348-62.
- Cappon, G. D., C. Pu and C. V. Vorhees (2000). "Time-course of methamphetamine-induced neurotoxicity in rat caudate-putamen after single-dose treatment." *Brain Res* 863(1-2): 106-11.
- Cappon, G. D., L. L. Morford and C. V. Vorhees (1997). "Ontogeny of methamphetamine-induced neurotoxicity and associated hyperthermic response." *Brain Res Dev Brain Res* 103(2): 155-62.
- Cass, W. A., M. E. Harned, L. E. Peters, A. Nath and W. F. Maragos (2003). "HIV-1 protein tat potentiation of methamphetamine-induced decreases in evoked overflow of dopamine in the striatum of the rat." *Brain Res* 984(1-2): 133-42.
- Clemens, K. J., J. L. Cornish, et al. (2005). "MDMA ('Ecstasy') and methamphetamine combined: Order of administration influences hyperthermic and long-term adverse effects in female rats." *Neuropharmacology* 49(2): 195-207.
- Cloak, C. C., L. Chang, T. Ernst, M. C. Barr, S. Huitron-Resendiz, M. Sanchez-Alavez, T. R. Phillips and S. Henriksen (2004). "Methamphetamine and AIDS: IHMRS studies in a feline model of human disease." *J Neuroimmunol* 147(1-2): 16-20.
- Cosi, C., P. Chopin and M. Marien (1996). "Benzamide, an inhibitor of poly(ADP-ribose) polymerase, attenuates methamphetamine-induced dopamine neurotoxicity in the c57b1/6n mouse." *Brain Res* 735(2): 343-8.
- D'Astous, M., K. R. Mickley, et al. (2006). "Differential protective properties of estradiol and tamoxifen against methamphetamine-induced nigrostriatal dopaminergic toxicity in mice." *Neuroendocrinology* 82(2): 111-120.
- D'Astous, M., T. M. Gajjar, D. E. Dluzen and T. Di Paolo (2004). "Dopamine transporter as a marker of neuroprotection in methamphetamine-lesioned mice treated acutely with estradiol." *Neuroendocrinology* 79(6): 296-304.
- Davidson, C., A. J. Gow, et al. (2001). "Methamphetamine neurotoxicity: necrotic and apoptotic mechanisms and relevance to human abuse and treatment." *Brain Res Brain Res Rev* 36(1): 1-22.
- Di Monte, D. A., J. E. Royland, M. W. Jakowec and J. W. Langston (1996). "Role of nitric oxide in methamphetamine neurotoxicity: Protection by 7-nitroindazole, an inhibitor of neuronal nitric oxide synthase." *J Neurochem* 67(6): 2443-50.
- Dluzen, D. E. and T. J. Salvaterra (2006). "Sex differences in methamphetamine-evoked striatal dopamine output are abolished following gonadectomy: Comparisons with potassium-evoked output and responses in prepubertal mice." *Neuroendocrinology* 82(2): 78-86.
- Dluzen, D. E. (2000). "Neuroprotective effects of estrogen upon the nigrostriatal dopaminergic system." *J Neurocytol* 29(5-6): 387-99.
- Eradiri, O. L. and M. S. Starr (1999). "Striatal dopamine depletion and behavioural sensitization induced by methamphetamine and 3-nitropropionic acid." *Eur J Pharmacol* 386(2-3): 217-26.
- Escubedo, E., C. Chipana, et al. (2005). "Methyllycaconitine prevents methamphetamine-induced effects in mouse striatum: Involvement of {alpha}7 nicotinic receptors." *J Pharmacol Exp Ther* 315(2): 658-67.
- Eyerman, D. J. and B. K. Yamamoto (2005). "Lobeline attenuates methamphetamine-induced changes in vesicular monoamine transporter 2 immunoreactivity and monoamine depletions in the striatum." *J Pharmacol Exp Ther* 312(1): 160-9.

- Flora, G., Y. W. Lee, A. Nath, B. Hennig, W. Maragos and M. Toborek (2003). "Methamphetamine potentiates HIV-1 tat protein-mediated activation of redox-sensitive pathways in discrete regions of the brain." *Exp Neurol* 179(1): 60-70.
- Flora, G., Y. W. Lee, et al. (2002). "Methamphetamine-induced TNF-alpha gene expression and activation of AP-1 in discrete regions of mouse brain: Potential role of reactive oxygen intermediates and lipid peroxidation." *Neuromolecular Med* 2(1): 71-85.
- Fornai, F., P. Lenzi, et al. (2005). "Occurrence of neuronal inclusions combined with increased nigral expression of alpha-synuclein within dopaminergic neurons following treatment with amphetamine derivatives in mice." *Brain Res Bull* 65(5): 405-13.
- Fornai, F., F. Vaglini, et al. (1997). "Species differences in the role of excitatory amino acids in experimental parkinsonism." *Neurosci Biobehav Rev* 21(4): 401-15.
- Friedman, S. D., E. Castaneda, et al. (1998). "Long-term monoamine depletion, differential recovery, and subtle behavioral impairment following methamphetamine-induced neurotoxicity." *Pharmacol Biochem Behav* 61(1): 35-44.
- Fukumura, M., G. D. Cappon, C. Pu, H. W. Broening and C. V. Vorhees (1998). "A single dose model of methamphetamine-induced neurotoxicity in rats: Effects on neostriatal monoamines and glial fibrillary acidic protein." *Brain Res* 806(1): 1-7.
- Fukumura, M., G. D. Cappon, H. W. Broening and C. V. Vorhees (1998). "Methamphetamine-induced dopamine and serotonin reductions in neostriatum are not gender specific in rats with comparable hyperthermic responses." *Neurotoxicol Teratol* 20(4): 441-8.
- Gajjar, T. M., L. I. Anderson and D. E. Dluzen (2003). "Acute effects of estrogen upon methamphetamine induced neurotoxicity of the nigrostriatal dopaminergic system." *J Neural Transm* 110(11): 1215-24.
- Gassen, M., I. Lamensdorf, T. Armony, J. P. Finberg and M. B. Youdim (2003). "Attenuation of methamphetamine induced dopaminergic neurotoxicity by flupirtine: Microdialysis study on dopamine release and free radical generation." *J Neural Transm* 110(2): 171-82.
- Gavrilin, M. A., L. E. Mathes and M. Podell (2002). "Methamphetamine enhances cell-associated feline immunodeficiency virus replication in astrocytes." *J Neurovirol* 8(3): 240-9.
- Gerlach, M. and P. Riederer (1996). "Animal models of Parkinson's disease: An empirical comparison with the phenomenology of the disease in man." *J Neural Transm* 103(8-9): 987-1041.
- Gluck, M. R., L. Y. Moy, et al. (2001). "Parallel increases in lipid and protein oxidative markers in several mouse brain regions after methamphetamine treatment." *J Neurochem* 79(1): 152-60.
- Golembiowska, K., J. Konieczny, S. Wolfarth and K. Ossowska (2003). "Neuroprotective action of MPEP, a selective mGluR5 antagonist, in methamphetamine-induced dopaminergic neurotoxicity is associated with a decrease in dopamine outflow and inhibition of hyperthermia in rats." *Neuropharmacology* 45(4): 484-92.
- Guilarte, T. R., M. K. Nihei, J. L. McGlothlan and A. S. Howard (2003). "Methamphetamine-induced deficits of brain monoaminergic neuronal markers: Distal axotomy or neuronal plasticity." *Neuroscience* 122(2): 499-513.
- Guilarte, T. R. (2001). "Is methamphetamine abuse a risk factor in parkinsonism?" *Neurotoxicology* 22(6): 725-31.
- Hanson, G. R., N. Singh, et al. (1992). "Responses of limbic and extrapyramidal neurotensin systems to stimulants of abuse. Involvement of dopaminergic mechanisms." *Ann N Y Acad Sci* 668: 165-72.
- Harvey, D. C., G. Lacan and W. P. Melegan (2000). "Regional heterogeneity of dopaminergic deficits in vervet monkey striatum and substantia nigra after methamphetamine exposure." *Exp Brain Res* 133(3): 349-58.
- Hashimoto, K., H. Tsukada, S. Nishiyama, D. Fukumoto, T. Kakiuchi, E. Shimizu and M. Iyo (2004). "Effects of N-acetyl-L-cysteine on the reduction of brain dopamine transporters in monkey treated with methamphetamine." *Ann N Y Acad Sci* 1025: 231-5.
- Hayashi, T., H. Hirata, M. Asanuma, B. Ladenheim, L. I. Tsao, J. L. Cadet and T. P. Su (2001). "Delta opioid peptide [D-Ala2, D-Leu5]enkephalin causes a near complete blockade of the neuronal damage caused by a single high dose of methamphetamine: Examining the role of p53." *Synapse* 39(4): 305-12.
- He, J., H. Xu, et al. (2005). "Chronic administration of quetiapine alleviates the anxiety-like behavioural changes induced by a neurotoxic regimen of dl-amphetamine in rats." *Behav Brain Res* 160(1): 178-87.
- He, J., H. Xu, Y. Yang, X. Zhang and X. M. Li (2004). "Neuroprotective effects of olanzapine on methamphetamine-induced neurotoxicity are associated with an inhibition of hyperthermia and prevention of bcl-2 decrease in rats." *Brain Res* 1018(2): 186-92.
- Imam, S. Z., J. Jankovic, et al. (2005). "Nitric oxide mediates increased susceptibility to dopaminergic damage in Nurr1 heterozygous mice." *Faseb J* 19(11): 1441-50.
- Imam, S. Z. and S. F. Ali (2001). "Aging increases the susceptibility to methamphetamine-induced dopaminergic neurotoxicity in rats: Correlation with peroxynitrite production and hyperthermia." *J Neurochem* 78(5): 952-9.
- Imam, S. Z., J. el-Yazal, et al. (2001). "Methamphetamine-induced dopaminergic neurotoxicity: role of peroxynitrite and neuroprotective role of antioxidants and peroxynitrite decomposition catalysts." *Ann N Y Acad Sci* 939: 366-80.
- Imam, S. Z., J. P. Crow, G. D. Newport, F. Islam, W. Slikker, Jr. and S. F. Ali (1999). "Methamphetamine generates peroxynitrite and produces dopaminergic neurotoxicity in mice: Protective effects of peroxynitrite decomposition catalyst." *Brain Res* 837(1-2): 15-21.

- Itzhak, Y. and S. F. Ali (2006). "Role of nitergic system in behavioral and neurotoxic effects of amphetamine analogs." *Pharmacol Ther* 109(1-2): 246-62.
- Itzhak, Y. and C. Achat-Mendes (2004). "Methamphetamine and MDMA (ecstasy) neurotoxicity: 'Of mice and men'." *IUBMB Life* 56(5): 249-55.
- Itzhak, Y. and S. F. Ali (2002). "Behavioral consequences of methamphetamine-induced neurotoxicity in mice: Relevance to the psychopathology of methamphetamine addiction." *Ann N Y Acad Sci* 965: 127-35.
- Itzhak, Y., J. L. Martin and S. F. Ail (2000). "nNOS inhibitors attenuate methamphetamine-induced dopaminergic neurotoxicity but not hyperthermia in mice." *Neuroreport* 11(13): 2943-6.
- Iwashita, A., K. Mihara, S. Yamazaki, S. Matsuura, J. Ishida, H. Yamamoto, K. Hattori, N. Matsuoka and S. Mutoh (2004). "A new poly(ADP-ribose) polymerase inhibitor, FR261529 [2-(4-chlorophenyl)-5-quinoxalinecarboxamide], ameliorates methamphetamine-induced dopaminergic neurotoxicity in mice." *J Pharmacol Exp Ther* 310(3): 1114-24.
- Jayanthi, S., X. Deng, et al. (2005). "Calcineurin/NFAT-induced up-regulation of the Fas ligand/Fas death pathway is involved in methamphetamine-induced neuronal apoptosis." *Proc Natl Acad Sci U S A* 102(3): 868-73.
- Jayanthi, S., X. Deng, et al. (2001). "Methamphetamine causes differential regulation of pro-death and anti-death Bcl-2 genes in the mouse neocortex." *Faseb J* 15(10): 1745-52.
- Jeng, W., A. Ramkissoon, et al. (2006). "Prostaglandin H synthase-catalyzed bioactivation of amphetamines to free radical intermediates that cause CNS regional DNA oxidation and nerve terminal degeneration." *FASEB J* 20(6): 638-50.
- Johnson-Davis, K. L., A. E. Fleckenstein and D. G. Wilkins (2003). "The role of hyperthermia and metabolism as mechanisms of tolerance to methamphetamine neurotoxicity." *Eur J Pharmacol* 482(1-3): 151-4.
- Kita, T., G. C. Wagner, et al. (2003). "Current research on methamphetamine-induced neurotoxicity: animal models of monoamine disruption." *J Pharmacol Sci* 92(3): 178-95.
- Kita, T. and T. Nakashima (2002). "[A recent trend in methamphetamine-induced neurotoxicity]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 22(2): 35-47.
- Kita, T., Y. Matsunari, T. Saraya, K. Shimada, K. O'Hara, K. Kubo, G. C. Wagner and T. Nakashima (2000). "Evaluation of the effects of alpha-phenyl-N-tert-butyl nitron pretreatment on the neurobehavioral effects of methamphetamine." *Life Sci* 67(13): 1559-71.
- Kitanaka, J., N. Kitanaka, et al. (2003). "Chronic methamphetamine administration reduces histamine-stimulated phosphoinositide hydrolysis in mouse frontal cortex." *Biochem Biophys Res Commun* 300(4): 932-7.
- Kiyatkin, E. A. (2005). "Brain hyperthermia as physiological and pathological phenomena." *Brain Res Brain Res Rev* 50(1): 27-56.
- Kleven, M. S. and L. S. Seiden (1992). "Methamphetamine-induced neurotoxicity: structure activity relationships." *Ann N Y Acad Sci* 654: 292-301.
- Koike, K., K. Hashimoto, et al. (2005). "The immunophilin ligand FK506 protects against methamphetamine-induced dopaminergic neurotoxicity in mouse striatum." *Neuropharmacology* 48(3): 391-7.
- Kokoshka, J. M., A. E. Fleckenstein, D. G. Wilkins and G. R. Hanson (2000). "Age-dependent differential responses of monoaminergic systems to high doses of methamphetamine." *J Neurochem* 75(5): 2095-102.
- Kosman, M. E. and D. R. Unna (1968). "Effects of chronic administration of the amphetamines and other stimulants on behavior." *Clin Pharmacol Ther* 9(2): 240-54.
- Kovacic, P. and A. L. Cooksy (2005). "Unifying mechanism for toxicity and addiction by abused drugs: Electron transfer and reactive oxygen species." *Med Hypotheses* 64(2): 357-66.
- Koike, K., K. Hashimoto, et al. (2005). "The immunophilin ligand FK506 protects against methamphetamine-induced dopaminergic neurotoxicity in mouse striatum." *Neuropharmacology* 48(3): 391-7.
- Kuperman, D. I., T. E. Freyaldenhoven, L. C. Schmued and S. F. Ali (1997). "Methamphetamine-induced hyperthermia in mice: Examination of dopamine depletion and heat-shock protein induction." *Brain Res* 771(2): 221-7.
- Ladenheim, B., I. N. Krasnova, X. Deng, J. M. Oyler, A. Poletini, T. H. Moran, M. A. Huestis and J. L. Cadet (2000). "Methamphetamine-induced neurotoxicity is attenuated in transgenic mice with a null mutation for interleukin-6." *Mol Pharmacol* 58(6): 1247-56.
- Lesting, J., J. Neddens, et al. (2005). "Hemisphere-specific effects on serotonin but not dopamine innervation in the nucleus accumbens of gerbils caused by isolated rearing and a single early methamphetamine challenge." *Brain Res* 1035(2): 168-76.
- Liao, P. C., Y. M. Kuo, et al. (2005). "Local proteins associated with methamphetamine-induced nigrostriatal dopaminergic neurotoxicity." *J Neurochem* 95(1): 160-8.
- Lockhart, B., A. Roger, et al. (2005). "In vivo neuroprotective effects of the novel imidazolyl nitron free-radical scavenger (Z)-alpha-[2-thiazol-2-yl]imidazol-4-yl]-N-tert-butyl nitron (S34176)." *Eur J Pharmacol* 511(2-3): 127-36.
- Loonam, T. M., P. A. Noailles, et al. (2003). "Substance P and cholecystokinin regulate neurochemical responses to cocaine and methamphetamine in the striatum." *Life Sci* 73(6): 727-39.

- Maragos, W. F., K. L. Young, J. T. Turchan, M. Guseva, J. R. Pauly, A. Nath and W. A. Cass (2002). "Human immunodeficiency virus-1 tat protein and methamphetamine interact synergistically to impair striatal dopaminergic function." *J Neurochem* 83(4): 955-63.
- Mark, K. A., J. J. Soghomonian, et al. (2004). "High-dose methamphetamine acutely activates the striatonigral pathway to increase striatal glutamate and mediate long-term dopamine toxicity." *J Neurosci* 24(50): 11449-56.
- Matsuzaki, H., K. Namikawa, H. Kiyama, N. Mori and K. Sato (2004). "Brain-derived neurotrophic factor rescues neuronal death induced by methamphetamine." *Biol Psychiatry* 55(1): 52-60.
- McKinney, P. E., C. Tomaszewski, et al. (1994). "Methamphetamine toxicity prevented by activated charcoal in a mouse model." *Ann Emerg Med* 24(2): 220-3.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Meredith, G. E., T. Farrell, et al. (1999). "Immunocytochemical characterization of catecholaminergic neurons in the rat striatum following dopamine-depleting lesions." *Eur J Neurosci* 11(10): 3585-96.
- Metzger, R. R., H. M. Haughey, D. G. Wilkins, J. W. Gibb, G. R. Hanson and A. E. Fleckenstein (2000). "Methamphetamine-induced rapid decrease in dopamine transporter function: Role of dopamine and hyperthermia." *J Pharmacol Exp Ther* 295(3): 1077-85.
- Mickley, K. R. and D. E. Dluzen (2004). "Dose-response effects of estrogen and tamoxifen upon methamphetamine-induced behavioral responses and neurotoxicity of the nigrostriatal dopaminergic system in female mice." *Neuroendocrinology* 79(6): 305-16.
- Miller, D. B., S. F. Ali, et al. (1998). "The impact of gender and estrogen on striatal dopaminergic neurotoxicity." *Ann N Y Acad Sci* 844: 153-65.
- Miyazaki, I., M. Asanuma, et al. (2006). "Methamphetamine-induced dopaminergic neurotoxicity is regulated by quinone formation-related molecules." *Faseb J*.
- Morton, A. J., M. A. Hickey, et al. (2001). "Methamphetamine toxicity in mice is potentiated by exposure to loud music." *Neuroreport* 12(15): 3277-81.
- Moszczynska, A., S. Turenne, et al. (1998). "Rat striatal levels of the antioxidant glutathione are decreased following binge administration of methamphetamine." *Neurosci Lett* 255(1): 49-52.
- Nakajima, A., K. Yamada, T. Nagai, T. Uchiyama, Y. Miyamoto, T. Mamiya, J. He, A. Nitta, M. Mizuno, M. H. Tran, A. Seto, M. Yoshimura, K. Kitaichi, T. Hasegawa, K. Saito, Y. Yamada, M. Seishima, K. Sekikawa, H. C. Kim and T. Nabeshima (2004). "Role of tumor necrosis factor-alpha in methamphetamine-induced drug dependence and neurotoxicity." *J Neurosci* 24(9): 2212-25.
- Neddens, J., J. Lesting, et al. (2002). "An early methamphetamine challenge suppresses the maturation of dopamine fibres in the nucleus accumbens of gerbils: On the significance of rearing conditions." *J Neural Transm* 109(2): 141-55.
- O'Dell, S. J. and J. F. Marshall (2005). "Neurotoxic regimens of methamphetamine induce persistent expression of phospho-c-Jun in somatosensory cortex and substantia nigra." *Synapse* 55(3): 137-47.
- Ohmori, T., T. Abekawa, et al. (1996). "The role of glutamate in behavioral and neurotoxic effects of methamphetamine." *Neurochem Int* 29(3): 301-7.
- Pontieri, F. E., A. M. Crane, et al. (1990). "Metabolic mapping of the effects of intravenous methamphetamine administration in freely moving rats." *Psychopharmacology (Berl)* 102(2): 175-82.
- Pubill, D., C. Chipana, et al. (2005). "Free radical production induced by methamphetamine in rat striatal synaptosomes." *Toxicol Appl Pharmacol* 204(1): 57-68.
- Pubill, D., A. M. Canudas, M. Pallas, A. Camins, J. Camarasa and E. Escubedo (2003). "Different glial response to methamphetamine- and methylenedioxymethamphetamine-induced neurotoxicity." *Naunyn Schmiedebergs Arch Pharmacol* 367(5): 490-9.
- Pubill, D., E. Verdaguer, et al. (2002). "Carnosine prevents methamphetamine-induced gliosis but not dopamine terminal loss in rats." *Eur J Pharmacol* 448(2-3): 165-8.
- Ricaurte, G. A. and U. D. McCann (1992). "Neurotoxic amphetamine analogues: effects in monkeys and implications for humans." *Ann N Y Acad Sci* 648: 371-82.
- Robinson, T. E., E. Castaneda, et al. (1990). "Compensatory changes in striatal dopamine neurons following recovery from injury induced by 6-OHDA or methamphetamine: A review of evidence from microdialysis studies." *Can J Psychol* 44(2): 253-75.
- Sabol, K. E., J. T. Roach, S. L. , C. Ferreira and M. M. Preau (2001). "Long-term effects of a high-dose methamphetamine regimen on subsequent methamphetamine-induced dopamine release in vivo." *Brain Res* 892(1): 122-9.
- Sabol, K. E., J. B. Richards, et al. (2000). "The effects of high-dose methamphetamine in the aging rat: Differential reinforcement of low-rate 72-s schedule behavior and neurochemistry." *J Pharmacol Exp Ther* 294(3): 850-63.
- Sanchez, V., M. Zeini, J. Camarero, E. O'Shea, L. Bosca, A. R. Green and M. I. Colado (2003). "The nNOS inhibitor, AR-R17477AR, prevents the loss of NF68 immunoreactivity induced by methamphetamine in the mouse striatum." *J Neurochem* 85(2): 515-24.
- Schuster, C. R. and M. W. Fischman (1975). "Amphetamine toxicity: Behavioral and neuropathological indexes." *Fed Proc* 34(9): 1845-51.

- Segal, D. S., R. Kuczenski, et al. (2005). "Prolonged exposure of rats to intravenous methamphetamine: Behavioral and neurochemical characterization." *Psychopharmacology (Berl)* 180(3): 501-12.
- Segal, D. S., R. Kuczenski, et al. (2003). "Escalating dose methamphetamine pretreatment alters the behavioral and neurochemical profiles associated with exposure to a high-dose methamphetamine binge." *Neuropsychopharmacology* 28(10): 1730-40.
- Seiden, L. S. and K. E. Sabol (1996). "Methamphetamine and methylenedioxymethamphetamine neurotoxicity: Possible mechanisms of cell destruction." *NIDA Res Monogr* 163: 251-76.
- Seiden, L. S., D. L. Commins, et al. (1988). "Neurotoxicity in dopamine and 5-hydroxytryptamine terminal fields: A regional analysis in nigrostriatal and mesolimbic projections." *Ann N Y Acad Sci* 537: 161-72.
- Seiden, L. S. and M. S. Kleven (1989). "Methamphetamine and related drugs: toxicity and resulting behavioral changes in response to pharmacological probes." *NIDA Res Monogr* 94: 146-60.
- Sriram, K., D. B. Miller, et al. (2006). "Minocycline attenuates microglial activation but fails to mitigate striatal dopaminergic neurotoxicity: Role of tumor necrosis factor- α ." *J Neurochem* 96(3): 706-18.
- Sriram, K., S. A. Benkovic, D. B. Miller and J. P. O'Callaghan (2002). "Obesity exacerbates chemically induced neurodegeneration." *Neuroscience* 115(4): 1335-46.
- Sonsalla, P. K., D. S. Albers, et al. (1998). "Role of glutamate in neurodegeneration of dopamine neurons in several animal models of parkinsonism." *Amino Acids* 14(1-3): 69-74.
- Sonsalla, P. K. (1995). "The role of N-methyl-D-aspartate receptors in dopaminergic neuropathology produced by the amphetamines." *Drug Alcohol Depend* 37(2): 101-5.
- Sonsalla, P. K., A. Giovanni, et al. (1992). "Characteristics of dopaminergic neurotoxicity produced by MPTP and methamphetamine." *Ann N Y Acad Sci* 648: 229-38.
- Staszewski, R. D. and B. K. Yamamoto (2006). "Methamphetamine-induced spectrin proteolysis in the rat striatum." *J Neurochem* 96(5): 1267-76.
- Stephans, S. E., T. S. Whittingham, A. J. Douglas, W. D. Lust and B. K. Yamamoto (1998). "Substrates of energy metabolism attenuate methamphetamine-induced neurotoxicity in striatum." *J Neurochem* 71(2): 613-21.
- Terleckyj, I. and P. K. Sonsalla (1994). "The sigma receptor ligand (+/-)-BMY 14802 prevents methamphetamine-induced dopaminergic neurotoxicity via interactions at dopamine receptors." *J Pharmacol Exp Ther* 269(1): 44-50.
- Teuchert-Noodt, G. and R. R. Dawirs (1991). "Age-related toxicity in prefrontal cortex and caudate-putamen complex of gerbils (*Meriones unguiculatus*) after a single dose of methamphetamine." *Neuropharmacology* 30(7): 733-43.
- Theodore, S., W. A. Cass, et al. (2006). "Methamphetamine and human immunodeficiency virus protein Tat synergize to destroy dopaminergic terminals in the rat striatum." *Neuroscience* 137(3): 925-35.
- Thiriet, N., X. Deng, et al. (2005). "Neuropeptide Y protects against methamphetamine-induced neuronal apoptosis in the mouse striatum." *J Neurosci* 25(22): 5273-9.
- Thomas, D. M. and D. M. Kuhn (2005). "MK-801 and dextromethorphan block microglial activation and protect against methamphetamine-induced neurotoxicity." *Brain Res* 1050(1-2): 190-8.
- Thomas, D. M. and D. M. Kuhn (2005). "Cyclooxygenase-2 is an obligatory factor in methamphetamine-induced neurotoxicity." *J Pharmacol Exp Ther* 313(2): 870-6.
- Thomas, D. M. and D. M. Kuhn (2005). "Attenuated microglial activation mediates tolerance to the neurotoxic effects of methamphetamine." *J Neurochem* 92(4): 790-7.
- Tolwani, R. J., M. W. Jakowec, et al. (1999). "Experimental models of Parkinson's disease: Insights from many models." *Lab Anim Sci* 49(4): 363-71.
- Tomas-Camardiel, M., M. C. Sanchez-Hidalgo, M. J. Sanchez del Pino, A. Navarro, A. Machado and J. Cano (2002). "Comparative study of the neuroprotective effect of dehydroepiandrosterone and 17 β -estradiol against 1-methyl-4-phenylpyridium toxicity on rat striatum." *Neuroscience* 109(3): 569-84.
- Truong, J. G., D. G. Wilkins, et al. (2005). "Age-dependent methamphetamine-induced alterations in vesicular monoamine transporter-2 function: Implications for neurotoxicity." *J Pharmacol Exp Ther* 314(3): 1087-92.
- Virmani, A., F. Gaetani, et al. (2003). "Possible mechanism for the neuroprotective effects of L-carnitine on methamphetamine-evoked neurotoxicity." *Ann N Y Acad Sci* 993: 197-207; discussion 287-8.
- Virmani, A., F. Gaetani, S. Imam, Z. Binienda and S. Ali (2002). "The protective role of L-carnitine against neurotoxicity evoked by drug of abuse, methamphetamine, could be related to mitochondrial dysfunction." *Ann N Y Acad Sci* 965: 225-32.
- Vorhees, C. V. and C. Pu (1995). "Ontogeny of methamphetamine-induced neurotoxicity in the rat model." *NIDA Res Monogr* 158: 149-71.
- Vilagi, I., J. Takacs, A. Gulyas-Kovacs, I. Banczerowski-Pelyhe and I. Tarnawa (2002). "Protective effect of the antiepileptic drug candidate talampanel against ampa-induced striatal neurotoxicity in neonatal rats." *Brain Res Bull* 59(1): 35-40.

- Virmani, A., F. Gaetani, et al. (2003). "Possible mechanism for the neuroprotective effects of L-carnitine on methamphetamine-evoked neurotoxicity." *Ann N Y Acad Sci* 993: 197-207; discussion 287-8.
- Vorhees, C. V. (1994). "Developmental neurotoxicity induced by therapeutic and illicit drugs." *Environ Health Perspect* 102 Suppl 2: 145-53.
- Wagner, G. C. and S. L. Walsh (1991). "Evaluation of the effects of inhibition of monoamine oxidase and senescence on methamphetamine-induced neuronal damage." *Int J Dev Neurosci* 9(2): 171-4.
- Wakayama, A., K. Kataoka, et al. (1993). "Evaluation of masked neurological disorders in the chronic stage after middle cerebral artery occlusion in rats--methamphetamine-induced rotation and regional glucose metabolism in basal ganglia." *Neurol Med Chir (Tokyo)* 33(12): 801-8.
- Wallace, T. L., G. A. Gudelsky, et al. (2001). "Neurotoxic regimen of methamphetamine produces evidence of behavioral sensitization in the rat." *Synapse* 39(1): 1-7.
- Wallace, T. L., G. A. Gudelsky, et al. (1999). "Methamphetamine-induced neurotoxicity alters locomotor activity, stereotypic behavior, and stimulated dopamine release in the rat." *J Neurosci* 19(20): 9141-8.
- Wardas, J. (2002). "Neuroprotective role of adenosine in the CNS." *Pol J Pharmacol* 54(4): 313-26.
- Warren, M. W., F. H. Kobeissy, et al. (2005). "Concurrent calpain and caspase-3 mediated proteolysis of alphaII-spectrin and tau in rat brain after methamphetamine exposure: A similar profile to traumatic brain injury." *Life Sci* 78(3): 301-9.
- Watanabe, T. (1997). "[Histaminergic neuron system and neural plasticity]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 17(4): 169-73.
- Weissman, B. A., R. Brandeis, et al. (2004). "Monitoring drug-induced neurodegeneration by imaging of peripheral benzodiazepine receptors." *Ann N Y Acad Sci* 1025: 584-9.
- Wells, P. G., Y. Bhuller, et al. (2005). "Molecular and biochemical mechanisms in teratogenesis involving reactive oxygen species." *Toxicol Appl Pharmacol* 207(2 Suppl): 354-66.
- Wilhelm, C. J., R. A. Johnson, et al. (2006). "Hydrogen ion concentration differentiates effects of methamphetamine and dopamine on transporter-mediated efflux." *J Neurochem*.
- Williams, M. T., T. L. Blankenmeyer, et al. (2003). "Long-term effects of neonatal methamphetamine exposure in rats on spatial learning in the Barnes maze and on cliff avoidance, corticosterone release, and neurotoxicity in adulthood." *Brain Res Dev Brain Res* 147(1-2): 163-75.
- Witkin, J. M., N. Savtchenko, et al. (1999). "Behavioral, toxic, and neurochemical effects of sydnocarb, a novel psychomotor stimulant: comparisons with methamphetamine." *J Pharmacol Exp Ther* 288(3): 1298-310.
- Woolverton, W. L., G. A. Ricaurte, et al. (1989). "Long-term effects of chronic methamphetamine administration in rhesus monkeys." *Brain Res* 486(1): 73-8.
- Wrona, M. Z., Z. Yang, et al. (1997). "Potential new insights into the molecular mechanisms of methamphetamine-induced neurodegeneration." *NIDA Res Monogr* 173: 146-74.
- Xie, T., U. D. McCann, S. Kim, J. Yuan and G. A. Ricaurte (2000). "Effect of temperature on dopamine transporter function and intracellular accumulation of methamphetamine: Implications for methamphetamine-induced dopaminergic neurotoxicity." *J Neurosci* 20(20): 7838-45.
- Xu, W., J. P. Zhu, et al. (2005). "Induction of striatal pre- and postsynaptic damage by methamphetamine requires the dopamine receptors." *Synapse* 58(2): 110-21.
- Yang, J. (2004). "[The study developments about changes of methamphetamine-induced genes' transcriptions and translations]." *Fa Yi Xue Za Zhi* 20(3): 185-8.
- Yang, Z., M. Z. Wrona, et al. (1997). "5-hydroxy-3-ethylamino-2-oxindole is not formed in rat brain following a neurotoxic dose of methamphetamine: Evidence that methamphetamine does not induce the hydroxyl radical-mediated oxidation of serotonin." *J Neurochem* 68(5): 1929-41.
- Yamamoto, B. K. and W. Zhu (1998). "The effects of methamphetamine on the production of free radicals and oxidative stress." *J Pharmacol Exp Ther* 287(1): 107-14.
- Youdim, M. B., O. Bar Am, et al. (2005). "Rasagiline: Neurodegeneration, neuroprotection, and mitochondrial permeability transition." *J Neurosci Res* 79(1-2): 172-9.
- Youdim, M. B., W. Maruyama, et al. (2005). "Neuropharmacological, neuroprotective and amyloid precursor processing properties of selective MAO-B inhibitor antiparkinsonian drug, rasagiline." *Drugs Today (Barc)* 41(6): 369-91.
- Yu, J., J. Wang, et al. (2004). "Histological evidence supporting a role for the striatal neurokinin-1 receptor in methamphetamine-induced neurotoxicity in the mouse brain." *Brain Res* 1007(1-2): 124-31.
- Yu, J., S. Allison, et al. (2002). "Ontogeny of neurokinin-1 receptor mediation of methamphetamine neurotoxicity in the striatum of the mouse brain." *Ann N Y Acad Sci* 965: 247-53.
- Yu, J., J. L. Cadet, et al. (2002). "Neurokinin-1 (NK-1) receptor antagonists abrogate methamphetamine-induced striatal dopaminergic neurotoxicity in the murine brain." *J Neurochem* 83(3): 613-22.

- Yu, L., C. F. Cherng and C. Chen (2002). "Melatonin in concentrated ethanol and ethanol alone attenuate methamphetamine-induced dopamine depletions in C57BL/6J mice." *J Neural Transm* 109(12): 1477-90.
- Yu, L., Y. Kuo, et al. (2002). "Ovarian hormones do not attenuate methamphetamine-induced dopaminergic neurotoxicity in mice gonadectomized at 4 weeks postpartum." *Neuroendocrinology* 75(5): 282-7.
- Yu, J., J. L. Cadet and J. A. Angulo (2002). "Neurokinin-1 (NK-1) receptor antagonists abrogate methamphetamine-induced striatal dopaminergic neurotoxicity in the murine brain." *J Neurochem* 83(3): 613-22.
- Yu, L., Y. M. Kuo, et al. (2001). "Opioid peptides alleviated while naloxone potentiated methamphetamine-induced striatal dopamine depletion in mice." *J Neural Transm* 108(11): 1231-7.
- Yu, L. and P. C. Liao (2000). "Estrogen and progesterone distinctively modulate methamphetamine-induced dopamine and serotonin depletions in C57BL/6J mice." *J Neural Transm* 107(10): 1139-47.
- Yu, Y. L. and G. C. Wagner (1994). "Influence of gonadal hormones on sexual differences in sensitivity to methamphetamine-induced neurotoxicity." *J Neural Transm Park Dis Dement Sect* 8(3): 215-21.
- Yuan, J., G. Hatzidimitriou, et al. (2006). "Relationship between temperature, dopaminergic neurotoxicity, and plasma drug concentrations in methamphetamine-treated squirrel monkeys." *J Pharmacol Exp Ther* 316(3): 1210-8.
- Yuan, J., B. T. Callahan, et al. (2001). "Evidence against an essential role of endogenous brain dopamine in methamphetamine-induced dopaminergic neurotoxicity." *J Neurochem* 77(5): 1338-47.
- Zhou, J. L., J. H. Liang, et al. (2004). "Nerve growth factor protects R2 cells against neurotoxicity induced by methamphetamine." *Toxicol Lett* 150(2): 221-7.
- Zhou, J. L., J. H. Liang, et al. (2004). "Inhibition of methamphetamine-induced apoptosis by the calcium channel blocker verapamil in rat cerebellar neurons." *Beijing Da Xue Xue Bao* 36(4): 361-5.
- Zhu, J. P., W. Xu, et al. (2006). "Methamphetamine-induced striatal apoptosis in the mouse brain: Comparison of a binge to an acute bolus drug administration." *Neurotoxicology* 27(1): 131-6.
- Zhu, J. P., W. Xu, et al. (2005). "Disparity in the temporal appearance of methamphetamine-induced apoptosis and depletion of dopamine terminal markers in the striatum of mice." *Brain Res* 1049(2): 171-81.

Nevada

- Cunningham, J. K. and L. M. Liu (2005). "Impacts of federal precursor chemical regulations on methamphetamine arrests." *Addiction* 100(4): 479-88.

New Jersey

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

New Mexico

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

New York City

- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: a preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Clatts, M. C., L. A. Goldsamt, et al. (2005). "Club drug use among young men who have sex with men in NYC: A preliminary epidemiological profile." *Subst Use Misuse* 40(9): 1317-30.
- Goldsamt, L. A., J. O'Brien, et al. (2005). "The relationship between club drug use and other drug use: A survey of New York City middle school students." *Subst Use Misuse* 40(9): 1539-55.
- Halkitis, P. N. and J. J. Palamar (2006). "GHB use among gay and bisexual men." *Addict Behav*.
- Halkitis, P. N. and M. T. Shrem (2006). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav* 31(3): 549-52.
- Halkitis, P. N., B. N. Fischgrund, et al. (2005). "Explanations for methamphetamine use among gay and bisexual men in New York City." *Subst Use Misuse* 40(9): 1331-45.
- Halkitis, P. N., K. A. Green, et al. (2005). "Seroconcordant sexual partnerings of HIV-seropositive men who have sex with men." *AIDS* 19: S77-S86.

- Halkitis, P. N., K. A. Green, et al. (2005). "Longitudinal investigation of methamphetamine use among gay and bisexual men in New York City: Findings from Project BUMPS." *J Urban Health* 82(1 Suppl 1): i18-25.
- Halkitis, P. N., M. T. Shrem, et al. (2005). "Sexual behavior patterns of methamphetamine-using gay and bisexual men." *Subst Use Misuse* 40(5): 703-19.
- Halkitis, P. N. and M. T. Shrem (2005). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav.*
- Halkitis, P. N., L. Wilton, et al. (2005). "Barebacking identity among HIV-positive gay and bisexual men: Demographic, psychological, and behavioral correlates." *AIDS* 19: S27-S35.
- Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.
- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the healthy living project." *J Acquir Immune Defic Syndr* 40(2): 226-235.
- Ompad, D. C., S. Galea, et al. (2004). "Club drug use among minority substance users in New York City." *J Psychoactive Drugs* 36(3): 397-9.
- Purcell, D. W., S. Moss, et al. (2005). "Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: Differences by serostatus of casual partners." *AIDS* 19: S37-S47.
- Purcell, D. W., J. T. Parsons, P. N. Halkitis, Y. Mizuno and W. J. Woods (2001). "Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men." *J Subst Abuse* 13(1-2): 185-200.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

New York State (excluding New York City)

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Guharoy, R., J. Medicis, S. Chol, B. Stalder, K. Kusiowski and A. Allen (1999). "Methamphetamine overdose: Experience with six cases." *Vet Hum Toxicol* 41(1): 28-30.

New Zealand

- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Wilkins, C., M. Pledger, K. Bhatta and S. Casswell (2004). "Patterns of amphetamine use in New Zealand: Findings from the 2001 national drug survey." *N Z Med J* 117(1190): U796.
- Wilkins, C., K. Bhatta and S. Casswell (2002). "The emergence of amphetamine use in New Zealand: Findings from the 1998 and 2001 national drug surveys." *N Z Med J* 115(1166): U256.

Nicotine and Tobacco

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Doudet, D. J. and J. E. Holden (2003). "Sequential versus nonsequential measurement of density and affinity of dopamine d2 receptors with [¹¹C]raclopride: Effect of methamphetamine." *J Cereb Blood Flow Metab* 23(12): 1489-94.
- Hiranita, T., K. Anggadiredja, C. Fujisaki, S. Watanabe and T. Yamamoto (2004). "Nicotine attenuates relapse to methamphetamine-seeking behavior (craving) in rats." *Ann N Y Acad Sci* 1025: 504-7.

Night Shifts

- Hart, C. L., M. Haney, et al. (2005). "Combined effects of methamphetamine and zolpidem on performance and mood during simulated night shift work." *Pharmacol Biochem Behav* 81(3): 559-68.
- Hart, C. L., A. S. Ward, M. Haney, J. Nasser and R. W. Foltin (2003). "Methamphetamine attenuates disruptions in performance and mood during simulated night-shift work." *Psychopharmacology (Berl)* 169(1): 42-51. Epub 2003 May 07.

Norepinephrine

- Dryhurst, G. (2001). "Are dopamine, norepinephrine, and serotonin precursors of biologically reactive intermediates involved in the pathogenesis of neurodegenerative brain disorders?" *Adv Exp Med Biol* 500: 373-96.

- Iwabuchi, K., Y. Kubota, et al. (2004). "Methamphetamine and brain histamine: A study using histamine-related gene knockout mice." *Ann N Y Acad Sci* 1025: 129-34.
- Rothman, R. B., M. H. Baumann, et al. (2001). "Amphetamine-type central nervous system stimulants release norepinephrine more potently than they release dopamine and serotonin." *Synapse* 39(1): 32-41.
- Rothman, R. B., J. S. Partilla, M. H. Baumann, C. M. Dersch, F. I. Carroll and K. C. Rice (2000). "Neurochemical neutralization of methamphetamine with high-affinity nonselective inhibitors of biogenic amine transporters: A pharmacological strategy for treating stimulant abuse." *Synapse* 35(3): 222-7.
- Shepard, J. D., J. M. Bossert, S. Y. Liu and Y. Shaham (2004). "The anxiogenic drug yohimbine reinstates methamphetamine seeking in a rat model of drug relapse." *Biol Psychiatry* 55(11): 1082-9.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-433.
- Yamanaka, Y., T. Yamamoto, et al. (1983). "Methamphetamine-induced behavioral effects and releases of brain catecholamines and brain concentrations of methamphetamine in mice." *Jpn J Pharmacol* 33(1): 33-40.
- Yui, K., K. Goto and S. Ikemoto (2004). "The role of noradrenergic and dopaminergic hyperactivity in the development of spontaneous recurrence of methamphetamine psychosis and susceptibility to episode recurrence." *Ann N Y Acad Sci* 1025: 296-306.
- Yui, K., K. Goto, et al. (2000). "Increased sensitivity to stress in spontaneous recurrence of methamphetamine psychosis: noradrenergic hyperactivity with contribution from dopaminergic hyperactivity." *J Clin Psychopharmacol* 20(2): 165-74.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.
- Yui, K., K. Goto, et al. (1997). "Noradrenergic activity and spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 44(2-3): 183-7.

North Dakota

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Norway

- Christoffersen, A. S. (2000). "Amphetamine designer drugs - An overview and epidemiology." *Toxicol Lett* 112-113: 127-31.
- Grinde, B., K. Stene-Johansen, et al. (1997). "Characterisation of an epidemic of hepatitis A virus involving intravenous drug abusers--infection by needle sharing?" *J Med Virol* 53(1): 69-75.
- Gustavsen, I., J. Morland, et al. (2005). "Impairment related to blood amphetamine and/or methamphetamine concentrations in suspected drugged drivers." *Accid Anal Prev*.
- Lambrechts, M. and K. E. Rasmussen (1984). "Leuckart-specific impurities in amphetamine and methamphetamine seized in Norway." *Bull Narc* 36(1): 47-57.

Nutrition

- Duterte, M., S. O'Neil, et al. (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Virmani, A., F. Gaetani, et al. (2005). "Effects of metabolic modifiers such as carnitines, coenzyme Q10, and PUFAs against different forms of neurotoxic insults: Metabolic inhibitors, MPTP, and methamphetamine." *Ann N Y Acad Sci* 1053: 183-91.

Obesity

- Bray, G. A. (1993). "Use and abuse of appetite-suppressant drugs in the treatment of obesity." *Ann Intern Med* 119(7 Pt 2): 707-13.
- Herting, R. L. and G. Dillon (1966). "Acute clinical assay for appetite suppression." *J New Drugs* 6(4): 232-6.
- LeRiche, W. H. and A. Csima (1967). "Trial of appetite suppressant. Study of a short-acting and sustained release appetite suppressant on patients paired by initial weight." *Appl Ther* 9(3): 260-2.
- Matthews, C. (1970). "Overweight relapse: Effects of training and methamphetamine with pentobarbital." *Curr Ther Res Clin Exp* 12(1): 34-9.
- Wang, G. J., N. D. Volkow, et al. (2004). "Similarity between obesity and drug addiction as assessed by neurofunctional imaging: a concept review." *J Addict Dis* 23(3): 39-53.

Obesity (animals)

Sriram, K., S. A. Benkovic, D. B. Miller and J. P. O'Callaghan (2002). "Obesity exacerbates chemically induced neurodegeneration." *Neuroscience* 115(4): 1335-46.

Occupational Exposure

Anonymous (2005). "Anhydrous ammonia thefts and releases associated with illicit methamphetamine production--16 states, January 2000-June 2004." *MMWR Morb Mortal Wkly Rep* 54(14): 359-61.

Anonymous (2000). "Public health consequences among first responders to emergency events associated with illicit methamphetamine laboratories--selected states, 1996-1999." *MMWR Morb Mortal Wkly Rep* 49(45): 1021-4.

Burgess, J. L., S. Barnhart, et al. (1996). "Investigating clandestine drug laboratories: Adverse medical effects in law enforcement personnel." *Am J Ind Med* 30(4): 488-94.

Sudakin, D. L. (2005). "Occupational exposure to aluminium phosphide and phosphine gas? A suspected case report and review of the literature." *Hum Exp Toxicol* 24(1): 27-33.

Ohio

McCaughan, J. A., R. G. Carlson, et al. (2005). "From "Candy Kids" to "Chemi-Kids": A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9): 1503-23.

Siegal, H. A., P. J. Draus, et al. (2006). "Perspectives on health among adult users of illicit stimulant drugs in rural Ohio." *J Rural Health* 22(2): 169-73.

Oklahoma

Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.

Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Harkess, J., B. Gildon, et al. (1989). "Outbreaks of hepatitis A among illicit drug users, Oklahoma, 1984-87." *Am J Public Health* 79(4): 463-6.

Opioid Receptors

Mori, T., S. Ito, et al. (2006). "Effects of mu-, delta- and kappa-opioid receptor agonists on methamphetamine-induced self-injurious behavior in mice." *Eur J Pharmacol* 532(1-2): 81-87.

Opioids

See Heroin and Other Opioids

Oral Administration

Angrist, B., J. Corwin, et al. (1987). "Early pharmacokinetics and clinical effects of oral D-amphetamine in normal subjects." *Biol Psychiatry* 22(11): 1357-68.

Brauer, L. H., J. Ambre, et al. (1996). "Acute tolerance to subjective but not cardiovascular effects of d-amphetamine in normal, healthy men." *J Clin Psychopharmacol* 16(1): 72-6.

Brauer, L. H. and H. de Wit (1996). "Subjective responses to d-amphetamine alone and after pimozide pretreatment in normal, healthy volunteers." *Biol Psychiatry* 39(1): 26-32.

Comer, S. D., C. L. Hart, et al. (2001). "Effects of repeated oral methamphetamine administration in humans." *Psychopharmacology (Berl)* 155(4): 397-404.

de Wit, H., M. Clark, et al. (1997). "Effects of d-amphetamine in grouped versus isolated humans." *Pharmacol Biochem Behav* 57(1-2): 333-40.

Grady, T. A., A. Broocks, et al. (1996). "Biological and behavioral responses to D-amphetamine, alone and in combination with the serotonin₃ receptor antagonist ondansetron, in healthy volunteers." *Psychiatry Res* 64(1): 1-10.

Hart, C. L., A. S. Ward, et al. (2001). "Methamphetamine self-administration by humans." *Psychopharmacology (Berl)* 157(1): 75-81.

- Johanson, C. E. and E. H. Uhlenhuth (1980). "Drug preference and mood in humans: d-amphetamine." *Psychopharmacology (Berl)* 71(3): 275-9.
- Katsumata, S., K. Sato, et al. (1993). "Sudden death due presumably to internal use of methamphetamine." *Forensic Sci Int* 62(3): 209-15.
- Logan, B. K., E. L. Weiss, et al. (1996). "Case report: Distribution of methamphetamine in a massive fatal ingestion." *J Forensic Sci* 41(2): 322-3.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Perez-Reyes, M., W. R. White, et al. (1991). "Clinical effects of daily methamphetamine administration." *Clin Neuropharmacol* 14(4): 352-8.
- Stitzer, M. L., R. R. Griffiths, et al. (1978). "Effects of d-amphetamine on speaking in isolated humans." *Pharmacol Biochem Behav* 9(1): 57-63.
- Zacny, J. P., B. K. Bodker, et al. (1992). "Effects of setting on the subjective and behavioral effects of d-amphetamine in humans." *Addict Behav* 17(1): 27-33.
- Zacny, J. P. and H. de Wit (1989). "Effects of food deprivation on subjective responses to d-amphetamine in humans." *Pharmacol Biochem Behav* 34(4): 791-5.

Oral Health

See Dental and Oral Health

Oregon

- Anonymous (1990). "From the Centers for Disease Control. Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *JAMA* 263(6): 797-8.
- Anonymous (1989). "Lead poisoning associated with intravenous-methamphetamine use--Oregon, 1988." *MMWR Morb Mortal Wkly Rep* 38(48): 830-1.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.

Overdose

See also Mortality, Methamphetamine-Associated

- Bailey, D. N. and R. F. Shaw (1989). "Cocaine- and methamphetamine-related deaths in San Diego County (1987): Homicides and accidental overdoses." *J Forensic Sci* 34(2): 407-22.
- Buffum, J. C. and A. T. Shulgin (2001). "Overdose of 2.3 grams of intravenous methamphetamine: Case, analysis and patient perspective." *J Psychoactive Drugs* 33(4): 409-12.
- Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.
- Guharoy, R., J. Medicis, S. Chol, B. Stalder, K. Kusiowski and A. Allen (1999). "Methamphetamine overdose: Experience with six cases." *Vet Hum Toxicol* 41(1): 28-30.
- Inoue, H., N. Ikeda, et al. (2006). "Methamphetamine-related sudden death with a concentration which was of a 'toxic level'." *Leg Med (Tokyo)*.
- Kashani, J. and A. M. Ruha (2004). "Methamphetamine toxicity secondary to intravaginal body stuffing." *J Toxicol Clin Toxicol* 42(7): 987-9.
- Kohrs, F. P., C. Mann and R. Greenberg (2004). "The use of amphetamine in gamma-hydroxybutyrate overdose: A case report." *J Psychoactive Drugs* 36(3): 401-2.
- Logan, B. K., E. L. Weiss, et al. (1996). "Case report: Distribution of methamphetamine in a massive fatal ingestion." *J Forensic Sci* 41(2): 322-3.
- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.

- Penn, A. S., L. P. Rowland, et al. (1972). "Drugs, coma, and myoglobinuria." *Arch Neurol* 26(4): 336-43.
- Pittman, H. J. (2005). "Methamphetamine overdose." *Nursing* 35(4): 88.
- Sribanditmongkol, P., M. Chokjamsai, et al. (2000). "Methamphetamine overdose and fatality: 2 cases report." *J Med Assoc Thai* 83(9): 1120-3.
- Yamamoto, K., H. Watanabe, et al. (1991). "[3 fatalities after communal use of methamphetamine]." *Arch Kriminol* 188(3-4): 72-6.
- Zalis, E. G. and L. F. Parmley, Jr. (1963). "Fatal Amphetamine Poisoning." *Arch Intern Med* 112: 822-6.
- Zhu, B. L., S. Oritani, et al. (2000). "Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas." *Forensic Sci Int* 113(1-3): 443-7.

Overdose (animals)

- Zalis, E. G., G. Kaplan, et al. (1965). "Acute lethality Of the amphetamines in dogs and its antagonism by curare." *Proc Soc Exp Biol Med* 118: 557-61.

Pakistan

- Shuaib, B. M. (1976). "Acupuncture treatment of drug dependence in Pakistan." *Am J Chin Med (Gard City N Y)* 4(4): 403-7.

Panic Disorder

- Iwanami, A., D. Kuwakado, et al. (1997). "Relapse of panic disorder induced by a single intravenous methamphetamine injection." *J Anxiety Disord* 11(1): 113-6.

Paranoia

See Fear and Paranoia

Parkinsonism and Parkinson's Disease

- Chrisp, P., G. J. Mammen, et al. (1991). "Selegiline. A review of its pharmacology, symptomatic benefits and protective potential in Parkinson's disease." *Drugs Aging* 1(3): 228-48.
- Garwood, E. R., W. Bekele, et al. (2006). "Amphetamine exposure is elevated in Parkinson's disease." *Neurotoxicology*.
- Guilarte, T. R. (2001). "Is methamphetamine abuse a risk factor in parkinsonism?" *Neurotoxicology* 22(6): 725-31.
- Lotharius, J., J. Falsig, et al. (2005). "Progressive degeneration of human mesencephalic neuron-derived cells triggered by dopamine-dependent oxidative stress is dependent on the mixed-lineage kinase pathway." *J Neurosci* 25(27): 6329-42.
- Pavese, N., O. Rimoldi, et al. (2004). "Cardiovascular effects of methamphetamine in Parkinson's disease patients." *Mov Disord* 19(3): 298-303.

Parkinsonism and Parkinson's Disease (animals)

See also Tremors (animals)

- Betarbet, R., T. B. Sherer, et al. (2002). "Animal models of Parkinson's disease." *Bioessays* 24(4): 308-18.
- Cadet, J. L. (2001). "Molecular neurotoxicological models of Parkinsonism: Focus on genetic manipulation of mice." *Parkinsonism Relat Disord* 8(2): 85-90.
- Fornai, F., F. Vaglini, et al. (1997). "Species differences in the role of excitatory amino acids in experimental parkinsonism." *Neurosci Biobehav Rev* 21(4): 401-15.
- Gerlach, M. and P. Riederer (1996). "Animal models of Parkinson's disease: An empirical comparison with the phenomenology of the disease in man." *J Neural Transm* 103(8-9): 987-1041.
- Inden, M., D. H. Kim, et al. (2005). "Transplantation of mouse embryonic stem cell-derived neurons into the striatum, subthalamic nucleus and substantia nigra, and behavioral recovery in hemiparkinsonian rats." *Neurosci Lett* 387(3): 151-6.
- Ossowska, K. (1994). "The role of excitatory amino acids in experimental models of Parkinson's disease." *J Neural Transm Park Dis Dement Sect* 8(1-2): 39-71.
- Tolwani, R. J., M. W. Jakowec, et al. (1999). "Experimental models of Parkinson's disease: Insights from many models." *Lab Anim Sci* 49(4): 363-71.
- Wardas, J. (2002). "Neuroprotective role of adenosine in the CNS." *Pol J Pharmacol* 54(4): 313-26.

Performance

See Cognitive Performance; Psychomotor Task Performance

Pharmaceutical Formulations

Golub, M., L. Costa, et al. (2005). "NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of amphetamine and methamphetamine." *Birth Defects Res B Dev Reprod Toxicol*.

Pharmacies

Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Pharmacokinetics and Pharmacodynamics

Angrist, B., J. Corwin, et al. (1987). "Early pharmacokinetics and clinical effects of oral D-amphetamine in normal subjects." *Biol Psychiatry* 22(11): 1357-68.

Armstrong, P. A., J. E. Carless, et al. (1973). "The effect of pore size of the inhaler support upon the concentration of volatile drug emerging in the air stream from a nasal inhaler." *J Pharm Pharmacol* 25(1): 35-41.

Armstrong, P. A., J. E. Carless, et al. (1972). "The influence of the moisture content of the fibrous support of a nasal inhaler upon the concentration of drug in the air stream." *J Pharm Pharmacol* 24(1): 13-9.

Armstrong, P. A., J. E. Carless, et al. (1971). "The relation between the vapour pressure of a drug and its concentration emerging in the air stream from a nasal inhaler." *J Pharm Pharmacol* 23(7): 473-81.

Beckett, A. H. and G. T. Tucker (1968). "Application of the analogue computer to pharmacokinetic and biopharmaceutical studies with amphetamine-type compounds." *J Pharm Pharmacol* 20(3): 174-93.

Byrnes-Blake, K. A., E. M. Laurenzana, et al. (2005). "Monoclonal IgG affinity and treatment time alters antagonism of (+)-methamphetamine effects in rats." *Eur J Pharmacol* 521(1-3): 86-94.

Caldwell, J. and P. S. Sever (1974). "The biochemical pharmacology of abused drugs. Amphetamines, cocaine, and LSD." *Clin Pharmacol Ther* 16(4): 625-38.

Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.

Cho, A. K., W. P. Melega, et al. (2001). "Relevance of pharmacokinetic parameters in animal models of methamphetamine abuse." *Synapse* 39(2): 161-6.

Cook, C. E., A. R. Jeffcoat, et al. (1993). "Pharmacokinetics of methamphetamine self-administered to human subjects by smoking S-(+)-methamphetamine hydrochloride." *Drug Metab Dispos* 21(4): 717-23.

Dryhurst, G. (2001). "Are dopamine, norepinephrine, and serotonin precursors of biologically reactive intermediates involved in the pathogenesis of neurodegenerative brain disorders?" *Adv Exp Med Biol* 500: 373-96.

Fuller, R. W. (1978). "Structure-activity relationships among the halogenated amphetamines." *Ann N Y Acad Sci* 305: 147-59.

Golub, M., L. Costa, et al. (2005). "NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of amphetamine and methamphetamine." *Birth Defects Res B Dev Reprod Toxicol*.

Grady, T. A., A. Brooks, et al. (1996). "Biological and behavioral responses to D-amphetamine, alone and in combination with the serotonin₃ receptor antagonist ondansetron, in healthy volunteers." *Psychiatry Res* 64(1): 1-10.

Harris, D. S., H. Boxenbaum, E. T. Everhart, G. Sequeira, J. E. Mendelson and R. T. Jones (2003). "The bioavailability of intranasal and smoked methamphetamine." *Clin Pharmacol Ther* 74(5): 475-86.

Kanamori, T., K. Tsujikawa, et al. (2005). "A study of the metabolism of methamphetamine and 4-bromo-2,5-dimethoxyphenethylamine (2C-B) in isolated rat hepatocytes." *Forensic Sci Int* 148(2-3): 131-7.

Kim, I., J. M. Oyler, et al. (2004). "Urinary pharmacokinetics of methamphetamine and its metabolite, amphetamine following controlled oral administration to humans." *Ther Drug Monit* 26(6): 664-72.

Kitaichi, K., Y. Morishita, et al. (2001). "[Pharmacokinetic behavioral changes of methamphetamine in methamphetamine-sensitized animal model]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 21(5): 133-44.

Kokoshka, J. M., A. E. Fleckenstein, D. G. Wilkins and G. R. Hanson (2000). "Age-dependent differential responses of monoaminergic systems to high doses of methamphetamine." *J Neurochem* 75(5): 2095-102.

Kraemer, T. and H. H. Maurer (2002). "Toxicokinetics of amphetamines: Metabolism and toxicokinetic data of designer drugs, amphetamine, methamphetamine, and their N-alkyl derivatives." *Ther Drug Monit* 24(2): 277-89.

- Lile, J. A. (2006). "Pharmacological determinants of the reinforcing effects of psychostimulants: Relation to agonist substitution treatment." *Exp Clin Psychopharmacol* 14(1): 20-33.
- Lile, J. A., W. W. Stoops, et al. (2005). "Aripiprazole attenuates the discriminative-stimulus and subject-rated effects of D-amphetamine in humans." *Neuropsychopharmacology* 30(11): 2103-14.
- Mascher, H. J., C. Kikuta, A. Millendorfer, H. Schiel and G. Ludwig (1997). "Pharmacokinetics and bioequivalence of the main metabolites of selegiline: Desmethylselegiline, methamphetamine and amphetamine after oral administration of selegiline." *Int J Clin Pharmacol Ther* 35(1): 9-13.
- Meng, Y., M. Dukat, D. T. Bridgen, B. R. Martin and A. H. Lichtman (1999). "Pharmacological effects of methamphetamine and other stimulants via inhalation exposure." *Drug Alcohol Depend* 53(2): 111-20.
- Milesi-Halle, A., H. P. Hendrickson, et al. (2005). "Sex- and dose-dependency in the pharmacokinetics and pharmacodynamics of (+)-methamphetamine and its metabolite (+)-amphetamine in rats." *Toxicol Appl Pharmacol* 209(3): 203-13.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- NTP-CERHR (2005). "NTP-CERHR monograph on the potential human reproductive and developmental effects of amphetamines." *NTP CEHR Mon*(16): i-III1.
- Pritzker, D., A. Kanungo, et al. (2002). "Designer drugs that are potent inhibitors of CYP2D6." *J Clin Psychopharmacol* 22(3): 330-2.
- Ramamoorthy, Y., R. F. Tyndale, et al. (2001). "Cytochrome P450 2D6.1 and cytochrome P450 2D6.10 differ in catalytic activity for multiple substrates." *Pharmacogenetics* 11(6): 477-87.
- Segal, D. S. and R. Kuczenski (2006). "Human methamphetamine pharmacokinetics simulated in the rat: Single daily intravenous administration reveals elements of sensitization and tolerance." *Neuropsychopharmacology* 31(5): 941-55.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.
- Suzuki, T., H. J. Fan Chiang, et al. (1987). "Effects of quinidine and cimetidine on methamphetamine stereotypy in rats." *J Pharmacobiodyn* 10(3): 152-5.
- Truong, J. G., D. G. Wilkins, et al. (2005). "Age-dependent methamphetamine-induced alterations in vesicular monoamine transporter-2 function: Implications for neurotoxicity." *J Pharmacol Exp Ther* 314(3): 1087-92.
- Yamamoto, T., R. Takano, et al. (1988). "Reversible inhibition of aromatic hydroxylation of methamphetamine in rat liver microsomal preparations pretreated with methamphetamine." *Biochem Pharmacol* 37(8): 1433-7.
- Yamamoto, T., R. Takano, et al. (1984). "Metabolism of methamphetamine, amphetamine and p-hydroxymethamphetamine by rat-liver microsomal preparations in vitro." *Xenobiotica* 14(11): 867-75.

Pharmacological Interventions

- Brauer, L. H. and H. de Wit (1996). "Subjective responses to d-amphetamine alone and after pimozide pretreatment in normal, healthy volunteers." *Biol Psychiatry* 39(1): 26-32.
- Brodie, J. D., E. Figueroa, E. M. Laska and S. L. Dewey (2005). "Safety and efficacy of gamma-vinyl GABA (GVG) for the treatment of methamphetamine and/or cocaine addiction." *Synapse* 55(2): 122-5.
- Carnwath, T., T. Garvey and M. Holland (2002). "The prescription of dexamphetamine to patients with schizophrenia and amphetamine dependence." *J Psychopharmacol* 16(4): 373-7.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Galloway, G. P., J. Newmeyer, et al. (1996). "A controlled trial of imipramine for the treatment of methamphetamine dependence." *J Subst Abuse Treat* 13(6): 493-7.
- Galloway, G. P., J. Newmeyer, T. Knapp, S. A. Stalcup and D. Smith (1994). "Imipramine for the treatment of cocaine and methamphetamine dependence." *J Addict Dis* 13(4): 201-16.
- Gottschalk, P. C., L. K. Jacobsen, et al. (1999). "Current concepts in pharmacotherapy of substance abuse." *Curr Psychiatry Rep* 1(2): 172-8.
- Grabowski, J., J. Shearer, J. Merrill and S. S. Negus (2004). "Agonist-like, replacement pharmacotherapy for stimulant abuse and dependence." *Addict Behav* 29(7): 1439-64.
- Haney, M. and T. R. Kosten (2004). "Therapeutic vaccines for substance dependence." *Expert Rev Vaccines* 3(1): 11-8.
- Harris, D. S., V. I. Reus, et al. (2003). "Altering cortisol level does not change the pleasurable effects of methamphetamine in humans." *Neuropsychopharmacology* 28(9): 1677-84.
- Hart, C. L., M. Haney, et al. (2002). "Effects of the NMDA antagonist memantine on human methamphetamine discrimination." *Psychopharmacology (Berl)* 164(4): 376-84.

- Johnson, B. A., J. D. Roache, et al. (2006). "Effects of acute topiramate dosing on methamphetamine-induced subjective mood." *Int J Neuropsychopharmacol*: 1-14.
- Johnson, B. A., J. D. Roache, et al. (2005). "Effects of isradipine, a dihydropyridine-class calcium-channel antagonist, on d-methamphetamine's subjective and reinforcing effects." *Int J Neuropsychopharmacol* 8(2): 203-13.
- Johnson, B. A., J. D. Roache, et al. (2005). "Effects of isradipine on methamphetamine-induced changes in attentional and perceptual-motor skills of cognition." *Psychopharmacology (Berl)* 178(2-3): 296-302.
- Johnson, B. A., L. T. Wells, et al. (2005). "Isradipine decreases the hemodynamic response of cocaine and methamphetamine results from two human laboratory studies: Results from two human laboratory studies." *Am J Hypertens* 18(6): 813-22.
- Johnson, B. A., J. D. Roache, et al. (1999). "Isradipine, a dihydropyridine-class calcium channel antagonist, attenuates some of d-methamphetamine's positive subjective effects: A preliminary study." *Psychopharmacology (Berl)* 144(3): 295-300.
- Kosten, T. and S. M. Owens (2005). "Immunotherapy for the treatment of drug abuse." *Pharmacol Ther* 108(1): 76-85.
- Kosten, T. R. and P. G. O'Connor (2003). "Management of drug and alcohol withdrawal." *N Engl J Med* 348(18): 1786-95.
- Levi, M. S. and R. F. Borne (2002). "A review of chemical agents in the pharmacotherapy of addiction." *Curr Med Chem* 9(20): 1807-18.
- Lile, J. A. (2006). "Pharmacological determinants of the reinforcing effects of psychostimulants: Relation to agonist substitution treatment." *Exp Clin Psychopharmacol* 14(1): 20-33.
- Lile, J. A., W. W. Stoops, et al. (2005). "Aripiprazole attenuates the discriminative-stimulus and subject-rated effects of D-amphetamine in humans." *Neuropsychopharmacology* 30(11): 2103-14.
- Mandel, S., O. Weinreb, et al. (2005). "Mechanism of neuroprotective action of the anti-Parkinson drug rasagiline and its derivatives." *Brain Res Brain Res Rev* 48(2): 379-87.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Newton, T. F., R. De La Garza, 2nd, et al. (2006). "A comprehensive assessment of the safety of intravenous methamphetamine administration during treatment with selegiline." *Pharmacol Biochem Behav*.
- Newton, T. F., J. D. Roache, et al. (2005). "Bupropion reduces methamphetamine-induced subjective effects and cue-induced craving." *Neuropsychopharmacology*.
- Newton, T. F., J. D. Roache, et al. (2005). "Safety of intravenous methamphetamine administration during treatment with bupropion." *Psychopharmacology (Berl)* 182(3): 426-35.
- Piasecki, M. P., G. M. Steinagel, et al. (2002). "An exploratory study: The use of paroxetine for methamphetamine craving." *J Psychoactive Drugs* 34(3): 301-4.
- Rawson, R. A., M. J. McCann, et al. (2000). "Addiction pharmacotherapy 2000: New options, new challenges." *J Psychoactive Drugs* 32(4): 371-8.
- Sattar, S. P., S. C. Bhatia, et al. (2004). "Potential benefits of quetiapine in the treatment of substance dependence disorders." *J Psychiatry Neurosci* 29(6): 452-7.
- Sevarino, K. A., A. Oliveto, et al. (2000). "Neurobiological adaptations to psychostimulants and opiates as a basis of treatment development." *Ann N Y Acad Sci* 909: 51-87.
- Shearer, J. and L. R. Gowing (2004). "Pharmacotherapies for problematic psychostimulant use: A review of current research." *Drug Alcohol Rev* 23(2): 203-11.
- Shearer, J., A. Wodak, et al. (2003). "Pilot randomized double blind placebo-controlled study of dexamphetamine for cocaine dependence." *Addiction* 98(8): 1137-41.
- Shearer, J., J. Sherman, et al. (2002). "Substitution therapy for amphetamine users." *Drug Alcohol Rev* 21(2): 179-85.
- Shearer, J., A. Wodak, R. P. Mattick, I. Van Beek, J. Lewis, W. Hall and K. Dolan (2001). "Pilot randomized controlled study of dexamphetamine substitution for amphetamine dependence." *Addiction* 96(9): 1289-96.
- Shoptaw, S., A. Huber, et al. (2006). "Randomized, placebo-controlled trial of sertraline and contingency management for the treatment of methamphetamine dependence." *Drug Alcohol Depend*.
- Srisurapanont, M., P. Kittirattanapaiboon and N. Jarusuraisin (2001). "Treatment for amphetamine psychosis." *Cochrane Database Syst Rev*(4): CD003026.
- Srisurapanont, M., N. Jarusuraisin and P. Kittirattanapaiboon (2001). "Treatment for amphetamine dependence and abuse." *Cochrane Database Syst Rev*(4): CD003022.
- Stoops, W. W., J. A. Lile, et al. (2006). "A low dose of aripiprazole attenuates the subject-rated effects of d-amphetamine." *Drug Alcohol Depend*.
- Vocci, F. J., J. Acri, et al. (2005). "Medication development for addictive disorders: The state of the science." *Am J Psychiatry* 162(8): 1432-40.
- Vocci, F. and W. Ling (2005). "Medications development: successes and challenges." *Pharmacol Ther* 108(1): 94-108.

- Wachtel, S. R., A. Ortengren, et al. (2002). "The effects of acute haloperidol or risperidone on subjective responses to methamphetamine in healthy volunteers." *Drug Alcohol Depend* 68(1): 23-33.
- White, R. (2000). "Dexamphetamine substitution in the treatment of amphetamine abuse: An initial investigation." *Addiction* 95(2): 229-38.
- Youdim, M. B., O. Bar Am, et al. (2005). "Rasagiline: Neurodegeneration, neuroprotection, and mitochondrial permeability transition." *J Neurosci Res* 79(1-2): 172-9.

Pharmacological Interventions (animals)

- Chiu, C. T., T. Ma, et al. (2005). "Attenuation of methamphetamine-induced behavioral sensitization in mice by systemic administration of naltrexone." *Brain Res Bull* 67(1-2): 100-9.
- Danger, Y., C. Gadjou, et al. (2006). "Development of murine monoclonal antibodies to methamphetamine and methamphetamine analogues." *J Immunol Methods* 309(1-2): 1-10.
- D'Astous, M., K. R. Mickley, et al. (2006). "Differential protective properties of estradiol and tamoxifen against methamphetamine-induced nigrostriatal dopaminergic toxicity in mice." *Neuroendocrinology* 82(2): 111-120.
- D'Astous, M., T. M. Gajjar, D. E. Dluzen and T. Di Paolo (2004). "Dopamine transporter as a marker of neuroprotection in methamphetamine-lesioned mice treated acutely with estradiol." *Neuroendocrinology* 79(6): 296-304.
- Dwoskin, L. P. and P. A. Crooks (2002). "A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse." *Biochem Pharmacol* 63(2): 89-98.
- Escubedo, E., C. Chipana, et al. (2005). "Methyllycaconitine prevents methamphetamine-induced effects in mouse striatum: Involvement of {alpha}7 nicotinic receptors." *J Pharmacol Exp Ther* 315(2): 658-67.
- Gajjar, T. M., L. I. Anderson and D. E. Dluzen (2003). "Acute effects of estrogen upon methamphetamine induced neurotoxicity of the nigrostriatal dopaminergic system." *J Neural Transm* 110(11): 1215-24.
- Ginawi, O. T., A. A. Al-Majed, et al. (2005). "NAN-190, a possible specific antagonist for methamphetamine." *Regul Toxicol Pharmacol* 41(2): 122-7.
- Gentry, W. B., E. M. Laurenzana, et al. (2006). "Safety and efficiency of an anti-(+)-methamphetamine monoclonal antibody in the protection against cardiovascular and central nervous system effects of (+)-methamphetamine in rats." *Int Immunopharmacol* 6(6): 968-77.
- Ginawi, O. T., A. A. Al-Majed, et al. (2005). "Ondansetron, a selective 5-HT3 antagonist, antagonizes methamphetamine-induced anorexia in mice." *Pharmacol Res* 51(3): 255-9.
- Glick, S. D., I. M. Maisonneuve, et al. (2001). "Comparative effects of dextromethorphan and dextrorphan on morphine, methamphetamine, and nicotine self-administration in rats." *Eur J Pharmacol* 422(1-3): 87-90.
- Hanson, G. R., V. Sandoval, E. Riddle and A. E. Fleckenstein (2004). "Psychostimulants and vesicle trafficking: A novel mechanism and therapeutic implications." *Ann N Y Acad Sci* 1025: 146-50.
- He, J., H. Xu, et al. (2005). "Chronic administration of quetiapine alleviates the anxiety-like behavioural changes induced by a neurotoxic regimen of dl-amphetamine in rats." *Behav Brain Res* 160(1): 178-87.
- Horner, K. A. and K. A. Keefe (2006). "Regulation of psychostimulant-induced preprodynorphin, c-fos and zif/268 messenger RNA expression in the rat dorsal striatum by mu opioid receptor blockade." *Eur J Pharmacol* 532(1-2): 61-73.
- Kitaichi, K., M. Fukuda, et al. (2005). "Behavioral changes following antisense oligonucleotide-induced reduction of organic cation transporter-3 in mice." *Neurosci Lett* 382(1-2): 195-200.
- Kitanaka, N., J. Kitanaka, et al. (2005). "Repeated clorgyline treatment inhibits methamphetamine-induced behavioral sensitization in mice." *Neurochem Res* 30(4): 445-51.
- Kitanaka, N., J. Kitanaka, et al. (2005). "Inhibition of methamphetamine-induced hyperlocomotion in mice by clorgyline, a monoamine oxidase-a inhibitor, through alteration of the 5-hydroxytryptamine turnover in the striatum." *Neuroscience* 130(2): 295-308.
- Koike, K., K. Hashimoto, et al. (2005). "The immunophilin ligand FK506 protects against methamphetamine-induced dopaminergic neurotoxicity in mouse striatum." *Neuropharmacology* 48(3): 391-7.
- Kosten, T. and S. M. Owens (2005). "Immunotherapy for the treatment of drug abuse." *Pharmacol Ther* 108(1): 76-85.
- Kwon, Y. S., T. Nabeshima, et al. (2004). "PAP 9704, a Korean herbal medicine attenuates methamphetamine-induced hyperlocomotion via adenosine A2A receptor stimulation in mice." *Biol Pharm Bull* 27(6): 906-9.
- Liang, J. H., K. Wang, et al. (2006). "Potentiating effect of tramadol on methamphetamine-induced behavioral sensitization in mice." *Psychopharmacology (Berl)*: 1-10.
- Lockhart, B., A. Roger, et al. (2005). "In vivo neuroprotective effects of the novel imidazolyl nitron free-radical scavenger (Z)-alpha-[2-thiazol-2-yl]imidazol-4-yl]-N-tert-butyl nitron (S34176)." *Eur J Pharmacol* 511(2-3): 127-36.

- Mandel, S., O. Weinreb, et al. (2005). "Mechanism of neuroprotective action of the anti-Parkinson drug rasagiline and its derivatives." *Brain Res Brain Res Rev* 48(2): 379-87.
- McKinney, P. E., C. Tomaszewski, et al. (1994). "Methamphetamine toxicity prevented by activated charcoal in a mouse model." *Ann Emerg Med* 24(2): 220-3.
- Miller, D. K., M. M. Dopheide, et al. (2005). "Dietary cadmium exposure attenuates D-amphetamine-evoked [3H]dopamine release from striatal slices and methamphetamine-induced hyperactivity." *Pharmacol Biochem Behav* 80(4): 557-66.
- Pubill, D., E. Verdaguer, et al. (2002). "Carnosine prevents methamphetamine-induced gliosis but not dopamine terminal loss in rats." *Eur J Pharmacol* 448(2-3): 165-8.
- Rothman, R. B., B. E. Blough, et al. (2002). "Appetite suppressants as agonist substitution therapies for stimulant dependence." *Ann N Y Acad Sci* 965: 109-26.
- Rothman, R. B., J. S. Partilla, et al. (2000). "Methamphetamine dependence: Medication development efforts based on the dual deficit model of stimulant addiction." *Ann N Y Acad Sci* 914: 71-81.
- Shuto, T., M. Kuroiwa, et al. (2006). "Reversal of methamphetamine-induced behavioral sensitization by repeated administration of a dopamine D(1) receptor agonist." *Neuropharmacology*.
- Sriram, K., D. B. Miller, et al. (2006). "Minocycline attenuates microglial activation but fails to mitigate striatal dopaminergic neurotoxicity: Role of tumor necrosis factor-alpha." *J Neurochem* 96(3): 706-18.
- Staszewski, R. D. and B. K. Yamamoto (2006). "Methamphetamine-induced spectrin proteolysis in the rat striatum." *J Neurochem* 96(5): 1267-76.
- Takahashi, M. and S. Tokuyama (1998). "Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants." *Methods Find Exp Clin Pharmacol* 20(1): 77-84.
- Thiriet, N., X. Deng, et al. (2005). "Neuropeptide Y protects against methamphetamine-induced neuronal apoptosis in the mouse striatum." *J Neurosci* 25(22): 5273-9.
- Thomas, D. M. and D. M. Kuhn (2005). "MK-801 and dextromethorphan block microglial activation and protect against methamphetamine-induced neurotoxicity." *Brain Res* 1050(1-2): 190-8.
- Tokuyama, S. and M. Takahashi (2001). "[Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants]." *Nippon Yakurigaku Zasshi* 117(3): 195-201.
- Virmani, A., F. Gaetani, et al. (2005). "Effects of metabolic modifiers such as carnitines, coenzyme Q10, and PUFAs against different forms of neurotoxic insults: Metabolic inhibitors, MPTP, and methamphetamine." *Ann N Y Acad Sci* 1053: 183-91.
- Virmani, A., F. Gaetani, et al. (2003). "Possible mechanism for the neuroprotective effects of L-carnitine on methamphetamine-evoked neurotoxicity." *Ann N Y Acad Sci* 993: 197-207; discussion 287-8.
- Wagner, G. C., N. Avena, T. Kita, T. Nakashima, H. Fisher and A. K. Halladay (2004). "Risperidone reduction of amphetamine-induced self-injurious behavior in mice." *Neuropharmacology* 46(5): 700-8.
- Wardas, J. (2002). "Neuroprotective role of adenosine in the CNS." *Pol J Pharmacol* 54(4): 313-26.
- Warren, M. W., F. H. Kobeissy, et al. (2005). "Concurrent calpain and caspase-3 mediated proteolysis of alphaII-spectrin and tau in rat brain after methamphetamine exposure: A similar profile to traumatic brain injury." *Life Sci* 78(3): 301-9.
- Witkin, J. M. (1993). "Blockade of the locomotor stimulant effects of cocaine and methamphetamine by glutamate antagonists." *Life Sci* 53(24): PL405-10.
- Witkin, J. M., G. A. Ricaurte, et al. (1990). "Behavioral effects of N-methylamphetamine and N,N-dimethylamphetamine in rats and squirrel monkeys." *J Pharmacol Exp Ther* 253(2): 466-74.
- Yan, Y., T. Mizuno, et al. (2004). "Nefiracetam attenuates methamphetamine-induced discriminative stimulus effects in rats." *Ann N Y Acad Sci* 1025: 274-8.
- Yasar, S., Z. Justinova, et al. (2006). "Metabolic transformation plays a primary role in the psychostimulant-like discriminative-stimulus effects of selegiline [(r)-(-)-deprenyl]." *J Pharmacol Exp Ther* 317(1): 387-94.
- Yu, J., J. L. Cadet, et al. (2002). "Neurokinin-1 (NK-1) receptor antagonists abrogate methamphetamine-induced striatal dopaminergic neurotoxicity in the murine brain." *J Neurochem* 83(3): 613-22.
- Yu, L., C. F. Cherg, et al. (2002). "Melatonin in concentrated ethanol and ethanol alone attenuate methamphetamine-induced dopamine depletions in C57BL/6J mice." *J Neural Transm* 109(12): 1477-90.
- Yu, L., Y. M. Kuo, et al. (2001). "Opioid peptides alleviated while naloxone potentiated methamphetamine-induced striatal dopamine depletion in mice." *J Neural Transm* 108(11): 1231-7.
- Yu, X., S. Z. Imam, et al. (1999). "Ibogaine blocked methamphetamine-induced hyperthermia and induction of heat shock protein in mice." *Brain Res* 823(1-2): 213-6.
- Zhao, R. J., R. S. Woo, et al. (2003). "Orphanin FQ/nociceptin blocks methamphetamine place preference in rats." *Neuroreport* 14(18): 2383-5.

Zhou, J. L., J. H. Liang, et al. (2004). "Nerve growth factor protects R2 cells against neurotoxicity induced by methamphetamine." *Toxicol Lett* 150(2): 221-7.

Zhou, J. L., J. H. Liang, et al. (2004). "Inhibition of methamphetamine-induced apoptosis by the calcium channel blocker verapamil in rat cerebellar neurons." *Beijing Da Xue Xue Bao* 36(4): 361-5.

Philippines

Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.

Dayrit, F. M. and M. C. Dumlao (2004). "Impurity profiling of methamphetamine hydrochloride drugs seized in the Philippines." *Forensic Sci Int* 144(1): 29-36.

Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.

Simbulan, N. P., A. S. Aguilar, et al. (2001). "High-risk behaviors and the prevalence of sexually transmitted diseases among women prisoners at the women state penitentiary in Metro Manila." *Soc Sci Med* 52(4): 599-608.

Srisurapanont, M., R. Ali, et al. (2003). "Psychotic symptoms in methamphetamine psychotic in-patients." *Int J Neuropsychopharmacol* 6(4): 347-52.

Pleasure-Seeking Behaviors

Halkitis, P. N., K. A. Green, et al. (2005). "Seroconcordant sexual partnerings of HIV-seropositive men who have sex with men." *AIDS* 19: S77-S86.

Halkitis, P. N. and M. T. Shrem (2005). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav*.

Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.

Worth, H. and P. Rawstorne (2005). "Crystallizing the HIV epidemic: Methamphetamine, unsafe sex, and gay diseases of the will." *Arch Sex Behav* 34(5): 483-6.

Poland

Lagerspetz, M. and J. Moskalewicz (2002). "Drugs in the postsocialist transitions of Estonia, Latvia, Lithuania and Poland." *Eur Addict Res* 8(4): 177-83.

Policy Making

Boulard, G. (2005). "The meth menace: battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Collins, C. L., T. Kerr, et al. (2005). "Rationale to evaluate medically supervised safer smoking facilities for non-injection illicit drug users." *Can J Public Health* 96(5): 344-7.

Parry, C. D., B. Myers, et al. (2004). "Drug policy for methamphetamine use urgently needed." *S Afr Med J* 94(12): 964-5.

Rawson, R. A., M. D. Anglin and W. Ling (2002). "Will the methamphetamine problem go away?" *J Addict Dis* 21(1): 5-19.

Room, R. (2006). "The dangerousness of drugs." *Addiction* 101(2): 166-8.

Polydrug Use

Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.

Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.

Caetano, R. and C. Weisner (1995). "The association between DSM-III-R alcohol dependence, psychological distress and drug use." *Addiction* 90(3): 351-9.

Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: a preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.

Clatts, M. C., L. A. Goldsamt, et al. (2005). "Club drug use among young men who have sex with men in NYC: A preliminary epidemiological profile." *Subst Use Misuse* 40(9): 1317-30.

Colfax, G., E. Vittinghoff, et al. (2004). "Substance use and sexual risk: A participant- and episode-level analysis among a cohort of men who have sex with men." *Am J Epidemiol* 159(10): 1002-12.

- Darke, S. and W. Hall (1995). "Levels and correlates of polydrug use among heroin users and regular amphetamine users." *Drug Alcohol Depend* 39(3): 231-5.
- Darke, S., J. Ross, et al. (1994). "The use of benzodiazepines among regular amphetamine users." *Addiction* 89(12): 1683-90.
- Darke, S., W. Hall, et al. (1992). "Benzodiazepine use and HIV risk-taking behaviour among injecting drug users." *Drug Alcohol Depend* 31(1): 31-6.
- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.
- Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.
- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.
- Halkitis, P. N. and J. J. Palamar (2006). "GHB use among gay and bisexual men." *Addict Behav*.
- Halkitis, P. N., K. A. Green, et al. (2005). "Longitudinal investigation of methamphetamine use among gay and bisexual men in New York City: findings from Project BUMPS." *J Urban Health* 82(1 Suppl 1): i18-25.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Ibanez, G. E., D. W. Purcell, et al. (2005). "Sexual risk, substance use, and psychological distress in HIV-positive gay and bisexual men who also inject drugs." *AIDS* 19: S49-S55.
- Irvine, R. J., M. Keane, et al. (2006). "Plasma drug concentrations and physiological measures in 'dance party' participants." *Neuropsychopharmacology* 31(2): 424-30.
- Irwin, T. W. and J. Morgenstern (2005). "Drug-use patterns among men who have sex with men presenting for alcohol treatment: Differences in ethnic and sexual identity." *J Urban Health*.
- Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.
- Kaye, S. and S. Darke (2000). "A comparison of the harms associated with the injection of heroin and amphetamines." *Drug Alcohol Depend* 58(1-2): 189-95.
- Kohrs, F. P., C. Mann and R. Greenberg (2004). "The use of amphetamine in gamma-hydroxybutyrate overdose: A case report." *J Psychoactive Drugs* 36(3): 401-2.
- Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.
- Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From 'Candy Kids' to 'Chemi-Kids': A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9-10): 1503-23.
- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.
- Patterson, T. L., S. J. Semple, et al. (2005). "Methamphetamine-using HIV-positive men who have sex with men: Correlates of polydrug use." *J Urban Health* 82(1 Suppl 1): i120-6.
- Rawson, R. A., A. Washton, et al. (2002). "Drugs and sexual effects: Role of drug type and gender." *J Subst Abuse Treat* 22(2): 103-8.
- Ross, M. W., A. M. Mattison, et al. (2003). "Club drugs and sex on drugs are associated with different motivations for gay circuit party attendance in men." *Subst Use Misuse* 38(8): 1173-83.
- Sears, C., J. R. Gwydish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- White, B., C. Day, et al. (2005). "Prevalence of injecting drug use and associated risk behavior among regular ecstasy users in Australia." *Drug Alcohol Depend*.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.

Polydrug Use (animals)

- Clemens, K. J., J. L. Cornish, et al. (2005). "MDMA ('Ecstasy') and methamphetamine combined: Order of administration influences hyperthermic and long-term adverse effects in female rats." *Neuropharmacology* 49(2): 195-207.
- Hayase, T., Y. Yamamoto, et al. (2006). "Behavioral effects of ketamine and toxic interactions with psychostimulants." *BMC Neurosci* 7(1): 25.
- Namiki, M., T. Mori, et al. (2005). "Underlying mechanism of combined effect of methamphetamine and morphine on lethality in mice and therapeutic potential of cooling." *J Pharmacol Sci* 99(2): 168-76.

Poppers

See Amyl Nitrite

Portugal

- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

Precursor Regulation

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Colker, A. C. (2005). "Restricting the sale of pseudoephedrine to prevent methamphetamine production." *NCSL Legisbrief* 13(7): 1-2.
- Cunningham, J. K. and L. M. Liu (2005). "Impacts of federal precursor chemical regulations on methamphetamine arrests." *Addiction* 100(4): 479-88.
- Cunningham, J. K. and L. M. Liu (2003). "Guidelines for measuring impacts of methamphetamine precursor chemical regulations: A reply to Reuter and Caulkins (2003)." *Addiction* 98(10): 1463-4.
- Cunningham, J. K. and L. M. Liu (2003). "Impacts of federal ephedrine and pseudoephedrine regulations on methamphetamine-related hospital admissions." *Addiction* 98(9): 1229-37.
- Reuter, P. and J. P. Caulkins (2003). "Does precursor regulation make a difference?" *Addiction* 98(9): 1177-9.

Pregnancy

- Anglin, M. D., C. Burke, et al. (2000). "History of the methamphetamine problem." *J Psychoactive Drugs* 32(2): 137-41.
- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Bost, R. O., P. Kemp, et al. (1989). "Tissue distribution of methamphetamine and amphetamine in premature infants." *J Anal Toxicol* 13(5): 300-2.
- Buchi, K. F., S. Zone, K. Langheinrich and M. W. Varner (2003). "Changing prevalence of prenatal substance abuse in Utah." *Obstet Gynecol* 102(1): 27-30.
- Chang, L., L. M. Smith, et al. (2004). "Smaller subcortical volumes and cognitive deficits in children with prenatal methamphetamine exposure." *Psychiatry Res* 132(2): 95-106.
- Chomchai, C., N. Na Manorom, et al. (2004). "Methamphetamine abuse during pregnancy and its health impact on neonates born at Siriraj Hospital, Bangkok, Thailand." *Southeast Asian J Trop Med Public Health* 35(1): 228-31.
- Davies, J. K. and J. M. Bledsoe (2005). "Prenatal alcohol and drug exposures in adoption." *Pediatr Clin North Am* 52(5): 1369-93, vii.
- Dixon, S. D. (1989). "Effects of transplacental exposure to cocaine and methamphetamine on the neonate." *West J Med* 150(4): 436-42.
- Dixon, S. D. and R. Bejar (1989). "Echoencephalographic findings in neonates associated with maternal cocaine and methamphetamine use: incidence and clinical correlates." *J Pediatr* 115(5 Pt 1): 770-8.
- Golub, M., L. Costa, et al. (2005). "NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of amphetamine and methamphetamine." *Birth Defects Res B Dev Reprod Toxicol*.
- Gurnack, A. M. and W. Paul (1997). "Factors related to perinatal substance abuse in a California county." *Percept Mot Skills* 84(3 Pt 2): 1403-8.
- Hall, J. A., S. W. Henggeler, et al. (1993). "Adolescent substance use during pregnancy." *J Pediatr Psychol* 18(2): 265-71.
- Joffe, G. M. and T. Kasnic (1994). "Medical prescription of dextroamphetamine during pregnancy." *J Perinatol* 14(4): 301-3.
- Lester, B. M., L. Andreozzi, et al. (2004). "Substance use during pregnancy: Time for policy to catch up with research." *Harm Reduct J* 1(1): 5.

- Little, B. B., L. M. Snell, et al. (1988). "Methamphetamine abuse during pregnancy: outcome and fetal effects." *Obstet Gynecol* 72(4): 541-4.
- Montgomery, D., C. Plate, et al. (2006). "Testing for fetal exposure to illicit drugs using umbilical cord tissue vs meconium." *J Perinatol* 26(1): 11-4.
- NTP-CERHR (2005). "NTP-CERHR monograph on the potential human reproductive and developmental effects of amphetamines." NTP CEHR Mon(16): i-III1.
- Oro, A. S. and S. D. Dixon (1987). "Perinatal cocaine and methamphetamine exposure: Maternal and neonatal correlates." *J Pediatr* 111(4): 571-8.
- Plessinger, M. A. (1998). "Prenatal exposure to amphetamines. Risks and adverse outcomes in pregnancy." *Obstet Gynecol Clin North Am* 25(1): 119-38.
- Smith, L., M. L. Yonekura, et al. (2003). "Effects of prenatal methamphetamine exposure on fetal growth and drug withdrawal symptoms in infants born at term." *J Dev Behav Pediatr* 24(1): 17-23.
- Thadani, P. V. (1995). "Biological mechanisms and perinatal exposure to abused drugs." *Synapse* 19(3): 228-32.
- Viani, R. M., M. R. Araneta, et al. (2006). "Perinatal HIV counseling and rapid testing in Tijuana, Baja California, Mexico: Seroprevalence and correlates of HIV infection." *J Acquir Immune Defic Syndr* 41(1): 87-92.
- Wouldes, T., L. LaGasse, et al. (2004). "Maternal methamphetamine use during pregnancy and child outcome: What do we know?" *N Z Med J* 117(1206): U1180.
- Zimmerman, E. F. (1991). "Substance abuse in pregnancy: Teratogenesis." *Pediatr Ann* 20(10): 541-4, 546-7.

Pregnancy (animals)

- Golub, M., L. Costa, et al. (2005). "NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of amphetamine and methamphetamine." *Birth Defects Res B Dev Reprod Toxicol*.
- Gomes-da-Silva, J., R. de Miguel, et al. (2004). "Effects of neonatal exposure to methamphetamine: Catecholamine levels in brain areas of the developing rat." *Ann N Y Acad Sci* 1025: 602-11.
- Gomes-da-Silva, J., A. Perez-Rosado, et al. (2002). "Prenatal exposure to methamphetamine in the rat: Ontogeny of tyrosine hydroxylase mRNA expression in mesencephalic dopaminergic neurons." *Ann N Y Acad Sci* 965: 68-77.
- Gomes-da-Silva, J., A. Perez-Rosado, et al. (2000). "Neonatal methamphetamine in the rat: Evidence for gender-specific differences upon tyrosine hydroxylase enzyme in the dopaminergic nigrostriatal system." *Ann N Y Acad Sci* 914: 431-8.
- Gomes-Da-Silva, J., M. C. Silva, et al. (1998). "Developmental exposure to methamphetamine: A neonatal model in the rat." *Ann N Y Acad Sci* 844: 310-3.
- Inoue, H., M. Nakatome, et al. (2004). "Maternal methamphetamine administration during pregnancy influences on fetal rat heart development." *Life Sci* 74(12): 1529-40.
- Jeng, W., A. W. Wong, et al. (2005). "Methamphetamine-enhanced embryonic oxidative DNA damage and neurodevelopmental deficits." *Free Radic Biol Med* 39(3): 317-26.
- Martin, J. C., D. D. Martin, et al. (1979). "Life span and pathology in offspring following nicotine and methamphetamine exposure." *Exp Aging Res* 5(6): 509-22.
- Martin, J. C., D. C. Martin, et al. (1976). "Growth, development and activity in rat offspring following maternal drug exposure." *Exp Aging Res* 2(3): 235-51.
- Melo, P., L. G. Rodrigues, et al. (2005). "Methamphetamine and lipid peroxidation in the rat retina." *Birth Defects Res A Clin Mol Teratol* 73(6): 455-60.
- Middaugh, L. D. (1989). "Prenatal amphetamine effects on behavior: Possible mediation by brain monoamines." *Ann N Y Acad Sci* 562: 308-18.
- NTP-CERHR (2005). "NTP-CERHR monograph on the potential human reproductive and developmental effects of amphetamines." NTP CEHR Mon(16): i-III1.
- Ozawa, K., K. Hashimoto, et al. (2006). "Immune activation during pregnancy in mice leads to dopaminergic hyperfunction and cognitive impairment in the offspring: A neurodevelopmental animal model of schizophrenia." *Biol Psychiatry* 59(6): 546-54.
- Slamberova, R., M. Pometlova, et al. (2006). "Postnatal development of rat pups is altered by prenatal methamphetamine exposure." *Prog Neuropsychopharmacol Biol Psychiatry* 30(1): 82-8.
- Slamberova, R. and R. Rokyta (2005). "Seizure susceptibility in prenatally methamphetamine-exposed adult female rats." *Brain Res* 1060(1-2): 193-7.
- Slamberova, R. (2005). "Flurothyl seizures susceptibility is increased in prenatally methamphetamine-exposed adult male and female rats." *Epilepsy Res* 65(1-2): 121-4.

- Slamberova, R., P. Charousova, et al. (2005). "Maternal behavior is impaired by methamphetamine administered during pre-mating, gestation and lactation." *Reprod Toxicol* 20(1): 103-10.
- Slamberova, R., P. Charousova, et al. (2005). "Methamphetamine administration during gestation impairs maternal behavior." *Dev Psychobiol* 46(1): 57-65.
- Slamberova, R., M. Pometlova, et al. (2005). "Learning in the place navigation task, not the new-learning task, is altered by prenatal methamphetamine exposure." *Brain Res Dev Brain Res* 157(2): 217-9.
- Slamberova, R. and R. Rokyta (2005). "Occurrence of bicuculline-, NMDA- and kainic acid-induced seizures in prenatally methamphetamine-exposed adult male rats." *Naunyn Schmiedebergs Arch Pharmacol*: 1-6.
- Slamberova, R. and R. Rokyta (2005). "Seizure susceptibility in prenatally methamphetamine-exposed adult female rats." *Brain Res* 1060(1-2): 193-7.
- Stek, A. M., R. S. Baker, et al. (1995). "Fetal responses to maternal and fetal methamphetamine administration in sheep." *Am J Obstet Gynecol* 173(5): 1592-8.
- Thadani, P. V. (1995). "Biological mechanisms and perinatal exposure to abused drugs." *Synapse* 19(3): 228-32.
- Vorhees, C. V. (1997). "Methods for detecting long-term CNS dysfunction after prenatal exposure to neurotoxins." *Drug Chem Toxicol* 20(4): 387-99.
- Won, L., N. Bubula, et al. (2002). "Fetal exposure to methamphetamine in utero stimulates development of serotonergic neurons in three-dimensional reaggregate tissue culture." *Synapse* 43(2): 139-44.
- Won, L., N. Bubula, et al. (2001). "Methamphetamine concentrations in fetal and maternal brain following prenatal exposure." *Neurotoxicol Teratol* 23(4): 349-54.
- Yamamoto, Y., K. Yamamoto, et al. (1995). "Effects of methamphetamine on rat embryos cultured in vitro." *Biol Neonate* 68(1): 33-8.
- Yamamoto, Y., K. Yamamoto, et al. (1992). "Teratogenic effects of methamphetamine in mice." *Nippon Hoigaku Zasshi* 46(2): 126-31.
- Zimmerman, E. F. (1991). "Substance abuse in pregnancy: Teratogenesis." *Pediatr Ann* 20(10): 541-4, 546-7.

Prevalence, Methamphetamine

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.
- Buchi, K. F., S. Zone, K. Langheinrich and M. W. Varner (2003). "Changing prevalence of prenatal substance abuse in Utah." *Obstet Gynecol* 102(1): 27-30.
- Cho, B. I. (1991). "Trends and patterns of methamphetamine abuse in the Republic of Korea." *NIDA Res Monogr* 115: 99-108.
- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.
- Christophersen, A. S. (2000). "Amphetamine designer drugs - An overview and epidemiology." *Toxicol Lett* 112-113: 127-31.
- Chung, H. (1998). "Drug abuse trends and epidemiological aspects of drug associated deaths in Korea." *J Toxicol Sci* 23 Suppl 2: 197-200.
- Clatts, M. C., L. A. Goldsamt, et al. (2005). "Club drug use among young men who have sex with men in NYC: A preliminary epidemiological profile." *Subst Use Misuse* 40(9): 1317-30.
- Colfax, G. and S. Shoptaw (2005). "The methamphetamine epidemic: Implications for HIV prevention and treatment." *Curr HIV/AIDS Rep* 2(4): 194-9.
- Colfax, G., E. Vittinghoff, et al. (2004). "Substance use and sexual risk: A participant- and episode-level analysis among a cohort of men who have sex with men." *Am J Epidemiol* 159(10): 1002-12.
- Cox, C. and R. G. Smart (1970). "The nature and extent of speed use in North America." *Can Med Assoc J* 102(7): 724-9.
- Csemy, L., L. Kubicka, et al. (2002). "Drug scene in the Czech Republic and Slovakia during the period of transformation." *Eur Addict Res* 8(4): 159-65.
- Farabee, D., M. Prendergast and J. Cartier (2002). "Methamphetamine use and HIV risk among substance-abusing offenders in California." *J Psychoactive Drugs* 34(3): 295-300.
- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.
- Fendrich, M., J. S. Wislar, T. P. Johnson and A. Hubbell (2003). "A contextual profile of club drug use among adults in Chicago." *Addiction* 98(12): 1693-703.
- Gibson, D. R., M. H. Leamon and N. Flynn (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.

- Hartel-Petri, R., R. Rodler, et al. (2005). "[Increasing prevalence of amphetamine--and methamphetamine-induced psychosis]." *Psychiatr Prax* 32(1): 13-7.
- Helschober, B. and M. A. Miller (1991). "Methamphetamine abuse in California." *NIDA Res Monogr* 115: 60-71.
- Hirabayashi, N., K. Wada, et al. (2004). "Prevalence of substance abuse among patients with physical diseases seen in an emergency room in Japan." *Am J Addict* 13(4): 398-404.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Jain, N. C., R. D. Budd, et al. (1979). "Frequency of use or abuse of amphetamine-related drugs." *Am J Drug Alcohol Abuse* 6(1): 53-7.
- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.
- Maglione, M., B. Chao and M. D. Anglin (1998). "Methamphetamine abuse in California: Correlates of injection use." *AIDS and Behavior* 2(3): 257-261.
- Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.
- Newmeyer, J. A. (2003). "Patterns and trends of drug use in the San Francisco Bay Area." *J Psychoactive Drugs* 35(Suppl 1): 127-32.
- Newmeyer, J. A. (1988). "The prevalence of drug use in San Francisco in 1987." *J Psychoactive Drugs* 20(2): 185-9.
- Ompad, D. C., S. Galea, et al. (2004). "Club drug use among minority substance users in New York City." *J Psychoactive Drugs* 36(3): 397-9.
- Rimsza, M. E. and K. S. Moses (2005). "Substance abuse on the college campus." *Pediatr Clin North Am* 52(1): 307-19, xii.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- Van Leeuwen, J. M., C. Hopfer, S. Hooks, R. White, J. Petersen and J. Pirkopf (2004). "A snapshot of substance abuse among homeless and runaway youth in Denver, Colorado." *J Community Health* 29(3): 217-29.
- Wermuth, L. (2000). "Methamphetamine use: Hazards and social influences." *J Drug Educ* 30(4): 423-33.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.

Primary Care

See Medical Care

Prison

See Incarceration and Incarcerated Individuals

Prostitution

See Commercial Sex Work and Sex Workers

Psychomotor Task Performance

- Caligiuri, M. P. and C. Buitenhuis (2005). "Do preclinical findings of methamphetamine-induced motor abnormalities translate to an observable clinical phenotype?" *Neuropsychopharmacology* 30(12): 2125-34.
- Couper, F. J., M. Pemberton, et al. (2002). "Prevalence of drug use in commercial tractor-trailer drivers." *J Forensic Sci* 47(3): 562-7.
- Dhawn, B. N., S. K. Bapat, et al. (1969). "Effect of four centrally acting drugs on handwriting." *Jpn J Pharmacol* 19(1): 63-7.
- Forney, R. (1977). "Drug impairment reviews: Stimulants." *NIDA Res Monogr Series* 11: 73-6.
- Forney, R., R. Martz, et al. (1976). "The combined effect of marijuana and dextroamphetamine." *Ann N Y Acad Sci* 281: 162-70.
- Gustavsen, I., J. Morland, et al. (2006). "Impairment related to blood amphetamine and/or methamphetamine concentrations in suspected drugged drivers." *Accid Anal Prev* 38(3): 490-5.
- Hart, C. L., M. Haney, et al. (2005). "Combined effects of methamphetamine and zolpidem on performance and mood during simulated night shift work." *Pharmacol Biochem Behav* 81(3): 559-68.

- Hart, C. L., A. S. Ward, M. Haney, J. Nasser and R. W. Foltin (2003). "Methamphetamine attenuates disruptions in performance and mood during simulated night-shift work." *Psychopharmacology (Berl)* 169(1): 42-51.
- Johnson, B. A., J. D. Roache, et al. (2005). "Effects of isradipine on methamphetamine-induced changes in attentional and perceptual-motor skills of cognition." *Psychopharmacology (Berl)* 178(2-3): 296-302.
- Logan, B. K. (1996). "Methamphetamine and driving impairment." *J Forensic Sci* 41(3): 457-64.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Moeller, M. R. and T. Kraemer (2002). "Drugs of abuse monitoring in blood for control of driving under the influence of drugs." *Ther Drug Monit* 24(2): 210-21.
- Monterosso, J. R., A. R. Aron, et al. (2005). "Deficits in response inhibition associated with chronic methamphetamine abuse." *Drug Alcohol Depend* 79(2): 273-7.
- Purtell, D. J. (1965). "Effects of drugs on handwriting." *J Forensic Sci* 10(3): 335-46.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Silber, B. Y., K. Papafotiou, et al. (2005). "An evaluation of the sensitivity of the standardised field sobriety tests to detect the presence of amphetamine." *Psychopharmacology (Berl)*: 1-7.
- Smirnov, A. V. (1990). "[Psychomotor stimulants as agents for enhancing work capacity]." *Farmakol Toksikol* 53(4): 72-7.

Psychomotor Task Performance (animals)

See also Stereotypic Behaviors (animals); Tremors (animals)

- Kim, J. S., R. Hassler, et al. (1970). "Abnormal movements and rigidity induced by harmaline in relation to striatal acetylcholine, serotonin, and dopamine." *Exp Neurol* 29(2): 189-200.
- Slamberova, R., M. Pometlova, et al. (2006). "Postnatal development of rat pups is altered by prenatal methamphetamine exposure." *Prog Neuropsychopharmacol Biol Psychiatry* 30(1): 82-8.

Psychosis

- Brown, E. S., V. A. Nejtck, D. C. Perantie, N. Rajan Thomas and A. J. Rush (2003). "Cocaine and amphetamine use in patients with psychiatric illness: A randomized trial of typical antipsychotic continuation or discontinuation." *J Clin Psychopharmacol* 23(4): 384-8.
- Buffenstein, A., J. Heaster, et al. (1999). "Chronic psychotic illness from methamphetamine." *Am J Psychiatry* 156(4): 662.
- Chen, C. K., S. K. Lin, et al. (2005). "Morbid risk for psychiatric disorder among the relatives of methamphetamine users with and without psychosis." *Am J Med Genet B Neuropsychiatr Genet* 136(1): 87-91.
- Chen, C. K., S. K. Lin, P. C. Sham, D. Ball, E. W. Loh, C. C. Hsiao, Y. L. Chiang, S. C. Ree, C. H. Lee and R. M. Murray (2003). "Premorbid characteristics and co-morbidity of methamphetamine users with and without psychosis." *Psychol Med* 33(8): 1407-14.
- Chen, C. K., X. Hu, S. K. Lin, P. C. Sham, E. W. Loh, T. Li, R. M. Murray and D. M. Ball (2004). "Association analysis of dopamine d2-like receptor genes and methamphetamine abuse." *Psychiatr Genet* 14(4): 223-226.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Dore, G. and M. Sweeting (2006). "Drug-induced psychosis associated with crystalline methamphetamine." *Australas Psychiatry* 14(1): 86-9.
- Hall, W., S. Darke, et al. (1993). "Patterns of drug use and risk-taking among injecting amphetamine and opioid drug users in Sydney, Australia." *Addiction* 88(4): 509-16.
- Hartel-Petri, R., R. Rodler, et al. (2005). "[Increasing prevalence of amphetamine--and methamphetamine-induced psychosis]." *Psychiatr Prax* 32(1): 13-7.
- Hashimoto, T., K. Hashimoto, et al. (2005). "A functional glutathione S-transferase P1 gene polymorphism is associated with methamphetamine-induced psychosis in Japanese population." *Am J Med Genet B Neuropsychiatr Genet* 135(1): 5-9.
- Ide, S., H. Kobayashi, et al. (2006). "Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms." *Pharmacogenomics J*.
- Ide, S., H. Kobayashi, et al. (2004). "Gene polymorphisms of the mu opioid receptor in methamphetamine abusers." *Ann N Y Acad Sci* 1025: 316-24.
- Inada, T., Y. Iijima, N. Uchida, T. Maeda, S. Iwashita, N. Ozaki, M. Harano, T. Komiyama, M. Yamada, Y. Sekine, M. Iyo, I. Sora and H. Ujikec (2004). "No association found between the type 1 sigma receptor gene polymorphisms and methamphetamine abuse in the Japanese population: A collaborative study by the Japanese genetics initiative for drug abuse." *Ann N Y Acad Sci* 1025: 27-33.

- Iwanami, A., R. Kanamori, et al. (1995). "Reduced attention-related negative potentials in methamphetamine psychosis." *J Nerv Ment Dis* 183(11): 693-7.
- Iwanami, A., I. Suga, et al. (1994). "P300 component of event-related potentials in methamphetamine psychosis and schizophrenia." *Prog Neuropsychopharmacol Biol Psychiatry* 18(3): 465-75.
- Iwanami, A., I. Suga, et al. (1993). "Event-related potentials in methamphetamine psychosis during an auditory discrimination task. A preliminary report." *Eur Arch Psychiatry Clin Neurosci* 242(4): 203-8.
- Iwanami, A., N. Kato, et al. (1991). "P300 in methamphetamine psychosis." *Biol Psychiatry* 30(7): 726-30.
- Iwata, N., T. Inada, et al. (2004). "No association is found between the candidate genes of t-PA/plasminogen system and Japanese methamphetamine-related disorder: A collaborative study by the Japanese Genetics Initiative for Drug Abuse." *Ann N Y Acad Sci* 1025: 34-8.
- Iyo, M., Y. Sekine and N. Mori (2004). "Neuromechanism of developing methamphetamine psychosis: A neuroimaging study." *Ann N Y Acad Sci* 1025: 288-95.
- Kobayashi, H., S. Ide, J. Hasegawa, H. Ujike, Y. Sekine, N. Ozaki, T. Inada, M. Harano, T. Komiyama, M. Yamada, M. Iyo, H. W. Shen, K. Ikeda and I. Soraa (2004). "Study of association between {alpha}-synuclein gene polymorphism and methamphetamine psychosis/dependence." *Ann N Y Acad Sci* 1025: 325-334.
- Lin, S. K., D. Ball, C. C. Hsiao, Y. L. Chiang, S. C. Ree and C. K. Chen (2004). "Psychiatric comorbidity and gender differences of persons incarcerated for methamphetamine abuse in Taiwan." *Psychiatry Clin Neurosci* 58(2): 206-12.
- Liu, H. C., S. K. Lin, et al. (2004). "DAT polymorphism and diverse clinical manifestations in methamphetamine abusers." *Psychiatr Genet* 14(1): 33-7.
- Matsumoto, T., A. Kamijo, et al. (2002). "Methamphetamine in Japan: The consequences of methamphetamine abuse as a function of route of administration." *Addiction* 97(7): 809-17.
- Mikami, T., N. Naruse, Y. Fukura, H. Ohkubo, T. Ohkubo, M. Matsuura, H. Moriya, T. Nishikawa and T. Kojima (2003). "Determining vulnerability to schizophrenia in methamphetamine psychosis using exploratory eye movements." *Psychiatry Clin Neurosci* 57(4): 433-40.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Ohgake, S., K. Hashimoto, et al. (2005). "Functional polymorphism of the NQO2 gene is associated with methamphetamine psychosis." *Addict Biol* 10(2): 145-8.
- Sato, M. (2002). "[Basic and clinical studies on methamphetamine-related psychosis]." *Seishin Shinkeigaku Zasshi* 104(3): 179-90.
- Sato, M., Y. Numachi, et al. (1992). "Relapse of paranoid psychotic state in methamphetamine model of schizophrenia." *Schizophr Bull* 18(1): 115-22.
- Sato, M. (1992). "A lasting vulnerability to psychosis in patients with previous methamphetamine psychosis." *Ann N Y Acad Sci* 654: 160-70.
- Sato, M., C. C. Chen, et al. (1983). "Acute exacerbation of paranoid psychotic state after long-term abstinence in patients with previous methamphetamine psychosis." *Biol Psychiatry* 18(4): 429-40.
- Srisurapanont, M., R. Ali, et al. (2003). "Psychotic symptoms in methamphetamine psychotic in-patients." *Int J Neuropsychopharmacol* 6(4): 347-52.
- Srisurapanont, M., P. Kittiratanapaiboon and N. Jarusuraisin (2001). "Treatment for amphetamine psychosis." *Cochrane Database Syst Rev*(4): CD003026.
- Szuster, R. R. (1990). "Methamphetamine in psychiatric emergencies." *Hawaii Med J* 49(10): 389-91.
- Tomiyama, G. (1990). "Chronic schizophrenia-like states in methamphetamine psychosis." *Jpn J Psychiatry Neurol* 44(3): 531-9.
- Ujike, H. and M. Sato (2004). "Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis." *Ann N Y Acad Sci* 1025: 279-87.
- Yui, K., K. Goto, et al. (2004). "The role of noradrenergic and dopaminergic hyperactivity in the development of spontaneous recurrence of methamphetamine psychosis and susceptibility to episode recurrence." *Ann N Y Acad Sci* 1025: 296-306.
- Yui, K., S. Ikemoto, et al. (2003). "Susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *J Clin Psychopharmacol* 23(5): 525-8.
- Yui, K., S. Ikemoto, et al. (2002). "Factors for susceptibility to episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Ann N Y Acad Sci* 965: 292-304.
- Yui, K., S. Ikemoto, et al. (2002). "Spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory states in female subjects: Susceptibility to psychotic states and implications for relapse of schizophrenia." *Pharmacopsychiatry* 35(2): 62-71.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.
- Yui, K., K. Goto, et al. (2000). "Stress induced spontaneous recurrence of methamphetamine psychosis: The relation between stressful experiences and sensitivity to stress." *Drug Alcohol Depend* 58(1-2): 67-75.

- Yui, K., K. Goto, et al. (2000). "Increased sensitivity to stress in spontaneous recurrence of methamphetamine psychosis: noradrenergic hyperactivity with contribution from dopaminergic hyperactivity." *J Clin Psychopharmacol* 20(2): 165-74.
- Yui, K., T. Ishiguro, et al. (1999). "Spontaneous recurrence of methamphetamine psychosis: increased sensitivity to stress associated with noradrenergic hyperactivity and dopaminergic change." *Eur Arch Psychiatry Clin Neurosci* 249(2): 103-11.
- Yui, K., K. Goto, et al. (1999). "Neurobiological basis of relapse prediction in stimulant-induced psychosis and schizophrenia: The role of sensitization." *Mol Psychiatry* 4(6): 512-23.
- Yui, K., K. Goto, et al. (1999). "Increased sensitivity to stress and episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 145(3): 267-72.
- Yui, K., T. Ishiguro, et al. (1998). "Factors affecting the development of spontaneous recurrence of methamphetamine psychosis." *Acta Psychiatr Scand* 97(3): 220-7.
- Yui, K., K. Goto, et al. (1997). "Methamphetamine psychosis: Spontaneous recurrence of paranoid-hallucinatory states and monoamine neurotransmitter function." *J Clin Psychopharmacol* 17(1): 34-43.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.
- Yui, K., T. Ishiguro, et al. (1997). "Precipitating factors in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 134(3): 303-8.
- Yui, K., K. Goto, et al. (1997). "Noradrenergic activity and spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 44(2-3): 183-7.
- Yui, K., K. Goto, et al. (1996). "Plasma monoamine metabolites and spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory psychosis: Relation of noradrenergic activity to the occurrence of flashbacks." *Psychiatry Res* 63(2-3): 93-107.
- Yui, K., K. Goto, et al. (1995). "Spontaneous recurrence of methamphetamine psychosis: Process and monoamine neurotransmitter function." *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(4): 363-74.
- Yukitake, A. (1983). "Amphetamine psychosis in Tokyo--Its clinical features and social problems." *Folia Psychiatr Neurol Jpn* 37(2): 115-20.

Psychosis (animals)

- Dawirs, R. R. and G. Teuchert-Noodt (2001). "A novel pharmacological concept in an animal model of psychosis." *Acta Psychiatr Scand Suppl*(408): 10-7.
- Ide, S., H. Kobayashi, et al. (2006). "Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms." *Pharmacogenomics J*.

Psychotherapy

- Lehmann, H. E. and T. A. Ban (1971). "Effects of psychoactive drugs on conflict avoidance behavior in human subjects." *Act Nerv Super (Praha)* 13(2): 82-5.
- Lehmann, H. E., P. Black, et al. (1970). "The effect of psychostimulants on psychometric test performance with special reference to conflict avoidance behavior." *Curr Ther Res Clin Exp* 12(6): 390-3.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Tatarsky, A. (2003). "Harm reduction psychotherapy: Extending the reach of traditional substance use treatment." *J Subst Abuse Treat* 25(4): 249-56.

Pulmonary and Thoracic Disease

- Gotway, M. B., S. R. Marder, et al. (2002). "Thoracic complications of illicit drug use: an organ system approach." *Radiographics* 22 Spec No: S119-35.
- Hong, R., E. Matsuyama and K. Nur (1991). "Cardiomyopathy associated with the smoking of crystal methamphetamine." *JAMA* 265(9): 1152-4.
- Nestor, T. A., W. I. Tamamoto, et al. (1989). "Acute pulmonary oedema caused by crystalline methamphetamine." *Lancet* 2(8674): 1277-8.
- Tashkin, D. P. (2001). "Airway effects of marijuana, cocaine, and other inhaled illicit agents." *Curr Opin Pulm Med* 7(2): 43-61.
- Yeh, P. S., A. Yuan, et al. (2001). "Acute respiratory distress syndrome in a woman with heroin and methamphetamine misuse." *J Formos Med Assoc* 100(8): 553-6.

Pulmonary and Thoracic Disease (animals)

Zolkowska, D., R. B. Rothman, et al. (2006). "Amphetamine analogs increase plasma serotonin: Implications for cardiac and pulmonary disease." *J Pharmacol Exp Ther*.

Raves

See Circuit Parties and Raves; Recreational and Club Drugs

Reasons for Use

See Motivations for Use

Recreational and Club Drugs

See also Polydrug Use and specific drugs

Antoniou, T. and A. L. Tseng (2002). "Interactions between recreational drugs and antiretroviral agents." *Ann Pharmacother* 36(10): 1598-1613.

Banken, J. A. (2004). "Drug abuse trends among youth in the United States." *Ann N Y Acad Sci* 1025: 465-71.

Buchanan, J. F. and C. R. Brown (1988). "'Designer drugs'. A problem in clinical toxicology." *Med Toxicol Adverse Drug Exp* 3(1): 1-17.

Christophersen, A. S. (2000). "Amphetamine designer drugs - An overview and epidemiology." *Toxicol Lett* 112-113: 127-31.

Clatts, M. C., L. A. Goldsamt, et al. (2005). "Club drug use among young men who have sex with men in NYC: A preliminary epidemiological profile." *Subst Use Misuse* 40(9): 1317-30.

Colfax, G. N., G. Mansergh, R. Guzman, E. Vittinghoff, G. Marks, M. Rader and S. Buchbinder (2001). "Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: A venue-based comparison." *J Acquir Immune Defic Syndr* 28(4): 373-9.

Fendrich, M., J. S. Wislar, T. P. Johnson and A. Hubbell (2003). "A contextual profile of club drug use among adults in Chicago." *Addiction* 98(12): 1693-703.

Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.

Freese, T. E., K. Miotto, et al. (2002). "The effects and consequences of selected club drugs." *J Subst Abuse Treat* 23(2): 151-6.

Goldsamt, L. A., J. O'Brien, et al. (2005). "The relationship between club drug use and other drug use: A survey of New York City middle school students." *Subst Use Misuse* 40(9): 1539-55.

Gorman, M. and P. Halkitis (2003). "Methamphetamine and club drug use and HIV." *Focus* 18(7): 5-6.

Hirshfield, S., R. H. Remien, M. Humberstone, I. Walavalkar and M. A. Chiasson (2004). "Substance use and high-risk sex among men who have sex with men: A national online study in the USA." *AIDS Care* 16(8): 1036-47.

Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.

Irvine, R. J., M. Keane, et al. (2006). "Plasma drug concentrations and physiological measures in 'dance party' participants." *Neuropsychopharmacology* 31(2): 424-30.

Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.

Klein, M. and F. Kramer (2004). "Rave drugs: Pharmacological considerations." *AANA J* 72(1): 61-7.

Lampinen, T. M., D. McGhee, et al. (2006). "Increased risk of 'club' drug use among gay and bisexual high school students in British Columbia." *J Adolesc Health* 38(4): 458-61.

Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.

Mattison, A. M., M. W. Ross, et al. (2001). "Circuit party attendance, club drug use, and unsafe sex in gay men." *J Subst Abuse* 13(1-2): 119-26.

Maxwell, J. C. and R. T. Spence (2005). "Profiles of club drug users in treatment." *Subst Use Misuse* 40(9): 1409-26.

McCaughan, J. A., R. G. Carlson, et al. (2005). "From 'Candy Kids' to 'Chemi-Kids': A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9-10): 1503-23.

Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav*.

Rawson, R. A., A. Washton, C. P. Domier and C. Reiber (2002). "Drugs and sexual effects: Role of drug type and gender." *J Subst Abuse Treat* 22(2): 103-8.

- Rome, E. S. (2001). "It's a rave new world: Rave culture and illicit drug use in the young." *Cleve Clin J Med* 68(6): 541-50.
- Ross, M. W., A. M. Mattison, et al. (2003). "Club drugs and sex on drugs are associated with different motivations for gay circuit party attendance in men." *Subst Use Misuse* 38(8): 1173-83.
- Rusch, M., T. M. Lampinen, A. Schilder and R. S. Hogg (2004). "Unprotected anal intercourse associated with recreational drug use among young men who have sex with men depends on partner type and intercourse role." *Sex Transm Dis* 31(8): 492-8.
- Swearingen, S. G. and J. D. Klausner (2005). "Sildenafil use, sexual risk behavior, and risk for sexually transmitted diseases, including HIV infection." *Am J Med* 118(6): 571-7.
- Tellier, P. P. (2002). "Club drugs: Is it all ecstasy?" *Pediatr Ann* 31(9): 550-6.
- Van Leeuwen, J. M., C. Hopfer, S. Hooks, R. White, J. Petersen and J. Pirkopf (2004). "A snapshot of substance abuse among homeless and runaway youth in Denver, Colorado." *J Community Health* 29(3): 217-29.
- Vogtsberger, K. N. (1989). "Designer drugs." *Tex Med* 85(7): 30-2.
- Worth, H. and P. Rawstorne (2005). "Crystallizing the HIV epidemic: Methamphetamine, unsafe sex, and gay diseases of the will." *Arch Sex Behav* 34(5): 483-6.

Relapse

See also Craving

- Brecht, M. L., M. D. Anglin, et al. (2005). "Coerced treatment for methamphetamine abuse: Differential patient characteristics and outcomes." *Am J Drug Alcohol Abuse* 31(2): 337-56.
- Brecht, M. L., C. von Mayrhauser, et al. (2000). "Predictors of relapse after treatment for methamphetamine use." *J Psychoactive Drugs* 32(2): 211-20.
- Paulus, M. P., S. F. Tapert, et al. (2005). "Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse." *Arch Gen Psychiatry* 62(7): 761-8.
- Simon, S. L., J. Dacey, S. Glynn, R. Rawson and W. Ling (2004). "The effect of relapse on cognition in abstinent methamphetamine abusers." *J Subst Abuse Treat* 27(1): 59-66.
- Ujike, H. and M. Sato (2004). "Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis." *Ann N Y Acad Sci* 1025: 279-87.
- Vazquez, E. (2005). "Crystal meth recovery. A step-by-step guide." *Posit Aware* 16(5): 20-2, 25.
- Yen, C. F. and Y. P. Chang (2005). "Relapse antecedents for methamphetamine use and related factors in Taiwanese adolescents." *Psychiatry Clin Neurosci* 59(1): 77-82.
- Yen, C. F., H. Y. Wu, et al. (2004). "Effects of brief cognitive-behavioral interventions on confidence to resist the urges to use heroin and methamphetamine in relapse-related situations." *J Nerv Ment Dis* 192(11): 788-91.
- Yui, K., K. Goto, et al. (1999). "Neurobiological basis of relapse prediction in stimulant-induced psychosis and schizophrenia: The role of sensitization." *Mol Psychiatry* 4(6): 512-23.

Relapse (animals)

See Craving (animals)

Repeated Behaviors

See Stereotypic Behaviors; Stereotypic Behaviors (animals)

Reproductive System (animals)

- Slamberova, R., M. Pometlova, et al. (2006). "Postnatal development of rat pups is altered by prenatal methamphetamine exposure." *Prog Neuropsychopharmacol Biol Psychiatry* 30(1): 82-8.
- Yamamoto, Y., K. Yamamoto, et al. (2002). "Methamphetamine induces apoptosis in seminiferous tubules in male mice testis." *Toxicol Appl Pharmacol* 178(3): 155-60.
- Yamamoto, Y., K. Yamamoto, et al. (1999). "Effect of methamphetamine on male mice fertility." *J Obstet Gynaecol Res* 25(5): 353-8.

Respiratory Disease*See Pulmonary and Thoracic Disease***Review Articles**

- Akiyama, K., A. Kanzaki, et al. (1994). "Methamphetamine-induced behavioral sensitization and its implications for relapse of schizophrenia." *Schizophr Res* 12(3): 251-7.
- Albertson, T. E., R. W. Derlet, et al. (1999). "Methamphetamine and the expanding complications of amphetamines." *West J Med* 170(4): 214-9.
- Ando, K. (1996). "Test methods for predicting tardive toxicity of therapeutic drugs using laboratory animals." *J Toxicol Sci* 21(1): 105-7.
- Antoniou, T. and A. L. Tseng (2002). "Interactions between recreational drugs and antiretroviral agents." *Ann Pharmacother* 36(10): 1598-1613.
- Asanuma, M. and I. Miyazaki (2005). "[Expression profiling of molecules related to abused drug dependence and toxicity]." *Nippon Yakurigaku Zasshi* 126(1): 30-4, 42.
- Bailey, D. N. (1987). "Amphetamine detection during toxicology screening of a university medical center patient population." *J Toxicol Clin Toxicol* 25(5): 399-409.
- Baker, A. and S. Dawe (2005). "Amphetamine use and co-occurring psychological problems: Review of the literature and implications for treatment." *Australian Psychologist* 40(2): 88-95.
- Banken, J. A. (2004). "Drug abuse trends among youth in the United States." *Ann N Y Acad Sci* 1025: 465-71.
- Betarbet, R., T. B. Sherer, et al. (2002). "Animal models of Parkinson's disease." *Bioessays* 24(4): 308-18.
- Beebe, D. K. and E. Walley (1995). "Smokable methamphetamine ('ice'): An old drug in a different form." *Am Fam Physician* 51(2): 449-53.
- Birman, S. (2005). "Arousal mechanisms: Speedy flies don't sleep at night." *Curr Biol* 15(13): R511-3.
- Bisagno, V., R. Bowman, et al. (2003). "Functional aspects of estrogen neuroprotection." *Endocrine* 21(1): 33-41.
- Bray, G. A. (1993). "Use and abuse of appetite-suppressant drugs in the treatment of obesity." *Ann Intern Med* 119(7 Pt 2): 707-13.
- Buchanan, J. F. and C. R. Brown (1988). "'Designer drugs'. A problem in clinical toxicology." *Med Toxicol Adverse Drug Exp* 3(1): 1-17.
- Burchell, S. A., H. C. Ho, et al. (2000). "Effects of methamphetamine on trauma patients: A cause of severe metabolic acidosis?" *Crit Care Med* 28(6): 2112-5.
- Burton, B. T. (1991). "Heavy metal and organic contaminants associated with illicit methamphetamine production." *NIDA Res Monogr* 115: 47-59.
- Cadet, J. L., S. Jayanthi, et al. (2003). "Speed kills: Cellular and molecular bases of methamphetamine-induced nerve terminal degeneration and neuronal apoptosis." *Faseb J* 17(13): 1775-88.
- Cadet, J. L. (2001). "Molecular neurotoxicological models of Parkinsonism: Focus on genetic manipulation of mice." *Parkinsonism Relat Disord* 8(2): 85-90.
- Cadet, J. L. and C. Brannock (1998). "Free radicals and the pathobiology of brain dopamine systems." *Neurochem Int* 32(2): 117-31.
- Cadet, J. L., S. F. Ali, et al. (1995). "Neurotoxicity, drugs and abuse, and the CuZn-superoxide dismutase transgenic mice." *Mol Neurobiol* 11(1-3): 155-63.
- Caldicott, D. G., P. E. Pigou, et al. (2005). "Clandestine drug laboratories in Australia and the potential for harm." *Aust N Z J Public Health* 29(2): 155-62.
- Caldwell, J. and P. S. Sever (1974). "The biochemical pharmacology of abused drugs. Amphetamines, cocaine, and LSD." *Clin Pharmacol Ther* 16(4): 625-38.
- Caligiuri, M. P. and C. Buitenhuis (2005). "Do preclinical findings of methamphetamine-induced motor abnormalities translate to an observable clinical phenotype?" *Neuropsychopharmacology* 30(12): 2125-34.
- Chang, L. and W. Haning (2006). "Insights from recent positron emission tomographic studies of drug abuse and dependence." *Curr Opin Psychiatry* 19(3): 246-252.
- Charukamnoetkanok, P. and M. D. Wagoner (2004). "Facial and ocular injuries associated with methamphetamine production accidents." *Am J Ophthalmol* 138(5): 875-6.
- Cheng, J. Y., D. T. Chan, et al. (2005). "An epidemiological study on alcohol/drugs related fatal traffic crash cases of deceased drivers in Hong Kong between 1996 and 2000." *Forensic Sci Int* 153(2-3): 196-201.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.

- Cho, A. K., W. P. Melega, et al. (2001). "Relevance of pharmacokinetic parameters in animal models of methamphetamine abuse." *Synapse* 39(2): 161-6.
- Cho, B. I. (1991). "Trends and patterns of methamphetamine abuse in the Republic of Korea." *NIDA Res Monogr* 115: 99-108.
- Chrisp, P., G. J. Mammen, et al. (1991). "Selegiline. A review of its pharmacology, symptomatic benefits and protective potential in Parkinson's disease." *Drugs Aging* 1(3): 228-48.
- Christophersen, A. S. (2000). "Amphetamine designer drugs - An overview and epidemiology." *Toxicol Lett* 112-113: 127-31.
- Chomchai, C., N. Na Manorom, et al. (2004). "Methamphetamine abuse during pregnancy and its health impact on neonates born at Siriraj Hospital, Bangkok, Thailand." *Southeast Asian J Trop Med Public Health* 35(1): 228-31.
- Chung, H., M. Park, et al. (2004). "Recent trends of drug abuse and drug-associated deaths in Korea." *Ann N Y Acad Sci* 1025: 458-64.
- Chung, H. (1998). "Drug abuse trends and epidemiological aspects of drug associated deaths in Korea." *J Toxicol Sci* 23 Suppl 2: 197-200.
- Clatts, M. C., D. L. Welle, et al. (2001). "Reconceptualizing the interaction of drug and sexual risk among MSM speed users: Notes toward an ethno-epidemiology." *AIDS and Behavior* 5(2): 115-130.
- Cody, J. T. (2002). "Precursor medications as a source of methamphetamine and/or amphetamine positive drug testing results." *J Occup Environ Med* 44(5): 435-50.
- Collins, C. L., T. Kerr, et al. (2005). "Rationale to evaluate medically supervised safer smoking facilities for non-injection illicit drug users." *Can J Public Health* 96(5): 344-7.
- Comings, D. E. and K. Blum (2000). "Reward deficiency syndrome: Genetic aspects of behavioral disorders." *Prog Brain Res* 126: 325-41.
- Cook, C. E. (1991). "Pyrolytic characteristics, pharmacokinetics, and bioavailability of smoked heroin, cocaine, phencyclidine, and methamphetamine." *NIDA Res Monogr* 115: 6-23.
- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Cox, C. and R. G. Smart (1970). "The nature and extent of speed use in North America." *Can Med Assoc J* 102(7): 724-9.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Crouch, D. J., M. M. Birky, et al. (1993). "The prevalence of drugs and alcohol in fatally injured truck drivers." *J Forensic Sci* 38(6): 1342-53.
- Csemy, L., L. Kubicka, et al. (2002). "Drug scene in the Czech Republic and Slovakia during the period of transformation." *Eur Addict Res* 8(4): 159-65.
- Danks, R. R., L. A. Wibbenmeyer, et al. (2004). "Methamphetamine-associated burn injuries: A retrospective analysis." *J Burn Care Rehabil* 25(5): 425-9.
- Davidson, C., A. J. Gow, et al. (2001). "Methamphetamine neurotoxicity: necrotic and apoptotic mechanisms and relevance to human abuse and treatment." *Brain Res Brain Res Rev* 36(1): 1-22.
- Davies, J. K. and J. M. Bledsoe (2005). "Prenatal alcohol and drug exposures in adoption." *Pediatr Clin North Am* 52(5): 1369-93, vii.
- Davis, G. G. and C. I. Swalwell (1996). "The incidence of acute cocaine or methamphetamine intoxication in deaths due to ruptured cerebral (berry) aneurysms." *J Forensic Sci* 41(4): 626-8.
- Davis, G. G. and C. I. Swalwell (1994). "Acute aortic dissections and ruptured berry aneurysms associated with methamphetamine abuse." *J Forensic Sci* 39(6): 1481-5.
- Dawirs, R. R. and G. Teuchert-Noodt (2001). "A novel pharmacological concept in an animal model of psychosis." *Acta Psychiatr Scand Suppl*(408): 10-7.
- Dawson, R., Jr., M. F. Beal, et al. (1995). "Excitotoxins, aging, and environmental neurotoxins: Implications for understanding human neurodegenerative diseases." *Toxicol Appl Pharmacol* 134(1): 1-17.
- Derlet, R. W. and B. Z. Horowitz (1995). "Cardiotoxic drugs." *Emerg Med Clin North Am* 13(4): 771-91.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Dluzen, D. E. and J. L. McDermott (2004). "Developmental and genetic influences upon gender differences in methamphetamine-induced nigrostriatal dopaminergic neurotoxicity." *Ann N Y Acad Sci* 1025: 205-20.
- Dluzen, D. E. and J. L. McDermott (2002). "Estrogen, anti-estrogen, and gender: differences in methamphetamine neurotoxicity." *Ann N Y Acad Sci* 965: 136-56.
- Dluzen, D. E. (2000). "Neuroprotective effects of estrogen upon the nigrostriatal dopaminergic system." *J Neurocytol* 29(5-6): 387-99.
- Doleys, D. M. (1977). "Behavioral treatments for nocturnal enuresis in children: A review of the recent literature." *Psychol Bull* 84(1): 30-54.

- Dwoskin, L. P. and P. A. Crooks (2002). "A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse." *Biochem Pharmacol* 63(2): 89-98.
- elSohly, M. A. and A. B. Jones (1995). "Drug testing in the workplace: could a positive test for one of the mandated drugs be for reasons other than illicit use of the drug?" *J Anal Toxicol* 19(6): 450-8.
- Fleckenstein, A. E., J. W. Gibb, et al. (2000). "Differential effects of stimulants on monoaminergic transporters: pharmacological consequences and implications for neurotoxicity." *Eur J Pharmacol* 406(1): 1-13.
- Fog, R. (1972). "On stereotypy and catalepsy: Studies on the effect of amphetamines and neuroleptics in rats." *Acta Neurol Scand Suppl* 50: 3-66.
- Fornai, F., F. Vaglini, et al. (1997). "Species differences in the role of excitatory amino acids in experimental parkinsonism." *Neurosci Biobehav Rev* 21(4): 401-15.
- Forney, R. (1977). "Drug impairment reviews: Stimulants." *NIDA Res Monogr Series* 11: 73-6.
- Forney, R., R. Martz, et al. (1976). "The combined effect of marihuana and dextroamphetamine." *Ann N Y Acad Sci* 281: 162-70.
- Frank, R. S. (1983). "The clandestine drug laboratory situation in the United States." *J Forensic Sci* 28(1): 18-31.
- Freese, T. E., K. Miotto, et al. (2002). "The effects and consequences of selected club drugs." *J Subst Abuse Treat* 23(2): 151-6.
- Friese, G. (2006). "The methamphetamine crisis. What EMS providers need to know to stay safe and treat patients." *Emerg Med Serv* 35(3): 55-64.
- Frost, D. O. and J. L. Cadet (2000). "Effects of methamphetamine-induced neurotoxicity on the development of neural circuitry: A hypothesis." *Brain Res Brain Res Rev* 34(3): 103-18.
- Fry, J. M. (1998). "Treatment modalities for narcolepsy." *Neurology* 50(2 Suppl 1): S43-8.
- Fuller, R. W. (1978). "Structure-activity relationships among the halogenated amphetamines." *Ann N Y Acad Sci* 305: 147-59.
- Gerlach, M. and P. Riederer (1996). "Animal models of Parkinson's disease: An empirical comparison with the phenomenology of the disease in man." *J Neural Transm* 103(8-9): 987-1041.
- Geyer, M. A. (1996). "Serotonergic functions in arousal and motor activity." *Behav Brain Res* 73(1-2): 31-5.
- Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.
- Gibb, J. W., M. Johnson, et al. (1990). "Neurochemical basis of neurotoxicity." *Neurotoxicology* 11(2): 317-21.
- Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.
- Goldberger, B. A. and E. J. Cone (1994). "Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry." *J Chromatogr A* 674(1-2): 73-86.
- Goldstein, D. J., A. H. Rampey, Jr., et al. (1993). "Analyses of suicidality in double-blind, placebo-controlled trials of pharmacotherapy for weight reduction." *J Clin Psychiatry* 54(8): 309-16.
- Golembiowska, K., J. Konieczny, et al. (2002). "The role of striatal metabotropic glutamate receptors in degeneration of dopamine neurons: Review article." *Amino Acids* 23(1-3): 199-205.
- Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.
- Gorman, E. M., P. Morgan, et al. (1995). "Qualitative research considerations and other issues in the study of methamphetamine use among men who have sex with other men." *NIDA Res Monogr* 157: 156-81.
- Gottschalk, P. C., L. K. Jacobsen, et al. (1999). "Current concepts in pharmacotherapy of substance abuse." *Curr Psychiatry Rep* 1(2): 172-8.
- Gotway, M. B., S. R. Marder, et al. (2002). "Thoracic complications of illicit drug use: an organ system approach." *Radiographics* 22 Spec No: S119-35.
- Greberman, S. B. and K. Wada (1994). "Social and legal factors related to drug abuse in the United States and Japan." *Public Health Rep* 109(6): 731-7.
- Guilarte, T. R. (2001). "Is methamphetamine abuse a risk factor in parkinsonism?" *Neurotoxicology* 22(6): 725-31.
- Halkitis, P. N., J. T. Parsons, et al. (2001). "A double epidemic: Crystal methamphetamine drug use in relation to HIV transmission among gay men." *J Homosex* 41(2): 17-35.
- Hall, J. N. and P. M. Broderick (1991). "Community networks for response to abuse outbreaks of methamphetamine and its analogs." *NIDA Res Monogr* 115: 109-20.
- Haney, M. and T. R. Kosten (2004). "Therapeutic vaccines for substance dependence." *Expert Rev Vaccines* 3(1): 11-8.
- Hanson, G. R., K. S. Rau, et al. (2004). "The methamphetamine experience: A NIDA partnership." *Neuropharmacology* 47 Suppl 1: 92-100.

- Hanson, G. R., N. Singh, et al. (1992). "Responses of limbic and extrapyramidal neurotensin systems to stimulants of abuse. Involvement of dopaminergic mechanisms." *Ann N Y Acad Sci* 668: 165-72.
- Hassler, R. and A. Wagner (1975). "Locomotor activity and speed of movements in relation to monoamine-acting drugs." *Int J Neurol* 10(1-4): 80-97.
- Heller, A., L. Won, et al. (1995). "Examination of developmental neurotoxicity by the use of tissue culture model systems." *Clin Exp Pharmacol Physiol* 22(5): 375-8.
- Helschober, B. and M. A. Miller (1991). "Methamphetamine abuse in California." *NIDA Res Monogr* 115: 60-71.
- Holman, R. B., G. R. Elliott, et al. (1975). "Neuroregulators and sleep mechanisms." *Annu Rev Med* 26: 499-520.
- Imam, S. Z., J. el-Yazal, et al. (2001). "Methamphetamine-induced dopaminergic neurotoxicity: role of peroxynitrite and neuroprotective role of antioxidants and peroxynitrite decomposition catalysts." *Ann N Y Acad Sci* 939: 366-80.
- Inoue, H., N. Ikeda, et al. (2006). "Methamphetamine-related sudden death with a concentration which was of a 'toxic level'." *Leg Med (Tokyo)*.
- Irvine, G. D. and L. Chin (1991). "The environmental impact and adverse health effects of the clandestine manufacture of methamphetamine." *NIDA Res Monogr* 115: 33-46.
- Itzhak, Y. and S. F. Ali (2006). "Role of nitrenergic system in behavioral and neurotoxic effects of amphetamine analogs." *Pharmacol Ther* 109(1-2): 246-62.
- Itzhak, Y. and C. Achat-Mendes (2004). "Methamphetamine and MDMA (ecstasy) neurotoxicity: 'Of mice and men'." *IUBMB Life* 56(5): 249-55.
- Iwabuchi, K., Y. Kubota, et al. (2004). "Methamphetamine and brain histamine: A study using histamine-related gene knockout mice." *Ann N Y Acad Sci* 1025: 129-34.
- Jirovsky, D., K. Lemr, et al. (1998). "Methamphetamine--properties and analytical methods of enantiomer determination." *Forensic Sci Int* 96(1): 61-70.
- Joffe, G. M. and T. Kasnic (1994). "Medical prescription of dextroamphetamine during pregnancy." *J Perinatol* 14(4): 301-3.
- Kalbag, A. S. and F. R. Levin (2005). "Adult ADHD and substance abuse: Diagnostic and treatment issues." *Subst Use Misuse* 40(13-14): 1955-81.
- Kantak, K. M. (2003). "Vaccines against drugs of abuse: A viable treatment option?" *Drugs* 63(4): 341-52.
- Kita, T., G. C. Wagner, et al. (2003). "Current research on methamphetamine-induced neurotoxicity: animal models of monoamine disruption." *J Pharmacol Sci* 92(3): 178-95.
- Kita, T. and T. Nakashima (2002). "[A recent trend in methamphetamine-induced neurotoxicity]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 22(2): 35-47.
- Kitaichi, K., Y. Morishita, et al. (2001). "[Pharmacokinetic behavioral changes of methamphetamine in methamphetamine-sensitized animal model]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 21(5): 133-44.
- Kiyatkin, E. A. (2005). "Brain hyperthermia as physiological and pathological phenomena." *Brain Res Brain Res Rev* 50(1): 27-56.
- Klein, M. and F. Kramer (2004). "Rave drugs: pharmacological considerations." *AANA J* 72(1): 61-7.
- Kleven, M. S. and L. S. Seiden (1992). "Methamphetamine-induced neurotoxicity: structure activity relationships." *Ann N Y Acad Sci* 654: 292-301.
- Kolecki, P. (1998). "Inadvertent methamphetamine poisoning in pediatric patients." *Pediatr Emerg Care* 14(6): 385-7.
- Kosman, M. E. and D. R. Unna (1968). "Effects of chronic administration of the amphetamines and other stimulants on behavior." *Clin Pharmacol Ther* 9(2): 240-54.
- Kosten, T. R. and P. G. O'Connor (2003). "Management of drug and alcohol withdrawal." *N Engl J Med* 348(18): 1786-95.
- Kraemer, T. and H. H. Maurer (2002). "Toxicokinetics of amphetamines: Metabolism and toxicokinetic data of designer drugs, amphetamine, methamphetamine, and their N-alkyl derivatives." *Ther Drug Monit* 24(2): 277-89.
- Kraemer, T. and H. H. Maurer (1998). "Determination of amphetamine, methamphetamine and amphetamine-derived designer drugs or medicaments in blood and urine." *J Chromatogr B Biomed Sci Appl* 713(1): 163-87.
- Kroutil, L. A., D. L. Van Brunt, et al. (2006). "Nonmedical use of prescription stimulants in the United States." *Drug Alcohol Depend.*
- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.
- Laties, V. G. (1975). "The role of discriminative stimuli in modulating drug action." *Fed Proc* 34(9): 1880-8.
- Leeds, N. E., V. Malhotra, et al. (1983). "The radiology of drug addiction affecting the brain." *Semin Roentgenol* 18(3): 227-33.
- Lessov, C. N., G. E. Swan, et al. (2004). "Genetics and drug use as a complex phenotype." *Subst Use Misuse* 39(10-12): 1515-69.
- Levi, M. S. and R. F. Borne (2002). "A review of chemical agents in the pharmacotherapy of addiction." *Curr Med Chem* 9(20): 1807-18.
- Logan, B. K. (2001). "Amphetamines: An update on forensic issues." *J Anal Toxicol* 25(5): 400-4.

- Lineberry, T. W. and J. M. Bostwick (2006). "Methamphetamine abuse: A perfect storm of complications." *Mayo Clin Proc* 81(1): 77-84.
- Logan, B. K., C. L. Fligner, et al. (1998). "Cause and manner of death in fatalities involving methamphetamine." *J Forensic Sci* 43(1): 28-34.
- Logan, B. K. (1996). "Methamphetamine and driving impairment." *J Forensic Sci* 41(3): 457-64.
- Longo, M. C., S. M. Henry-Edwards, et al. (2004). "Impact of the heroin 'drought' on patterns of drug use and drug-related harms." *Drug Alcohol Rev* 23(2): 143-50.
- Longstreth, P. L. and M. Korobkin (1976). "Intrarenal arterial aneurysms." *CRC Crit Rev Clin Radiol Nucl Med* 8(1): 129-51.
- Loonam, T. M., P. A. Noailles, et al. (2003). "Substance P and cholecystokinin regulate neurochemical responses to cocaine and methamphetamine in the striatum." *Life Sci* 73(6): 727-39.
- Lundqvist, T. (2005). "Cognitive consequences of cannabis use: Comparison with abuse of stimulants and heroin with regard to attention, memory and executive functions." *Pharmacol Biochem Behav* 81(2): 319-30.
- Malitz, S. and M. Kanzler (1970). "Effects of drugs on perception in man." *Res Publ Assoc Res Nerv Ment Dis* 48: 35-53.
- Marschall, M. A., R. F. Dolezal, et al. (1991). "Chronic wounds and delusions of parasitosis in the drug abuser." *Plast Reconstr Surg* 88(2): 328-30.
- Marshall, G. A., C. M. Dixon, et al. (1991). "Substance abuse-related spontaneous bladder rupture: Report of 2 cases and review of the literature." *J Urol* 145(1): 135-7.
- Marschall, M. A., R. F. Dolezal, et al. (1991). "Chronic wounds and delusions of parasitosis in the drug abuser." *Plast Reconstr Surg* 88(2): 328-30.
- McCann, U. D. and G. A. Ricaurte (2004). "Amphetamine neurotoxicity: Accomplishments and remaining challenges." *Neurosci Biobehav Rev* 27(8): 821-6.
- McGee, S. M., D. N. McGee, et al. (2004). "Spontaneous intracerebral hemorrhage related to methamphetamine abuse: Autopsy findings and clinical correlation." *Am J Forensic Med Pathol* 25(4): 334-7.
- McLane, N. J. and D. M. Carroll (1986). "Ocular manifestations of drug abuse." *Surv Ophthalmol* 30(5): 298-313.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Middaugh, L. D. (1989). "Prenatal amphetamine effects on behavior: Possible mediation by brain monoamines." *Ann N Y Acad Sci* 562: 308-18.
- Mieczkowski, T. and R. Newel (2000). "Statistical examination of hair color as a potential biasing factor in hair analysis." *Forensic Sci Int* 107(1-3): 13-38.
- Mitler, M. M., M. Erman, et al. (1993). "The treatment of excessive somnolence with stimulant drugs." *Sleep* 16(3): 203-6.
- Mizoguchi, H., Y. Noda, et al. (2005). "[Evaluation methods for the discriminative stimulus and possible mechanisms of discriminative stimulus effects of methamphetamine in the rat]." *Nippon Yakurigaku Zasshi* 126(1): 17-23.
- Mizugaki, M. (1996). "[Alterations in brain distribution of methamphetamine in methamphetamine-sensitized animals.]" *Nihon Shinkei Seishin Yakurigaku Zasshi* 16(5): 187-91.
- Moeller, M. R. and T. Kraemer (2002). "Drugs of abuse monitoring in blood for control of driving under the influence of drugs." *Ther Drug Monit* 24(2): 210-21.
- Moeller, M. R., S. Steinmeyer, et al. (1998). "Determination of drugs of abuse in blood." *J Chromatogr B Biomed Sci Appl* 713(1): 91-109.
- Morgan, J. P. (1992). "Amphetamine and methamphetamine during the 1990s." *Pediatr Rev* 13(9): 330-3.
- Morton, J. (2005). "Ecstasy: Pharmacology and neurotoxicity." *Curr Opin Pharmacol* 5(1): 79-86.
- Mukaida, M. (2003). "[Development of new analytical technologies and their applications for forensic medical examinations]." *Nippon Hoigaku Zasshi* 57(2): 135-44.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Musshoff, F. (2000). "Illegal or legitimate use? Precursor compounds to amphetamine and methamphetamine." *Drug Metab Rev* 32(1): 15-44.
- Nakahara, Y. (1995). "Detection and diagnostic interpretation of amphetamines in hair." *Forensic Sci Int* 70(1-3): 135-53.
- Nakajima, A., K. Yamada, et al. (2003). "[Role of cytokines in drug dependence.]" *Nihon Shinkei Seishin Yakurigaku Zasshi* 23(4): 179-82.
- Nakamura, H. (2001). "[Positron emission tomography (PET) study of the alterations in brain pharmacokinetics of methamphetamine in methamphetamine sensitized animals.]" *Yakugaku Zasshi* 121(8): 585-91.
- Nakatani, Y. and T. Hara (1998). "Disturbance of consciousness due to methamphetamine abuse. A study of 2 patients." *Psychopathology* 31(3): 131-7.

- Namera, A. (2004). "[Practical analysis of toxic substances useful for clinical toxicology--Methamphetamine]." *Chudoku Kenkyu* 17(3): 281-5.
- Narita, M., M. Miyatake, et al. (2005). "[Implication of glial function in the development of drug dependence associated with synaptic plasticity]." *Nippon Yakurigaku Zasshi* 126(1): 43-8.
- Nath, A., K. F. Hauser, et al. (2002). "Molecular basis for interactions of HIV and drugs of abuse." *J Acquir Immune Defic Syndr* 31 Suppl 2: S62-9.
- Nath, A., C. Anderson, et al. (2000). "Neurotoxicity and dysfunction of dopaminergic systems associated with AIDS dementia." *J Psychopharmacol* 14(3): 222-7.
- Newmeyer, J. A. (2003). "Patterns and trends of drug use in the San Francisco Bay Area." *J Psychoactive Drugs* 35(Suppl 1): 127-32.
- Nordahl, T. E., R. Salo, et al. (2003). "Neuropsychological effects of chronic methamphetamine use on neurotransmitters and cognition: A review." *J Neuropsychiatry Clin Neurosci* 15(3): 317-25.
- NTP-CERHR (2005). "NTP-CERHR monograph on the potential human reproductive and developmental effects of amphetamines." *NTP CEHR Mon*(16): i-III.
- Obert, J. L., E. D. London, et al. (2002). "Incorporating brain research findings into standard treatment: An example using the Matrix Model." *J Subst Abuse Treat* 23(2): 107-13.
- Ogai, Y., A. Haraguchi, et al. (2005). "[Control of craving for methamphetamine: Development of scales for dependence and search for medicines for treatment]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 25(5): 227-33.
- Ogasawara, K., A. Ogawa, et al. (1986). "[Intracerebral hemorrhage and characteristic angiographic changes associated with methamphetamine--A case report]." *No To Shinkei* 38(10): 967-71.
- O'Halloran, R. L. and L. V. Lewman (1993). "Restraint asphyxiation in excited delirium." *Am J Forensic Med Pathol* 14(4): 289-95.
- Ohmori, T., T. Abekawa, et al. (1997). "[Context-dependent sensitization: reconsideration and a hypothesis]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 17(2): 61-8.
- Ohmori, T., T. Abekawa, et al. (1996). "The role of glutamate in behavioral and neurotoxic effects of methamphetamine." *Neurochem Int* 29(3): 301-7.
- Onaivi, E. S., S. F. Ali, et al. (2002). "Ibogaine signals addiction genes and methamphetamine alteration of long-term potentiation." *Ann N Y Acad Sci* 965: 28-46.
- Ossowska, K. (1994). "The role of excitatory amino acids in experimental models of Parkinson's disease." *J Neural Transm Park Dis Dement Sect* 8(1-2): 39-71.
- Osugi, T., Y. Aoki, et al. (1994). "[Involvement of gene expression in drug tolerance and dependence]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(4): 185-93.
- Parker, L. A. (1995). "Rewarding drugs produce taste avoidance, but not taste aversion." *Neurosci Biobehav Rev* 19(1): 143-57.
- Patterson, T. L. and S. J. Semple (2003). "Sexual risk reduction among HIV-positive drug-using men who have sex with men." *J Urban Health* 80(4 Suppl 3): iii77-87.
- Phillips, T. R., J. N. Billaud, et al. (2000). "Methamphetamine and HIV-1: Potential interactions and the use of the FIV/cat model." *J Psychopharmacol* 14(3): 244-50.
- Pope, H. G., Jr. and J. I. Hudson (1986). "Antidepressant drug therapy for bulimia: Current status." *J Clin Psychiatry* 47(7): 339-45.
- Powrozek, T. A., Y. Sari, et al. (2004). "Neurotransmitters and substances of abuse: Effects on adult neurogenesis." *Curr Neurovasc Res* 1(3): 251-60.
- Plessinger, M. A. (1998). "Prenatal exposure to amphetamines. Risks and adverse outcomes in pregnancy." *Obstet Gynecol Clin North Am* 25(1): 119-38.
- Pope, H. G., Jr. and J. I. Hudson (1986). "Antidepressant drug therapy for bulimia: Current status." *J Clin Psychiatry* 47(7): 339-45.
- Popper, C. W. (1997). "Antidepressants in the treatment of attention-deficit/hyperactivity disorder." *J Clin Psychiatry* 58 Suppl 14: 14-29; discussion 30-1.
- Poshyachinda, V. (1993). "Drug injecting and HIV infection among the population of drug abusers in Asia." *Bull Narc* 45(1): 77-90.
- Randrup, A., G. Sorensen, et al. (1988). "Stereotyped behaviour in animals induced by stimulant drugs or by a restricted cage environment: Relation to disintegrated behaviour, brain dopamine and psychiatric disease." *Yakubutsu Seishin Kodo* 8(2): 313-27.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., M. D. Anglin, et al. (2002). "Will the methamphetamine problem go away?" *J Addict Dis* 21(1): 5-19.
- Rawson, R. A. and J. L. Obert (2002). "The substance abuse treatment system in the U.S. What is it? What does it do? Myths and misconceptions." *Occup Med* 17(1): 27-39, iii-iv.

- Rawson, R. A., R. Gonzales, et al. (2002). "Treatment of methamphetamine use disorders: An update." *J Subst Abuse Treat* 23(2): 145-50.
- Rawson, R. A., M. J. McCann, et al. (2000). "Addiction pharmacotherapy 2000: New options, new challenges." *J Psychoactive Drugs* 32(4): 371-8.
- Reback, C. J. and C. E. Grella (1999). "HIV risk behaviors of gay and bisexual male methamphetamine users contacted through street outreach." *Journal of Drug Issues* 29(1): 155-66.
- Ricaurte, G. A. and U. D. McCann (1992). "Neurotoxic amphetamine analogues: effects in monkeys and implications for humans." *Ann N Y Acad Sci* 648: 371-82.
- Richards, J. R., S. W. Bretz, et al. (1999). "Methamphetamine abuse and emergency department utilization." *West J Med* 170(4): 198-202.
- Rimsza, M. E. and K. S. Moses (2005). "Substance abuse on the college campus." *Pediatr Clin North Am* 52(1): 307-19, xii.
- Robinson, T. E., E. Castaneda, et al. (1990). "Compensatory changes in striatal dopamine neurons following recovery from injury induced by 6-OHDA or methamphetamine: A review of evidence from microdialysis studies." *Can J Psychol* 44(2): 253-75.
- Romanelli, F. and K. M. Smith (2004). "Recreational use of sildenafil by HIV-positive and -negative homosexual/bisexual males." *Ann Pharmacother* 38(6): 1024-30.
- Rome, E. S. (2001). "It's a rave new world: Rave culture and illicit drug use in the young." *Cleve Clin J Med* 68(6): 541-50.
- Rotheram-Borus, M. J., G. C. Luna, et al. (1994). "Going nowhere fast: Methamphetamine use and HIV infection." *NIDA Res Monogr* 143: 155-82.
- Rothman, R. B., J. S. Partilla, et al. (2000). "Methamphetamine dependence: Medication development efforts based on the dual deficit model of stimulant addiction." *Ann N Y Acad Sci* 914: 71-81.
- Rowland, M. and A. H. Beckett (1966). "The amphetamines: Clinical and pharmacokinetic implications of recent studies of an assay procedure and urinary excretion in man." *Arzneimittelforschung* 16(11): 1369-73.
- Saini, T., P. C. Edwards, et al. (2005). "Etiology of xerostomia and dental caries among methamphetamine abusers." *Oral Health Prev Dent* 3(3): 189-95.
- Sato, M. (2002). "[Basic and clinical studies on methamphetamine-related psychosis]." *Seishin Shinkeigaku Zasshi* 104(3): 179-90.
- Sato, M., Y. Numachi, et al. (1992). "Relapse of paranoid psychotic state in methamphetamine model of schizophrenia." *Schizophr Bull* 18(1): 115-22.
- Sattar, S. P., S. C. Bhatia, et al. (2004). "Potential benefits of quetiapine in the treatment of substance dependence disorders." *J Psychiatry Neurosci* 29(6): 452-7.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.
- Schuster, C. R. and M. W. Fischman (1975). "Amphetamine toxicity: Behavioral and neuropathological indexes." *Fed Proc* 34(9): 1845-51.
- Segura Aguilar, J. and R. M. Kostrzewa (2004). "Neurotoxins and neurotoxic species implicated in neurodegeneration." *Neurotox Res* 6(7-8): 615-30.
- Seiden, L. S. and K. E. Sabol (1996). "Methamphetamine and methylenedioxymethamphetamine neurotoxicity: Possible mechanisms of cell destruction." *NIDA Res Monogr* 163: 251-76.
- Selden, L. S. (1991). "Neurotoxicity of methamphetamine: Mechanisms of action and issues related to aging." *NIDA Res Monogr* 115: 24-32.
- Seiden, L. S., D. L. Commins, et al. (1988). "Neurotoxicity in dopamine and 5-hydroxytryptamine terminal fields: A regional analysis in nigrostriatal and mesolimbic projections." *Ann N Y Acad Sci* 537: 161-72.
- Seiden, L. S. and M. S. Kleven (1989). "Methamphetamine and related drugs: Toxicity and resulting behavioral changes in response to pharmacological probes." *NIDA Res Monogr* 94: 146-60.
- Sellers, E. M. and R. F. Tyndale (2000). "Mimicking gene defects to treat drug dependence." *Ann N Y Acad Sci* 909: 233-46.
- Sevarino, K. A., A. Oliveto, et al. (2000). "Neurobiological adaptations to psychostimulants and opiates as a basis of treatment development." *Ann N Y Acad Sci* 909: 51-87.
- Shearer, J. and L. R. Gowing (2004). "Pharmacotherapies for problematic psychostimulant use: A review of current research." *Drug Alcohol Rev* 23(2): 203-11.
- Shearer, J., J. Sherman, et al. (2002). "Substitution therapy for amphetamine users." *Drug Alcohol Rev* 21(2): 179-85.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Shimazono, Y. and E. Matsushima (1995). "Behavioral and neuroimaging studies on schizophrenia in Japan." *Psychiatry Clin Neurosci* 49(1): 3-11.

- Shippee, R. L. and D. J. Kippenberger (2000). "Retrospective study of urinalysis for dl-amphetamine and dl-methamphetamine analysis under current Department of Defense guidelines." *J Anal Toxicol* 24(6): 450-2.
- Smirnov, A. V. (1990). "[Psychomotor stimulants as agents for enhancing work capacity]." *Farmakol Toksikol* 53(4): 72-7.
- Smith, D. E., R. B. Seymour, et al. (1992). "Anthology series. I: Smokable drugs." *J Psychoactive Drugs* 24(2): 91-8.
- Sonsalla, P. K., D. S. Albers, et al. (1998). "Role of glutamate in neurodegeneration of dopamine neurons in several animal models of parkinsonism." *Amino Acids* 14(1-3): 69-74.
- Sonsalla, P. K. (1995). "The role of N-methyl-D-aspartate receptors in dopaminergic neuropathology produced by the amphetamines." *Drug Alcohol Depend* 37(2): 101-5.
- Sonsalla, P. K., A. Giovanni, et al. (1992). "Characteristics of dopaminergic neurotoxicity produced by MPTP and methamphetamine." *Ann N Y Acad Sci* 648: 229-38.
- Srisurapanont, M., N. Jarusuraisin and P. Kittirattanapaiboon (2001). "Treatment for amphetamine withdrawal." *Cochrane Database Syst Rev*(4): CD003021.
- Srisurapanont, M., N. Jarusuraisin, et al. (2001). "Treatment for amphetamine dependence and abuse." *Cochrane Database Syst Rev*(4): CD003022.
- Srisurapanont, M., P. Kittirattanapaiboon and N. Jarusuraisin (2001). "Treatment for amphetamine psychosis." *Cochrane Database Syst Rev*(4): CD003026.
- Sudakin, D. L. (2005). "Occupational exposure to aluminium phosphide and phosphine gas? A suspected case report and review of the literature." *Hum Exp Toxicol* 24(1): 27-33.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-33.
- Suttijitpaisal, P. and K. Ratanabanangkoon (1992). "Immunoassays of amphetamines: immunogen structure vs antibody specificity." *Asian Pac J Allergy Immunol* 10(2): 159-64.
- Suwanwela, C. and V. Poshyachinda (1986). "Drug abuse in Asia." *Bull Narc* 38(1-2): 41-53.
- Swalwell, C. I. and G. G. Davis (1999). "Methamphetamine as a risk factor for acute aortic dissection." *J Forensic Sci* 44(1): 23-6.
- Swearingen, S. G. and J. D. Klausner (2005). "Sildenafil use, sexual risk behavior, and risk for sexually transmitted diseases, including HIV infection." *Am J Med* 118(6): 571-7.
- Swenson, J. R., J. E. Dimsdale, E. Rockwell, W. Carroll and J. Hansbrough (1991). "Drug and alcohol abuse in patients with acute burn injuries." *Psychosomatics* 32(3): 287-93.
- Tadokoro, S. and H. Kuribara (1990). "[Modification of the behavioral effects of drugs after repeated administration--Special reference to the reverse tolerance of amphetamines]." *Nippon Yakurigaku Zasshi* 95(5): 229-38.
- Takahashi, M. and S. Tokuyama (1998). "Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants." *Methods Find Exp Clin Pharmacol* 20(1): 77-84.
- Takayama, N., R. Iio, et al. (2003). "Analysis of methamphetamine and its metabolites in hair." *Biomed Chromatogr* 17(2-3): 74-82.
- Takigawa, M. (1999). "[Mechanism involved in substance dependence--from the view point of the reward system]." *Seishin Shinkeigaku Zasshi* 101(10): 789-93.
- Tashkin, D. P. (2001). "Airway effects of marijuana, cocaine, and other inhaled illicit agents." *Curr Opin Pulm Med* 7(2): 43-61.
- Tellier, P. P. (2002). "Club drugs: Is it all ecstasy?" *Pediatr Ann* 31(9): 550-6.
- Thadani, P. V. (1995). "Biological mechanisms and perinatal exposure to abused drugs." *Synapse* 19(3): 228-32.
- Tokuyama, S. and M. Takahashi (2001). "[Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants]." *Nippon Yakurigaku Zasshi* 117(3): 195-201.
- Tolstoi, L. G. (1989). "The role of pharmacotherapy in anorexia nervosa and bulimia." *J Am Diet Assoc* 89(11): 1640-6.
- Tolwani, R. J., M. W. Jakowec, et al. (1999). "Experimental models of Parkinson's disease: Insights from many models." *Lab Anim Sci* 49(4): 363-71.
- Topp, L., C. Day, et al. (2003). "Changes in patterns of drug injection concurrent with a sustained reduction in the availability of heroin in Australia." *Drug Alcohol Depend* 70(3): 275-86.
- Turnipseed, S. D., J. R. Richards, et al. (2003). "Frequency of acute coronary syndrome in patients presenting to the emergency department with chest pain after methamphetamine use." *J Emerg Med* 24(4): 369-73.
- Ueyama, H. and T. Kumamoto (2001). "[Myopathies in drug addicts]." *Ryoikibetsu Shokogun Shirizu*(36): 267-70.
- Ujike, H. and M. Sato (2004). "Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis." *Ann N Y Acad Sci* 1025: 279-87.
- Ujike, H., M. Takaki, et al. (2002). "Gene expression related to synaptogenesis, neuritogenesis, and MAP kinase in behavioral sensitization to psychostimulants." *Ann N Y Acad Sci* 965: 55-67.

- Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.
- Vandevenne, M., H. Vandebussche, et al. (2000). "Detection time of drugs of abuse in urine." *Acta Clin Belg* 55(6): 323-33.
- Verachai, V., S. Dechongkit, et al. (2001). "Drug addicts treatment for ten years in Thanyarak Hospital (1989-1998)." *J Med Assoc Thai* 84(1): 24-9.
- Virmani, A., F. Gaetani, et al. (2003). "Possible mechanism for the neuroprotective effects of L-carnitine on methamphetamine-evoked neurotoxicity." *Ann N Y Acad Sci* 993: 197-207; discussion 287-8.
- Vocci, F. J., J. Acri, et al. (2005). "Medication development for addictive disorders: The state of the science." *Am J Psychiatry* 162(8): 1432-40.
- Vogtsberger, K. N. (1989). "Designer drugs." *Tex Med* 85(7): 30-2.
- Volkow, N. D., J. S. Fowler, et al. (2002). "Role of dopamine in drug reinforcement and addiction in humans: Results from imaging studies." *Behav Pharmacol* 13(5-6): 355-66.
- Volz, T. J. and J. O. Schenk (2005). "A comprehensive atlas of the topography of functional groups of the dopamine transporter." *Synapse* 58(2): 72-94.
- Vorhees, C. V. (1997). "Methods for detecting long-term CNS dysfunction after prenatal exposure to neurotoxins." *Drug Chem Toxicol* 20(4): 387-99.
- Vorhees, C. V. and C. Pu (1995). "Ontogeny of methamphetamine-induced neurotoxicity in the rat model." *NIDA Res Monogr* 158: 149-71.
- Vorhees, C. V. (1994). "Developmental neurotoxicity induced by therapeutic and illicit drugs." *Environ Health Perspect* 102 Suppl 2: 145-53.
- Wada, K. (2004). "[HCV infection among narcotics/methamphetamine abusers]." *Nippon Rinsho* 62 Suppl 7(Pt 1): 326-9.
- Wada, K. (1994). "Cocaine abuse in Japan." *Arukuru Kenkyuto Yakubutsu Ison* 29(2): 83-91.
- Wang, G. J., N. D. Volkow, et al. (2004). "Similarity between obesity and drug addiction as assessed by neurofunctional imaging: a concept review." *J Addict Dis* 23(3): 39-53.
- Wardas, J. (2002). "Neuroprotective role of adenosine in the CNS." *Pol J Pharmacol* 54(4): 313-26.
- Warner, P., J. P. Connolly, et al. (2003). "The methamphetamine burn patient." *J Burn Care Rehabil* 24(5): 275-8.
- Watanabe, T. and K. Yanai (2001). "Studies on functional roles of the histaminergic neuron system by using pharmacological agents, knockout mice and positron emission tomography." *Tohoku J Exp Med* 195(4): 197-217.
- Watanabe, T. (1997). "[Histaminergic neuron system and neural plasticity]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 17(4): 169-73.
- Weissman, B. A., R. Brandeis, et al. (2004). "Monitoring drug-induced neurodegeneration by imaging of peripheral benzodiazepine receptors." *Ann N Y Acad Sci* 1025: 584-9.
- Wesson, D. R. and P. Washburn (1990). "Current patterns of drug abuse that involve smoking." *NIDA Res Monogr* 99: 5-11.
- Wijetunga, M., T. Seto, J. Lindsay and I. Schatz (2003). "Crystal methamphetamine-associated cardiomyopathy: Tip of the iceberg?" *J Toxicol Clin Toxicol* 41(7): 981-6.
- Willers-Russo, L. J. (1999). "Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing." *J Forensic Sci* 44(3): 647-52.
- Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.
- Wrona, M. Z., Z. Yang, et al. (1997). "Potential new insights into the molecular mechanisms of methamphetamine-induced neurodegeneration." *NIDA Res Monogr* 173: 146-74.
- Wynn, R. L. (1997). "Dental considerations of patients taking appetite suppressants." *Gen Dent* 45(4): 324-8, 330-1.
- Yamada, K., T. Nagai, et al. (2005). "Drug dependence, synaptic plasticity, and tissue plasminogen activator." *J Pharmacol Sci* 97(2): 157-61.
- Yamada, K., T. Nagai, et al. (2005). "[Pro- and anti-addictive factors related to drug addiction]." *Nippon Yakurigaku Zasshi* 126(1): 49-53.
- Yamamoto, K., H. Watanabe, et al. (1991). "[3 fatalities after communal use of methamphetamine]." *Arch Kriminol* 188(3-4): 72-6.
- Yang, J. (2004). "[The study developments about changes of methamphetamine-induced genes' transcriptions and translations]." *Fa Yi Xue Za Zhi* 20(3): 185-8.
- Yasar, S., J. P. Goldberg, et al. (1996). "Are metabolites of l-deprenyl (selegiline) useful or harmful? Indications from preclinical research." *J Neural Transm Suppl* 48: 61-73.
- Youdim, M. B., O. Bar Am, et al. (2005). "Rasagiline: neurodegeneration, neuroprotection, and mitochondrial permeability transition." *J Neurosci Res* 79(1-2): 172-9.
- Yu, Q., D. F. Larson, et al. (2003). "Heart disease, methamphetamine and AIDS." *Life Sci* 73(2): 129-40.

- Yui, K. and S. Ikemoto (2004). "[Stress sensitization induced by stressor and methamphetamine]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 24(3): 151-7.
- Yui, K., K. Goto, et al. (1999). "Neurobiological basis of relapse prediction in stimulant-induced psychosis and schizophrenia: The role of sensitization." *Mol Psychiatry* 4(6): 512-23.
- Zenilman, J. M. (2005). "Behavioral interventions--rationale, measurement, and effectiveness." *Infect Dis Clin North Am* 19(2): 541-62.
- Zhang, Y., T. M. Loonam, et al. (2001). "Comparison of cocaine- and methamphetamine-evoked dopamine and glutamate overflow in somatodendritic and terminal field regions of the rat brain during acute, chronic, and early withdrawal conditions." *Ann N Y Acad Sci* 937: 93-120.
- Zimmerman, E. F. (1991). "Substance abuse in pregnancy: Teratogenesis." *Pediatr Ann* 20(10): 541-4, 546-7.

Reward Circuit

- Comings, D. E. and K. Blum (2000). "Reward deficiency syndrome: Genetic aspects of behavioral disorders." *Prog Brain Res* 126: 325-41.
- Hart, C. L., A. S. Ward, et al. (2001). "Methamphetamine self-administration by humans." *Psychopharmacology (Berl)* 157(1): 75-81.
- Kawamura, T., Y. Ichitani, et al. (2005). "[Rewarding property of nicotine and methamphetamine tested by conditioned place preference in rats: Effect of chronic nicotine pretreatment]." *Shinrigaku Kenkyu* 76(1): 57-62.
- Nagai, T., Y. Noda, et al. (2005). "The role of tissue plasminogen activator in methamphetamine-related reward and sensitization." *J Neurochem* 92(3): 660-7.
- Nakagawa, T., M. Fujio, et al. (2005). "Effect of MS-153, a glutamate transporter activator, on the conditioned rewarding effects of morphine, methamphetamine and cocaine in mice." *Behav Brain Res* 156(2): 233-9.
- Narita, M., M. Miyatake, et al. (2006). "Direct evidence of astrocytic modulation in the development of rewarding effects induced by drugs of abuse." *Neuropsychopharmacology*.
- Narita, M., H. Akai, et al. (2005). "Involvement of mitogen-stimulated p70-S6 kinase in the development of sensitization to the methamphetamine-induced rewarding effect in rats." *Neuroscience* 132(3): 553-60.
- Narita, M., M. Miyatake, et al. (2005). "Long-lasting change in brain dynamics induced by methamphetamine: enhancement of protein kinase C-dependent astrocytic response and behavioral sensitization." *J Neurochem* 93(6): 1383-92.
- Nordahl, T. E., R. Salo, et al. (2002). "Low N-acetyl-aspartate and high choline in the anterior cingulum of recently abstinent methamphetamine-dependent subjects: a preliminary proton MRS study. Magnetic resonance spectroscopy." *Psychiatry Res* 116(1-2): 43-52.
- Okabe, C., H. Takeshima, et al. (2005). "Methamphetamine sensitization in nociceptin receptor knockout mice: Locomotor and c-fos expression." *Eur J Pharmacol* 507(1-3): 57-67.
- Onaivi, E. S., S. F. Ali, et al. (2002). "Ibogaine signals addiction genes and methamphetamine alteration of long-term potentiation." *Ann N Y Acad Sci* 965: 28-46.
- Takigawa, M. (1999). "[Mechanism involved in substance dependence--from the view point of the reward system]." *Seishin Shinkeigaku Zasshi* 101(10): 789-93.
- Volkow, N. D., J. S. Fowler and G. J. Wang (2002). "Role of dopamine in drug reinforcement and addiction in humans: Results from imaging studies." *Behav Pharmacol* 13(5-6): 355-66.
- Vollm, B. A., I. E. de Araujo, et al. (2004). "Methamphetamine activates reward circuitry in drug naive human subjects." *Neuropsychopharmacology* 29(9): 1715-22.

Rhabdomyolysis

- Kamijo, Y., K. Soma, et al. (2002). "Acute liver failure following intravenous methamphetamine." *Vet Hum Toxicol* 44(4): 216-7.
- Kolecki, P. (1998). "Inadvertent methamphetamine poisoning in pediatric patients." *Pediatr Emerg Care* 14(6): 385-7.
- Richards, J. R. (2000). "Rhabdomyolysis and drugs of abuse." *J Emerg Med* 19(1): 51-6.
- Richards, J. R., E. B. Johnson, R. W. Stark and R. W. Derlet (1999). "Methamphetamine abuse and rhabdomyolysis in the ED: A 5-year study." *Am J Emerg Med* 17(7): 681-5.
- Ueyama, H. and T. Kumamoto (2001). "[Myopathies in drug addicts]." *Ryoikibetsu Shokogun Shirizu*(36): 267-70.
- Urbina, A. and K. Jones (2004). "Crystal methamphetamine, its analogues, and HIV infection: Medical and psychiatric aspects of a new epidemic." *Clin Infect Dis* 38(6): 890-4.

Rohypnol*See Flunitrazepam***Rural Populations**

- Austin, A. A. (2004). "Alcohol, tobacco, other drug use, and violent behavior among Native Hawaiians: Ethnic pride and resilience." *Subst Use Misuse* 39(5): 721-46.
- Anonymous (2005). "Meth use increases HIV cases in South Dakota." *AIDS Patient Care STDS* 19(9): 619-20.
- Charukamnoetkanok, P. and M. D. Wagoner (2004). "Facial and ocular injuries associated with methamphetamine production accidents." *Am J Ophthalmol* 138(5): 875-6.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Danks, R. R., L. A. Wibbenmeyer, L. D. Faucher, K. C. Sihler, G. P. Kealey, P. Chang, M. Amelon and R. W. Lewis, 3rd (2004). "Methamphetamine-associated burn injuries: A retrospective analysis." *J Burn Care Rehabil* 25(5): 425-9.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Joosen, M., T. F. Garrity, et al. (2005). "Predictors of current depressive symptoms in a sample of drug court participants." *Subst Use Misuse* 40(8): 1113-25.
- Penn, C. L. (2006). "Meth abuse in Arkansas." *J Ark Med Soc* 102(8): 218-9.
- Siegal, H. A., P. J. Draus, et al. (2006). "Perspectives on health among adult users of illicit stimulant drugs in rural Ohio." *J Rural Health* 22(2): 169-73.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Stoops, W. W., M. S. Tindall, et al. (2005). "Methamphetamine use in nonurban and urban drug court clients." *Int J Offender Ther Comp Criminol* 49(3): 260-76.
- Tanne, J. H. (2006). "Methamphetamine epidemic hits middle America." *BMJ* 332(7538): 382.
- Wermuth, L. (2000). "Methamphetamine use: Hazards and social influences." *J Drug Educ* 30(4): 423-33.

Russia

- Bobkov, A. F., L. M. Selimova, et al. (2005). "Human immunodeficiency virus type 1 in illicit-drug solutions used intravenously retains infectivity." *J Clin Microbiol* 43(4): 1937-9.
- Smirnov, A. V. (1990). "[Psychomotor stimulants as agents for enhancing work capacity]." *Farmakol Toksikol* 53(4): 72-7.

Sacramento

- Gibson, D. R., M. H. Leamon and N. Flynn (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Hser, Y. I., C. Teruya, et al. (2003). "Treating drug-abusing offenders. Initial findings from a five-county study on the impact of California's Proposition 36 on the treatment system and patient outcomes." *Eval Rev* 27(5): 479-505.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Poulsen, E. J., M. J. Mannis, et al. (1996). "Keratitis in methamphetamine abusers." *Cornea* 15(5): 477-82.
- Richards, J. R. and B. T. Brofeldt (2000). "Patterns of tooth wear associated with methamphetamine use." *J Periodontol* 71(8): 1371-4.
- Richards, J. R., S. W. Bretz, et al. (1999). "Methamphetamine abuse and emergency department utilization." *West J Med* 170(4): 198-202.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.
- Turnipseed, S. D., J. R. Richards, et al. (2003). "Frequency of acute coronary syndrome in patients presenting to the emergency department with chest pain after methamphetamine use." *J Emerg Med* 24(4): 369-73.
- Yacoubian, G. S., Jr. and R. J. Peters (2004). "Exploring the prevalence and correlates of methamphetamine use: Findings from Sacramento's ADAM program." *J Drug Educ* 34(3): 281-94.

San Antonio

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Johnson, B. A., J. D. Roache, et al. (2005). "Effects of isradipine on methamphetamine-induced changes in attentional and perceptual-motor skills of cognition." *Psychopharmacology (Berl)* 178(2-3): 296-302.
- Zule, W. A. and D. P. Desmond (1999). "An ethnographic comparison of HIV risk behaviors among heroin and methamphetamine injectors." *Am J Drug Alcohol Abuse* 25(1): 1-23.

San Diego

- Bailey, D. N. and R. F. Shaw (1989). "Cocaine- and methamphetamine-related deaths in San Diego County (1987): Homicides and accidental overdoses." *J Forensic Sci* 34(2): 407-22.
- Bailey, D. N. (1987). "Amphetamine detection during toxicology screening of a university medical center patient population." *J Toxicol Clin Toxicol* 25(5): 399-409.
- Ellis, R. J., M. E. Childers, et al. (2003). "Increased human immunodeficiency virus loads in active methamphetamine users are explained by reduced effectiveness of antiretroviral therapy." *J Infect Dis* 188(12): 1820-6.
- Hall, J. A., S. W. Henggeler, et al. (1993). "Adolescent substance use during pregnancy." *J Pediatr Psychol* 18(2): 265-71.
- Hornbeck, C. L. and R. J. Czarny (1993). "Retrospective analysis of some L-methamphetamine/L-amphetamine urine data." *J Anal Toxicol* 17(1): 23-5.
- Hser, Y. I., C. Teruya, et al. (2003). "Treating drug-abusing offenders. Initial findings from a five-county study on the impact of California's Proposition 36 on the treatment system and patient outcomes." *Eval Rev* 27(5): 479-505.
- Kalechstein, A. D., T. F. Newton, et al. (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.
- Semple, S. J., I. Grant, et al. (2005). "Utilization of drug treatment programs by methamphetamine users: The role of social stigma." *Am J Addict* 14(4): 367-80.
- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.
- Semple, S. J., T. L. Patterson, et al. (2003). "Binge use of methamphetamine among HIV-positive men who have sex with men: Pilot data and HIV prevention implications." *AIDS Educ Prev* 15(2): 133-47.
- Swalwell, C. I. and G. G. Davis (1999). "Methamphetamine as a risk factor for acute aortic dissection." *J Forensic Sci* 44(1): 23-6.

San Francisco

- Anonymous (2006). "Methamphetamine use and HIV risk behaviors among heterosexual men--preliminary results from five northern California counties, December 2001-November 2003." *MMWR Morb Mortal Wkly Rep* 55(10): 273-7.
- Binswanger, I. A., A. H. Kral, et al. (2000). "High prevalence of abscesses and cellulitis among community-recruited injection drug users in San Francisco." *Clin Infect Dis* 30(3): 579-81.
- Bluthenthal, R. N., A. H. Kral, et al. (2001). "Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000." *J Acquir Immune Defic Syndr* 28(3): 264-9.
- Boddiger, D. (2005). "Methamphetamine use linked to rising HIV transmission." *Lancet* 365(9466): 1217-8.
- Buchacz, K., W. McFarland, et al. (2005). "Amphetamine use is associated with increased HIV incidence among men." *AIDS* 19(13): 1423-24.
- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.

- Chu, P. L., W. McFarland, et al. (2003). "Viagra use in a community-recruited sample of men who have sex with men, San Francisco." *J Acquir Immune Defic Syndr* 33(2): 191-3.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Davis, F. and L. Munoz (1968). "Heads and freaks: Patterns and meanings of drug use among hippies." *J Health Soc Behav* 9(2): 156-64.
- Diaz, R. M., A. L. Heckert, et al. (2005). "Reasons for stimulant use among Latino gay men in San Francisco: a comparison between methamphetamine and cocaine users." *J Urban Health* 82(1 Suppl 1): i71-8.
- Duterte, M., S. O'Neil, et al. (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Galloway, G. P., J. Newmeyer, et al. (1996). "A controlled trial of imipramine for the treatment of methamphetamine dependence." *J Subst Abuse Treat* 13(6): 493-7.
- Galloway, G. P., J. Newmeyer, T. Knapp, S. A. Stalcup and D. Smith (1994). "Imipramine for the treatment of cocaine and methamphetamine dependence." *J Addict Dis* 13(4): 201-16.
- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Hahn, J. A., K. Page-Shafer, P. J. Lum, K. Ochoa and A. R. Moss (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Halkitis, P. N., L. Wilton, et al. (2005). "Barebacking identity among HIV-positive gay and bisexual men: demographic, psychological, and behavioral correlates." *AIDS* 19: S27-S35.
- Hser, Y. I., C. Teruya, et al. (2003). "Treating drug-abusing offenders. Initial findings from a five-county study on the impact of California's Proposition 36 on the treatment system and patient outcomes." *Eval Rev* 27(5): 479-505.
- Kalechstein, A. D., T. F. Newton, et al. (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Karch, S. B., B. G. Stephens, et al. (1999). "Methamphetamine-related deaths in San Francisco: Demographic, pathologic, and toxicologic profiles." *J Forensic Sci* 44(2): 359-68.
- Kim, A. A., C. K. Kent, et al. (2002). "Increased risk of HIV and sexually transmitted disease transmission among gay or bisexual men who use Viagra, San Francisco 2000-2001." *AIDS* 16(10): 1425-8.
- Klausner, J. D., C. K. Kent, et al. (2005). "The public health response to epidemic syphilis, San Francisco, 1999-2004." *Sex Transm Dis* 32(10 supplement): S11-S18.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Kral, A. H., R. N. Bluthenthal, et al. (2001). "Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: Risk-factor analysis." *Lancet* 357(9266): 1397-401.
- Kral, A. H., J. Lorvick, et al. (2000). "Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco." *J Acquir Immune Defic Syndr* 24(2): 162-7.
- Kral, A. H., R. N. Bluthenthal, et al. (1999). "Risk factors among IDUs who give injections to or receive injections from other drug users." *Addiction* 94(5): 675-83.
- Kushel, M. B., J. A. Hahn, et al. (2005). "Revolving doors: Imprisonment among the homeless and marginally housed population." *Am J Public Health* 95(10): 1747-52.
- Lum, P. J., C. Sears, et al. (2005). "Injection risk behavior among women syringe exchangers in San Francisco." *Subst Use Misuse* 40(11): 1681-96.
- Mansergh, G., R. L. Shouse, et al. (2006). "Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men." *Sex Transm Infect* 82(2): 131-4.
- Mansergh, G., G. N. Colfax, G. Marks, M. Rader, R. Guzman and S. Buchbinder (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the healthy living project." *J Acquir Immune Defic Syndr* 40(2): 226-235.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nemoto, T., D. Operario, et al. (2002). "Risk behaviors of Filipino methamphetamine users in San Francisco: Implications for prevention and treatment of drug use and HIV." *Public Health Rep* 117 Suppl 1: S30-8.
- Newmeyer, J. A. (2003). "Patterns and trends of drug use in the San Francisco Bay Area." *J Psychoactive Drugs* 35(Suppl 1): 127-32.
- Newmeyer, J. A. (1988). "The prevalence of drug use in San Francisco in 1987." *J Psychoactive Drugs* 20(2): 185-9.

- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.
- Purcell, D. W., S. Moss, et al. (2005). "Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: Differences by serostatus of casual partners." *AIDS* 19: S37-S47.
- Purcell, D. W., J. T. Parsons, P. N. Halkitis, Y. Mizuno and W. J. Woods (2001). "Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men." *J Subst Abuse* 13(1-2): 185-200.
- Sears, C., J. R. Gudyish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.
- Smith, D. E. (1969). "Runaways and their health problems in Haight-Ashbury during the summer of 1967." *Am J Public Health Nations Health* 59(11): 2046-50.
- Smith, D. and A. J. Rose (1968). "Observations in the Haight-Ashbury Medical Clinic of San Francisco. Health problems in a "hippie" subculture." *Clin Pediatr (Phila)* 7(6): 313-6.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- Wong, W., J. K. Chaw, et al. (2005). "Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003." *Sex Transm Dis* 32(7): 458-63.

Santa Cruz

- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.

Schizophrenia

- Akiyama, K., A. Kanzaki, et al. (1994). "Methamphetamine-induced behavioral sensitization and its implications for relapse of schizophrenia." *Schizophr Res* 12(3): 251-7.
- Carnwath, T., T. Garvey and M. Holland (2002). "The prescription of dexamphetamine to patients with schizophrenia and amphetamine dependence." *J Psychopharmacol* 16(4): 373-7.
- Chen, C. K., S. K. Lin, et al. (2005). "Morbid risk for psychiatric disorder among the relatives of methamphetamine users with and without psychosis." *Am J Med Genet B Neuropsychiatr Genet* 136(1): 87-91.
- Ikeda, M., N. Iwata, et al. (2006). "Positive association of AKT1 haplotype to Japanese methamphetamine use disorder." *Int J Neuropsychopharmacol* 9(1): 77-81.
- Iwanami, A., I. Suga, et al. (1994). "P300 component of event-related potentials in methamphetamine psychosis and schizophrenia." *Prog Neuropsychopharmacol Biol Psychiatry* 18(3): 465-75.
- Machiyama, Y. (1992). "Chronic methamphetamine intoxication model of schizophrenia in animals." *Schizophr Bull* 18(1): 107-13.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nishiyama, T., M. Ikeda, et al. (2005). "Haplotype association between GABAA receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder." *Pharmacogenomics J* 5(2): 89-95.
- Sato, M. (1992). "A lasting vulnerability to psychosis in patients with previous methamphetamine psychosis." *Ann N Y Acad Sci* 654: 160-70.
- Shimazono, Y. and E. Matsushima (1995). "Behavioral and neuroimaging studies on schizophrenia in Japan." *Psychiatry Clin Neurosci* 49(1): 3-11.
- Tomiyama, G. (1990). "Chronic schizophrenia-like states in methamphetamine psychosis." *Jpn J Psychiatry Neurol* 44(3): 531-9.
- Yen, C. F. and Y. C. Su (2006). "The associations of early-onset methamphetamine use with psychiatric morbidity among taiwanese adolescents." *Subst Use Misuse* 41(1): 35-44.
- Yui, K. and S. Ikemoto (2004). "[Stress sensitization induced by stressor and methamphetamine]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 24(3): 151-7.
- Yui, K., S. Ikemoto, et al. (2002). "Spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory states in female subjects: Susceptibility to psychotic states and implications for relapse of schizophrenia." *Pharmacopsychiatry* 35(2): 62-71.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.
- Yui, K., K. Goto, et al. (1999). "Neurobiological basis of relapse prediction in stimulant-induced psychosis and schizophrenia: The role of sensitization." *Mol Psychiatry* 4(6): 512-23.

Schizophrenia (animals)

- Akiyama, K., A. Kanzaki, et al. (1994). "Methamphetamine-induced behavioral sensitization and its implications for relapse of schizophrenia." *Schizophr Res* 12(3): 251-7.
- Bagorda, F., G. Teuchert-Noodt, et al. (2006). "Isolation rearing or methamphetamine traumatization induce a "dysconnection" of prefrontal efferents in gerbils: Implications for schizophrenia." *J Neural Transm* 113(3): 365-79.
- Ma, J. and L. S. Leung (2004). "Schizophrenia-like behavioral changes after partial hippocampal kindling." *Brain Res* 997(1): 111-8.
- Ozawa, K., K. Hashimoto, et al. (2005). "Immune activation during pregnancy in mice leads to dopaminergic hyperfunction and cognitive impairment in the offspring: A neurodevelopmental animal model of schizophrenia." *Biol Psychiatry*.
- Sumiyoshi, T., M. Tsunoda, et al. (2004). "Enhanced locomotor activity in rats with excitotoxic lesions of the entorhinal cortex, a neurodevelopmental animal model of schizophrenia: Behavioral and in vivo microdialysis studies." *Neurosci Lett* 364(2): 124-9.

Seattle

- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practicing high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.
- Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.
- Logan, B. K., C. L. Fligner, et al. (1998). "Cause and manner of death in fatalities involving methamphetamine." *J Forensic Sci* 43(1): 28-34.
- Logan, B. K., E. L. Weiss, et al. (1996). "Case report: Distribution of methamphetamine in a massive fatal ingestion." *J Forensic Sci* 41(2): 322-3.
- Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

Seizures

- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Sommers, I., D. Baskin, et al. (2005). "Methamphetamine use among young adults: Health and social consequences." *Addict Behav*.

Seizures (animals)

- Ma, J. and L. S. Leung (2004). "Schizophrenia-like behavioral changes after partial hippocampal kindling." *Brain Res* 997(1): 111-8.
- Slamberova, R. and R. Rokyta (2005). "Occurrence of bicuculline-, NMDA- and kainic acid-induced seizures in prenatally methamphetamine-exposed adult male rats." *Naunyn Schmiedebergs Arch Pharmacol*: 1-6.
- Slamberova, R. and R. Rokyta (2005). "Seizure susceptibility in prenatally methamphetamine-exposed adult female rats." *Brain Res* 1060(1-2): 193-7.

Self-Inflicted Injury

See also Suicide and Suicidal Ideation

- Ellison, J. M. and D. F. Dobies (1984). "Methamphetamine abuse presenting as dysuria following urethral insertion of tablets." *Ann Emerg Med* 13(3): 198-200.
- Nakano, Y., K. Kaneko and Y. Inoue (2003). "A patient with self-inflicted injuries of the cervical vertebrae and spinal cord." *Arch Orthop Trauma Surg* 123(7): 379-81.
- Tominaga, G. T., G. Garcia, et al. (2004). "Toll of methamphetamine on the trauma system." *Arch Surg* 139(8): 844-7.
- Wada, K., S. B. Greberman, et al. (1999). "HIV and HCV infection among drug users in Japan." *Addiction* 94(7): 1063-9.

Self-Inflicted Injury (animals)

- Halladay, A. K., A. Kusnecov, et al. (2003). "Relationship between methamphetamine-induced dopamine release, hyperthermia, self-injurious behaviour and long term dopamine depletion in BALB/c and C57BL/6 mice." *Pharmacol Toxicol* 93(1): 33-41.

- Kita, T., Y. Matsunari, et al. (2000). "Methamphetamine-induced striatal dopamine release, behavior changes and neurotoxicity in BALB/c mice." *Int J Dev Neurosci* 18(6): 521-30.
- Kita, T., Y. Matsunari, et al. (2000). "Evaluation of the effects of alpha-phenyl-N-tert-butyl nitron pretreatment on the neurobehavioral effects of methamphetamine." *Life Sci* 67(13): 1559-71.
- Mori, T., S. Ito, et al. (2006). "Effects of mu-, delta- and kappa-opioid receptor agonists on methamphetamine-induced self-injurious behavior in mice." *Eur J Pharmacol* 532(1-2): 81-87.
- Wagner, G. C., N. Avena, et al. (2004). "Risperidone reduction of amphetamine-induced self-injurious behavior in mice." *Neuropharmacology* 46(5): 700-8.

Self-Perception

- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.

Self-Regulation

- Uitermark, J. and P. Cohen (2004). *Amphetamine users in Amsterdam: Patterns of use and modes of self-regulation*, Centrum voor drugsonderzoek.

Serotonin

- Achat-Mendes, C., S. F. Ali, et al. (2005). "Differential effects of amphetamines-induced neurotoxicity on appetitive and aversive Pavlovian conditioning in mice." *Neuropsychopharmacology* 30(6): 1128-37.
- Busche, A., A. Bagorda, et al. (2006). "The maturation of the acetylcholine system in the dentate gyrus of gerbils (*Meriones unguiculatus*) is affected by epigenetic factors." *J Neural Transm* 113(2): 113-24.
- Daberkow, D. P., R. P. Kesner, et al. (2005). "Relation between methamphetamine-induced monoamine depletions in the striatum and sequential motor learning." *Pharmacol Biochem Behav* 81(1): 198-204.
- Dryhurst, G. (2001). "Are dopamine, norepinephrine, and serotonin precursors of biologically reactive intermediates involved in the pathogenesis of neurodegenerative brain disorders?" *Adv Exp Med Biol* 500: 373-96.
- Fuller, R. W. (1978). "Structure-activity relationships among the halogenated amphetamines." *Ann N Y Acad Sci* 305: 147-59.
- Geyer, M. A. (1996). "Serotonergic functions in arousal and motor activity." *Behav Brain Res* 73(1-2): 31-5.
- Ginawi, O. T., A. A. Al-Majed, et al. (2005). "NAN-190, a possible specific antagonist for methamphetamine." *Regul Toxicol Pharmacol* 41(2): 122-7.
- Grady, T. A., A. Broocks, et al. (1996). "Biological and behavioral responses to D-amphetamine, alone and in combination with the serotonin₃ receptor antagonist ondansetron, in healthy volunteers." *Psychiatry Res* 64(1): 1-10.
- Hilber, B., P. Scholze, et al. (2005). "Serotonin-transporter mediated efflux: A pharmacological analysis of amphetamines and non-amphetamines." *Neuropharmacology* 49(6): 811-9.
- Hong, C. J., C. Y. Cheng, et al. (2003). "Association study of the dopamine and serotonin transporter genetic polymorphisms and methamphetamine abuse in Chinese males." *J Neural Transm* 110(4): 345-51.
- Horner, K. A., D. H. Adams, et al. (2005). "Blockade of stimulant-induced preprodynorphin mRNA expression in the striatal matrix by serotonin depletion." *Neuroscience* 131(1): 67-77.
- Kitanaka, N., J. Kitanaka, et al. (2005). "Inhibition of methamphetamine-induced hyperlocomotion in mice by clorgyline, a monoamine oxidase-a inhibitor, through alteration of the 5-hydroxytryptamine turnover in the striatum." *Neuroscience* 130(2): 295-308.
- Lesting, J., J. Neddens, et al. (2005). "Hemisphere-specific effects on serotonin but not dopamine innervation in the nucleus accumbens of gerbils caused by isolated rearing and a single early methamphetamine challenge." *Brain Res* 1035(2): 168-76.
- Powrozek, T. A., Y. Sari, et al. (2004). "Neurotransmitters and substances of abuse: effects on adult neurogenesis." *Curr Neurovasc Res* 1(3): 251-60.
- Rothman, R. B., B. E. Blough, et al. (2002). "Appetite suppressants as agonist substitution therapies for stimulant dependence." *Ann N Y Acad Sci* 965: 109-26.
- Rothman, R. B., J. S. Partilla, et al. (2000). "Methamphetamine dependence: Medication development efforts based on the dual deficit model of stimulant addiction." *Ann N Y Acad Sci* 914: 71-81.
- Rothman, R. B., M. H. Baumann, et al. (2001). "Amphetamine-type central nervous system stimulants release norepinephrine more potently than they release dopamine and serotonin." *Synapse* 39(1): 32-41.

- Rothman, R. B., J. S. Partilla, M. H. Baumann, C. M. Dersch, F. I. Carroll and K. C. Rice (2000). "Neurochemical neutralization of methamphetamine with high-affinity nonselective inhibitors of biogenic amine transporters: A pharmacological strategy for treating stimulant abuse." *Synapse* 35(3): 222-7.
- Sabol, K. E., J. B. Richards, et al. (2000). "The effects of high-dose methamphetamine in the aging rat: Differential reinforcement of low-rate 72-s schedule behavior and neurochemistry." *J Pharmacol Exp Ther* 294(3): 850-63.
- Sekine, Y., Y. Ouchi, et al. (2006). "Brain serotonin transporter density and aggression in abstinent methamphetamine abusers." *Arch Gen Psychiatry* 63(1): 90-100.
- Staszewski, R. D. and B. K. Yamamoto (2006). "Methamphetamine-induced spectrin proteolysis in the rat striatum." *J Neurochem*.
- Sulzer, D., M. S. Sonders, et al. (2005). "Mechanisms of neurotransmitter release by amphetamines: A review." *Prog Neurobiol* 75(6): 406-433.
- Yu, L. and P. C. Liao (2000). "Sexual differences and estrous cycle in methamphetamine-induced dopamine and serotonin depletions in the striatum of mice." *J Neural Transm* 107(4): 419-27.
- Yu, L. and P. C. Liao (2000). "Estrogen and progesterone distinctively modulate methamphetamine-induced dopamine and serotonin depletions in C57BL/6J mice." *J Neural Transm* 107(10): 1139-47.
- Yui, K., K. Goto, S. Ikemoto and T. Ishiguro (1997). "Monoamine neurotransmitter metabolites and spontaneous recurrence of methamphetamine psychosis." *Brain Res Bull* 43(1): 25-33.

Setting

- de Wit, H., M. Clark, et al. (1997). "Effects of d-amphetamine in grouped versus isolated humans." *Pharmacol Biochem Behav* 57(1-2): 333-40.
- Halkitis, P. N., K. A. Green, et al. (2005). "Longitudinal investigation of methamphetamine use among gay and bisexual men in New York City: findings from Project BUMPS." *J Urban Health* 82(1 Suppl 1): i18-25.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Lessov, C. N., G. E. Swan, et al. (2004). "Genetics and drug use as a complex phenotype." *Subst Use Misuse* 39(10-12): 1515-69.
- Morton, A. J., M. A. Hickey, et al. (2001). "Methamphetamine toxicity in mice is potentiated by exposure to loud music." *Neuroreport* 12(15): 3277-81.
- Ohmori, T., T. Abekawa, et al. (1997). "[Context-dependent sensitization: reconsideration and a hypothesis]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 17(2): 61-8.
- Randrup, A., G. Sorensen, et al. (1988). "Stereotyped behaviour in animals induced by stimulant drugs or by a restricted cage environment: Relation to disintegrated behaviour, brain dopamine and psychiatric disease." *Yakubutsu Seishin Kodo* 8(2): 313-27.
- Stitzer, M. L., R. R. Griffiths, et al. (1978). "Effects of d-amphetamine on speaking in isolated humans." *Pharmacol Biochem Behav* 9(1): 57-63.
- Zacny, J. P., B. K. Bodker, et al. (1992). "Effects of setting on the subjective and behavioral effects of d-amphetamine in humans." *Addict Behav* 17(1): 27-33.

Sexual Arousal and Sexual Experiences

- Diaz, R. M., A. L. Heckert, et al. (2005). "Reasons for stimulant use among Latino gay men in San Francisco: a comparison between methamphetamine and cocaine users." *J Urban Health* 82(1 Suppl 1): i71-8.
- Halkitis, P. N., B. N. Fischgrund, et al. (2005). "Explanations for methamphetamine use among gay and bisexual men in New York City." *Subst Use Misuse* 40(9): 1331-45.
- Halkitis, P. N., M. T. Shrem, et al. (2005). "Sexual behavior patterns of methamphetamine-using gay and bisexual men." *Subst Use Misuse* 40(5): 703-19.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Rawson, R. A., A. Washton, et al. (2002). "Drugs and sexual effects: Role of drug type and gender." *J Subst Abuse Treat* 22(2): 103-8.
- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.

Sexual Intercourse (animals)*See Copulation (animals)***Sexually Transmitted Diseases**

- Anonymous (2006). "Methamphetamine use and HIV risk behaviors among heterosexual men--preliminary results from five northern California counties, December 2001-November 2003." *MMWR Morb Mortal Wkly Rep* 55(10): 273-7.
- Beyrer, C., M. H. Razak, et al. (2004). "Methamphetamine users in northern Thailand: Changing demographics and risks for HIV and STD among treatment-seeking substance abusers." *Int J STD AIDS* 15(10): 697-704.
- Boddiger, D. (2005). "Methamphetamine use linked to rising HIV transmission." *Lancet* 365(9466): 1217-8.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Brewer, D. D., M. R. Golden, et al. (2006). "Unsafe sexual behavior and correlates of risk in a probability sample of men who have sex with men in the era of highly active antiretroviral therapy." *Sex Transm Dis*.
- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.
- Hirshfield, S., R. H. Remien, et al. (2004). "Crystal methamphetamine use predicts incident STD infection among men who have sex with men recruited online: A nested case-control study." *J Med Internet Res* 6(4): e41.
- Kim, A. A., C. K. Kent, et al. (2002). "Increased risk of HIV and sexually transmitted disease transmission among gay or bisexual men who use Viagra, San Francisco 2000-2001." *AIDS* 16(10): 1425-8.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Klausner, J. D., C. K. Kent, et al. (2005). "The public health response to epidemic syphilis, San Francisco, 1999-2004." *Sex Transm Dis* 32(10 supplement): S11-S18.
- Kresina, T. F., J. Normand, J. Khalsa, J. Mitty, T. Flanigan and H. Francis (2004). "Addressing the need for treatment paradigms for drug-abusing patients with multiple morbidities." *Clin Infect Dis* 38(Suppl 5): S398-401.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Molitor, F., S. R. Truax, J. D. Ruiz and R. K. Sun (1998). "Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users." *West J Med* 168(2): 93-7.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Shoptaw, S., J. Peck, C. J. Reback and E. Rotheram-Fuller (2003). "Psychiatric and substance dependence comorbidities, sexually transmitted diseases, and risk behaviors among methamphetamine-dependent gay and bisexual men seeking outpatient drug abuse treatment." *J Psychoactive Drugs* 35(Suppl 1): 161-8.
- Simbulan, N. P., A. S. Aguilar, et al. (2001). "High-risk behaviors and the prevalence of sexually transmitted diseases among women prisoners at the women state penitentiary in Metro Manila." *Soc Sci Med* 52(4): 599-608.
- van Griensven, F., S. Supawitkul, et al. (2001). "Rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection." *Pediatrics* 108(1): E13.
- Wong, W., J. K. Chaw, et al. (2005). "Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003." *Sex Transm Dis* 32(7): 458-63.
- Zenilman, J. M. (2005). "Behavioral interventions--rationale, measurement, and effectiveness." *Infect Dis Clin North Am* 19(2): 541-62.

Sexual Risk Behaviors

- Anonymous (2006). "Methamphetamine use and HIV risk behaviors among heterosexual men--preliminary results from five northern California counties, December 2001-November 2003." *MMWR Morb Mortal Wkly Rep* 55(10): 273-7.
- Anonymous (2002). "Methamphetamine use is heightening risks among gay youth. 'club drugs' dull safe-sex sensibilities." *AIDS Alert* 17(10): 121, 123-5.

- Baskin-Sommers, A. and I. Sommers (2006). "The co-occurrence of substance use and high-risk behaviors." *J Adolesc Health* 38(5): 609-11.
- Benotsch, E. G., S. Kalichman and M. Cage (2002). "Men who have met sex partners via the Internet: Prevalence, predictors, and implications for HIV prevention." *Arch Sex Behav* 31(2): 177-83.
- Beyrer, C., M. H. Razak, et al. (2004). "Methamphetamine users in northern Thailand: Changing demographics and risks for HIV and STD among treatment-seeking substance abusers." *Int J STD AIDS* 15(10): 697-704.
- Bluthenthal, R. N., A. H. Kral, et al. (2001). "Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000." *J Acquir Immune Defic Syndr* 28(3): 264-9.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Braine, N., D. C. Des Jarlais, et al. (2005). "HIV risk behavior among amphetamine injectors at U.S. syringe exchange programs." *AIDS Educ Prev* 17(6): 515-24.
- Brewer, D. D., M. R. Golden, et al. (2006). "Unsafe sexual behavior and correlates of risk in a probability sample of men who have sex with men in the era of highly active antiretroviral therapy." *Sex Transm Dis*.
- Buchacz, K., W. McFarland, et al. (2005). "Amphetamine use is associated with increased HIV incidence among men." *AIDS* 19(13): 1423-24.
- Bull, S. S., P. Piper and C. Rietmeijer (2002). "Men who have sex with men and also inject drugs-profiles of risk related to the synergy of sex and drug injection behaviors." *J Homosex* 42(3): 31-51.
- Choi, K. H., D. Operario, et al. (2005). "Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men." *AIDS Educ Prev* 17(5): 418-29.
- Chu, P. L., W. McFarland, et al. (2003). "Viagra use in a community-recruited sample of men who have sex with men, San Francisco." *J Acquir Immune Defic Syndr* 33(2): 191-3.
- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: A preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Colfax, G. and S. Shoptaw (2005). "The methamphetamine epidemic: Implications for HIV prevention and treatment." *Curr HIV/AIDS Rep* 2(4): 194-9.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Colfax, G., E. Vittinghoff, et al. (2004). "Substance use and sexual risk: A participant- and episode-level analysis among a cohort of men who have sex with men." *Am J Epidemiol* 159(10): 1002-12.
- Colfax, G. N., G. Mansergh, et al. (2001). "Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: A venue-based comparison." *J Acquir Immune Defic Syndr* 28(4): 373-9.
- Darke, S., J. Ross, et al. (1995). "Injecting and sexual risk-taking behaviour among regular amphetamine users." *AIDS Care* 7(1): 19-26.
- Degenhardt, L. (2005). "Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?" *Culture, Health & Sexuality* 7(6): 599-614.
- Doherty, M. C., R. S. Garfein, E. Monterroso, D. Brown and D. Vlahov (2000). "Correlates of HIV infection among young adult short-term injection drug users." *AIDS* 14(6): 717-26.
- Duterte, M., S. O'Neil, G. McKearin, P. Sales, T. Murphy and S. Murphy (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Farabee, D., M. Prendergast and J. Cartier (2002). "Methamphetamine use and HIV risk among substance-abusing offenders in California." *J Psychoactive Drugs* 34(3): 295-300.
- Fernandez, M. I., G. S. Bowen, et al. (2005). "High rates of club drug use and risky sexual practices among Hispanic men who have sex with men in Miami, Florida." *Subst Use Misuse* 40(9): 1347-62.
- Frosch, D., S. Shoptaw, et al. (1996). "Sexual HIV risk among gay and bisexual male methamphetamine abusers." *J Subst Abuse Treat* 13(6): 483-6.
- Ghaziani, A. and T. D. Cook (2005). "Reducing HIV infections at circuit parties: From description to explanation and principles of intervention design." *J Int Assoc Physicians AIDS Care (Chic Ill)* 4(2): 32-46.
- Gibson, D. R., M. H. Leamon and N. Flynn (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Glegghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.

- Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.
- Gorman, E. M., B. D. Barr, A. Hansen, B. Robertson and C. Green (1997). "Speed, sex, gay men, and HIV: Ecological and community perspectives." *Med Anthropol Q* 11(4): 505-15.
- Gorman, M. (1996). "Speed use and HIV transmission." *Focus* 11(7): 4-6.
- Halkitis, P. N., K. A. Green, et al. (2005). "Seroconcordant sexual partnerings of HIV-seropositive men who have sex with men." *AIDS* 19: S77-S86.
- Halkitis, P. N., K. A. Green, et al. (2005). "Longitudinal investigation of methamphetamine use among gay and bisexual men in New York City: findings from Project BUMPS." *J Urban Health* 82(1 Suppl 1): i18-25.
- Halkitis, P. N., M. T. Shrem, et al. (2005). "Sexual behavior patterns of methamphetamine-using gay and bisexual men." *Subst Use Misuse* 40(5): 703-19.
- Halkitis, P. N., L. Wilton, et al. (2005). "Barebacking identity among HIV-positive gay and bisexual men: demographic, psychological, and behavioral correlates." *AIDS* 19: S27-S35.
- Halkitis, P. N., J. T. Parsons, et al. (2001). "A double epidemic: crystal methamphetamine drug use in relation to HIV transmission among gay men." *J Homosex* 41(2): 17-35.
- Herbst, J. H., R. T. Sherba, et al. (2005). "A meta-analytic review of HIV behavioral interventions for reducing sexual risk behavior of men who have sex with men." *J Acquir Immune Defic Syndr* 39(2): 228-41.
- Hirshfield, S., R. H. Remien, M. Humberstone, I. Walavalkar and M. A. Chiasson (2004). "Substance use and high-risk sex among men who have sex with men: A national online study in the USA." *AIDS Care* 16(8): 1036-47.
- Hirshfield, S., R. H. Remien, et al. (2004). "Crystal methamphetamine use predicts incident STD infection among men who have sex with men recruited online: A nested case-control study." *J Med Internet Res* 6(4): e41.
- Ibanez, G. E., D. W. Purcell, et al. (2005). "Sexual risk, substance use, and psychological distress in HIV-positive gay and bisexual men who also inject drugs." *AIDS* 19: S49-S55.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Knight, K. R., D. Purcell, et al. (2005). "Sexual risk taking among HIV-positive injection drug users: Contexts, characteristics, and implications for prevention." *AIDS Educ Prev* 17(1 Suppl A): 76-88.
- Koblin, B. A., M. A. Chesney, M. J. Husnik, S. Bozeman, C. L. Celum, S. Buchbinder, K. Mayer, D. McKirnan, F. N. Judson, Y. Huang and T. J. Coates (2003). "High-risk behaviors among men who have sex with men in 6 US cities: Baseline data from the EXPLORE study." *Am J Public Health* 93(6): 926-32.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Kral, A. H., R. N. Bluthenthal, et al. (2001). "Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: Risk-factor analysis." *Lancet* 357(9266): 1397-401.
- Kral, A. H., J. Lorvick, et al. (2000). "Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco." *J Acquir Immune Defic Syndr* 24(2): 162-7.
- Kurtz, S. P. (2005). "Post-circuit blues: Motivations and consequences of crystal meth use among gay men in Miami." *AIDS Behav* 9(1): 63-72.
- Lambert, E., J. Normand, et al. (2005). "Introduction: New dynamics of HIV risk among drug-using men who have sex with men." *J Urban Health* 82(1 Suppl 1): i1-8.
- Larkins, S., C. J. Reback, et al. (2005). "Methamphetamine-dependent gay men's disclosure of their HIV status to sexual partners." *AIDS Care* 17(4): 521-32.
- Lee, S. J., M. Galanter, et al. (2003). "Circuit parties and patterns of drug use in a subset of gay men." *J Addict Dis* 22(4): 47-60.
- Mansergh, G., D. W. Purcell, et al. (2006). "CDC consultation on methamphetamine use and sexual risk behavior for HIV/STD infection: summary and suggestions." *Public Health Rep* 121(2): 127-32.
- Mansergh, G., R. L. Shouse, et al. (2006). "Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men." *Sex Transm Infect* 82(2): 131-4.
- Mansergh, G., G. N. Colfax, et al. (2001). "The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men." *Am J Public Health* 91(6): 953-8.
- Mattison, A. M., M. W. Ross, et al. (2001). "Circuit party attendance, club drug use, and unsafe sex in gay men." *J Subst Abuse* 13(1-2): 119-26.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.

- Molitor, F., S. R. Truax, J. D. Ruiz and R. K. Sun (1998). "Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users." *West J Med* 168(2): 93-7.
- Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the Healthy Living Project." *J Acquir Immune Defic Syndr* 40(2): 226-235.
- Nemoto, T., D. Operario, et al. (2002). "Risk behaviors of Filipino methamphetamine users in San Francisco: Implications for prevention and treatment of drug use and HIV." *Public Health Rep* 117 Suppl 1: S30-8.
- Newman, P. A., F. Rhodes and R. E. Weiss (2004). "Correlates of sex trading among drug-using men who have sex with men." *Am J Public Health* 94(11): 1998-2003.
- Noble, P., T. Hart, et al. (1972). "Correlates and outcome of illicit drug use by adolescent girls." *Br J Psychiatry* 120(558): 497-504.
- Nyamathi, A., W. A. Robbins, et al. (2002). "Presence and predictors of hepatitis C virus RNA in the semen of homeless men." *Biol Res Nurs* 4(1): 22-30.
- Operario, D. and T. Nemoto (2005). "Sexual risk behavior and substance use among a sample of Asian Pacific Islander transgendered women." *AIDS Educ Prev* 17(5): 430-43.
- Parsons, J. T. and P. N. Halkitis (2002). "Sexual and drug-using practices of HIV-positive men who frequent public and commercial sex environments." *AIDS Care* 14(6): 815-26.
- Patterson, T. L. and S. J. Semple (2003). "Sexual risk reduction among HIV-positive drug-using men who have sex with men." *J Urban Health* 80(4 Suppl 3): iii77-87.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.
- Purcell, D. W., S. Moss, et al. (2005). "Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: Differences by serostatus of casual partners." *AIDS* 19: S37-S47.
- Purcell, D. W., J. T. Parsons, P. N. Halkitis, Y. Mizuno and W. J. Woods (2001). "Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men." *J Subst Abuse* 13(1-2): 185-200.
- Rawson, R. A., A. Washton, C. P. Domier and C. Reiber (2002). "Drugs and sexual effects: Role of drug type and gender." *J Subst Abuse Treat* 22(2): 103-8.
- Reback, C. J., S. Larkins and S. Shoptaw (2004). "Changes in the meaning of sexual risk behaviors among gay and bisexual male methamphetamine abusers before and after drug treatment." *AIDS Behav* 8(1): 87-98.
- Reback, C. J. and C. E. Grella (1999). "HIV risk behaviors of gay and bisexual male methamphetamine users contacted through street outreach." *Journal of Drug Issues* 29(1): 155-66.
- Rietmeijer, C. A., R. J. Wolitski, M. Fishbein, N. H. Corby and D. L. Cohn (1998). "Sex hustling, injection drug use, and non-gay identification by men who have sex with men. Associations with high-risk sexual behaviors and condom use." *Sex Transm Dis* 25(7): 353-60.
- Romanelli, F. and K. M. Smith (2004). "Recreational use of sildenafil by HIV-positive and -negative homosexual/bisexual males." *Ann Pharmacother* 38(6): 1024-30.
- Ross, M. W., A. M. Mattison, et al. (2003). "Club drugs and sex on drugs are associated with different motivations for gay circuit party attendance in men." *Subst Use Misuse* 38(8): 1173-83.
- Rotheram-Borus, M. J., G. C. Luna, et al. (1994). "Going nowhere fast: Methamphetamine use and HIV infection." *NIDA Res Monogr* 143: 155-82.
- Roxburgh, A., L. Degenhardt, et al. (2005). "Drug use and risk behaviours among injecting drug users: A comparison between sex workers and non-sex workers in Sydney, Australia." *Harm Reduct J* 2(1): 7.
- Rusch, M., T. M. Lampinen, A. Schilder and R. S. Hogg (2004). "Unprotected anal intercourse associated with recreational drug use among young men who have sex with men depends on partner type and intercourse role." *Sex Transm Dis* 31(8): 492-8.
- Schilder, A. J., T. M. Lampinen, et al. (2005). "Crystal methamphetamine and ecstasy differ in relation to unsafe sex among young gay men." *Can J Public Health* 96(5): 340-3.
- Seage, G. R., 3rd, K. H. Mayer, et al. (1998). "The social context of drinking, drug use, and unsafe sex in the Boston Young Men Study." *J Acquir Immune Defic Syndr Hum Retrovirol* 17(4): 368-75.
- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.
- Semple, S. J., J. Zians, et al. (2005). "Impulsivity and methamphetamine use." *J Subst Abuse Treat* 29(2): 85-93.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.

- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., C. J. Reback and T. E. Freese (2002). "Patient characteristics, HIV serostatus, and risk behaviors among gay and bisexual males seeking treatment for methamphetamine abuse and dependence in Los Angeles." *J Addict Dis* 21(1): 91-105.
- Shoptaw, S., C. J. Reback, D. L. Frosch and R. A. Rawson (1998). "Stimulant abuse treatment as HIV prevention." *J Addict Dis* 17(4): 19-32.
- Simbulan, N. P., A. S. Aguilar, et al. (2001). "High-risk behaviors and the prevalence of sexually transmitted diseases among women prisoners at the women state penitentiary in Metro Manila." *Soc Sci Med* 52(4): 599-608.
- Somlai, A. M., J. A. Kelly, T. L. McAuliffe, K. Ksobiech and K. L. Hackl (2003). "Predictors of HIV sexual risk behaviors in a community sample of injection drug-using men and women." *AIDS Behav* 7(4): 383-93.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Stone, E., P. Heagerty, E. Vittinghoff, J. M. Douglas, Jr., B. A. Koblin, K. H. Mayer, C. L. Celum, M. Gross, G. E. Woody, M. Marmor, G. R. Seage, 3rd and S. P. Buchbinder (1999). "Correlates of condom failure in a sexually active cohort of men who have sex with men." *J Acquir Immune Defic Syndr Hum Retrovirol* 20(5): 495-501.
- Swearingen, S. G. and J. D. Klausner (2005). "Sildenafil use, sexual risk behavior, and risk for sexually transmitted diseases, including HIV infection." *Am J Med* 118(6): 571-7.
- Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.
- van Griensvan, F., J. Keawkungwal, et al. (2004). "Lack of increased HIV risk behavior among injection drug users participating in the AIDS VAX B/E HIV vaccine trial in Bangkok, Thailand." *AIDS* 18(2): 295-301.
- van Griensven, F., S. Supawitkul, et al. (2001). "Rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection." *Pediatrics* 108(1): E13.
- Verachai, V., T. Phutiprawan, et al. (2005). "HIV infection among substance abusers in Thanyarak Institute On Drug Abuse, Thailand, 1987-2002." *J Med Assoc Thai* 88(1): 76-9.
- Waldo, C. R., W. McFarland, M. H. Katz, D. MacKellar and L. A. Valleroy (2000). "Very young gay and bisexual men are at risk for HIV infection: The San Francisco Bay Area Young Men's Survey II." *J Acquir Immune Defic Syndr* 24(2): 168-74.
- Williams, M. L., J. Atkinson, et al. (2005). "Spatial bridging in a network of drug-using male sex workers." *J Urban Health* 82(1 Suppl 1): i35-42.
- Wohl, A. R., D. F. Johnson, et al. (2002). "HIV risk behaviors among African American men in Los Angeles County who self-identify as heterosexual." *J Acquir Immune Defic Syndr* 31(3): 354-60.
- Wong, W., J. K. Chaw, et al. (2005). "Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003." *Sex Transm Dis* 32(7): 458-63.
- Worth, H. and P. Rawstone (2005). "Crystallizing the HIV epidemic: Methamphetamine, unsafe sex, and gay diseases of the will." *Arch Sex Behav* 34(5): 483-6.
- Yen, C. F. (2004). "Relationship between methamphetamine use and risky sexual behavior in adolescents." *Kaohsiung J Med Sci* 20(4): 160-5.
- Zenilman, J. M. (2005). "Behavioral interventions--rationale, measurement, and effectiveness." *Infect Dis Clin North Am* 19(2): 541-62.

Sex Work

See Commercial Sex Work and Sex Workers

Skin and Soft Tissue Diseases and Disorders

See also Burn Injuries

- Binswanger, I. A., A. H. Kral, et al. (2000). "High prevalence of abscesses and cellulitis among community-recruited injection drug users in San Francisco." *Clin Infect Dis* 30(3): 579-81.

- Deloach-Banta, L. J. (1994). "Lichenoid drug eruption: Crystal methamphetamine or adulterants?" *Cutis* 53(2): 97-8.
- Kerr, T., E. Wood, et al. (2005). "High rates of primary care and emergency department use among injection drug users in Vancouver." *J Public Health (Oxf)* 27(1): 62-66.
- Marschall, M. A., R. F. Dolezal, et al. (1991). "Chronic wounds and delusions of parasitosis in the drug abuser." *Plast Reconstr Surg* 88(2): 328-30.
- Yaffee, H. S. (1971). "Cutaneous stigmas associated with methedrine (methamphetamine)." *Arch Dermatol* 104(6): 687.

Sleep

- Duterte, M., S. O'Neil, et al. (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Holman, R. B., G. R. Elliott, et al. (1975). "Neuroregulators and sleep mechanisms." *Annu Rev Med* 26: 499-520.
- Martin, W. R., J. W. Sloan, et al. (1971). "Physiologic, subjective, and behavioral effects of amphetamine, methamphetamine, ephedrine, phenmetrazine, and methylphenidate in man." *Clin Pharmacol Ther* 12(2): 245-58.
- Mitler, M. M. (1993). "Daytime sleepiness and cognitive functioning in sleep apnea." *Sleep* 16(8 Suppl): S68-70.
- Mitler, M. M., M. Erman, et al. (1993). "The treatment of excessive somnolence with stimulant drugs." *Sleep* 16(3): 203-6.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Yoss, R. E., N. J. Moyer, et al. (1969). "The pupillogram and narcolepsy. A method to measure decreased levels of wakefulness." *Neurology* 19(10): 921-8.
- Yoss, R. E. and D. D. Daly (1968). "On the treatment of narcolepsy." *Med Clin North Am* 52(4): 781-7.

Sleep (animals)

- Andretic, R., B. van Swinderen, et al. (2005). "Dopaminergic modulation of arousal in *Drosophila*." *Curr Biol* 15(13): 1165-75.
- Birman, S. (2005). "Arousal mechanisms: Speedy flies don't sleep at night." *Curr Biol* 15(13): R511-3.
- Wisor, J. P., S. Nishino, et al. (2001). "Dopaminergic role in stimulant-induced wakefulness." *J Neurosci* 21(5): 1787-94.
- Yamashita, I., T. Moroji, et al. (1969). "Neuroendocrinological studies in mental disorders and psychotropic drugs. I. On the circadian rhythm of the plasma adrenocortical hormone in mental patients and methamphetamine- and chlorpromazine-treated animals." *Folia Psychiatr Neurol Jpn* 23(2): 143-58.

Slovak Republic

- Csemy, L., L. Kubicka, et al. (2002). "Drug scene in the Czech Republic and Slovakia during the period of transformation." *Eur Addict Res* 8(4): 159-65.

Smoking Methamphetamine

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Beebe, D. K. and E. Walley (1995). "Smokable methamphetamine ('ice'): An old drug in a different form." *Am Fam Physician* 51(2): 449-53.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Collins, C. L., T. Kerr, et al. (2005). "Rationale to evaluate medically supervised safer smoking facilities for non-injection illicit drug users." *Can J Public Health* 96(5): 344-7.
- Collins, C. L., T. Kerr, et al. (2005). "Potential uptake and correlates of willingness to use a supervised smoking facility for noninjection illicit drug use." *J Urban Health* 82(2): 276-84.
- Cook, C. E., A. R. Jeffcoat, et al. (1993). "Pharmacokinetics of methamphetamine self-administered to human subjects by smoking S-(+)-methamphetamine hydrochloride." *Drug Metab Dispos* 21(4): 717-23.
- Cook, C. E. (1991). "Pyrolytic characteristics, pharmacokinetics, and bioavailability of smoked heroin, cocaine, phencyclidine, and methamphetamine." *NIDA Res Monogr* 115: 6-23.
- Darke, S., J. Cohen, et al. (1994). "Transitions between routes of administration of regular amphetamine users." *Addiction* 89(9): 1077-83.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Harris, D. S., H. Boxenbaum, E. T. Everhart, G. Sequeira, J. E. Mendelson and R. T. Jones (2003). "The bioavailability of intranasal and smoked methamphetamine." *Clin Pharmacol Ther* 74(5): 475-86.

- Hong, R., E. Matsuyama and K. Nur (1991). "Cardiomyopathy associated with the smoking of crystal methamphetamine." *JAMA* 265(9): 1152-4.
- Matsumoto, T., A. Kamijo, et al. (2002). "Methamphetamine in Japan: The consequences of methamphetamine abuse as a function of route of administration." *Addiction* 97(7): 809-17.
- Meng, Y., M. Dukat, D. T. Bridgen, B. R. Martin and A. H. Lichtman (1999). "Pharmacological effects of methamphetamine and other stimulants via inhalation exposure." *Drug Alcohol Depend* 53(2): 111-20.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Nestor, T. A., W. I. Tamamoto, T. H. Kam and T. Schultz (1989). "Crystal methamphetamine-induced acute pulmonary edema: A case report." *Hawaii Med J* 48(11): 457-8, 460.
- Perez-Reyes, M., W. R. White, et al. (1991). "Clinical effects of methamphetamine vapor inhalation." *Life Sci* 49(13): 953-9.
- Richards, J. R. and B. T. Brofeldt (2000). "Patterns of tooth wear associated with methamphetamine use." *J Periodontol* 71(8): 1371-4.
- Sanga, M., I. R. Younis, et al. (2006). "Epoxidation of the methamphetamine pyrolysis product, trans-phenylpropene, to trans-phenylpropylene oxide by CYP enzymes and stereoselective glutathione adduct formation." *Toxicol Appl Pharmacol* 211(2): 148-56.
- Shakleya, D. M., S. G. Tarr, et al. (2005). "Potential marker for smoked methamphetamine hydrochloride based on a gas chromatography-mass spectrometry quantification method for trans-phenylpropene." *J Anal Toxicol* 29(6): 552-5.
- Smith, D. E., R. B. Seymour, et al. (1992). "Anthology series. I: Smokable drugs." *J Psychoactive Drugs* 24(2): 91-8.
- Tashkin, D. P. (2001). "Airway effects of marijuana, cocaine, and other inhaled illicit agents." *Curr Opin Pulm Med* 7(2): 43-61.
- Vongsheree, S., P. Sri-Ngam, et al. (2001). "High HIV-1 prevalence among methamphetamine users in central Thailand, 1999-2000." *J Med Assoc Thai* 84(9): 1263-7.
- Wesson, D. R. and P. Washburn (1990). "Current patterns of drug abuse that involve smoking." *NIDA Res Monogr* 99: 5-11.
- Wijetunga, M., R. Bhan, J. Lindsay and S. Karch (2004). "Acute coronary syndrome and crystal methamphetamine use: A case series." *Hawaii Med J* 63(1): 8-13, 25.
- Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.
- Yeh, P. S., A. Yuan, et al. (2001). "Acute respiratory distress syndrome in a woman with heroin and methamphetamine misuse." *J Formos Med Assoc* 100(8): 553-6.

Snorting Methamphetamine

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Banooni, P., L. S. Rickman, et al. (2000). "Pott puffy tumor associated with intranasal methamphetamine." *JAMA* 283(10): 1293.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Darke, S., J. Cohen, et al. (1994). "Transitions between routes of administration of regular amphetamine users." *Addiction* 89(9): 1077-83.
- Farnsworth, T. L., C. H. Brugger and P. Malters (1997). "Myocardial infarction after intranasal methamphetamine." *Am J Health Syst Pharm* 54(5): 586-7.
- Furst, S. R., S. P. Fallon, G. N. Reznik and P. K. Shah (1990). "Myocardial infarction after inhalation of methamphetamine." *N Engl J Med* 323(16): 1147-8.
- Harris, D. S., H. Boxenbaum, E. T. Everhart, G. Sequeira, J. E. Mendelson and R. T. Jones (2003). "The bioavailability of intranasal and smoked methamphetamine." *Clin Pharmacol Ther* 74(5): 475-86.
- Richards, J. R. and B. T. Brofeldt (2000). "Patterns of tooth wear associated with methamphetamine use." *J Periodontol* 71(8): 1371-4.
- Zeiter, J. H., D. M. Corder, et al. (1992). "Sudden retinal manifestations of intranasal cocaine and methamphetamine abuse." *Am J Ophthalmol* 114(6): 780-1.

Sound

- Akita, H., M. Hashimoto, et al. (1990). "[Behavioral characteristics associated with acoustic stimulation and the neurochemical alterations of monoaminergic systems in rat brain at the steady state of repeated methamphetamine administration]." *Nippon Yakurigaku Zasshi* 95(6): 327-33.
- Hada, H. and K. Miyamoto (1990). "Enhancing effects of sound on methamphetamine-induced behavioral aberrations in the rat: a model of relapse of schizophrenia-like symptoms." *Jpn J Psychiatry Neurol* 44(3): 619-27.
- Iwanami, A., N. Kuroki, et al. (1998). "P3a of event-related potential in chronic methamphetamine dependence." *J Nerv Ment Dis* 186(12): 746-51.

- Iwanami, A., I. Suga, et al. (1993). "Event-related potentials in methamphetamine psychosis during an auditory discrimination task. A preliminary report." *Eur Arch Psychiatry Clin Neurosci* 242(4): 203-8.
- McKetin, R. and N. Solowij (1999). "Event-related potential indices of auditory selective attention in dependent amphetamine users." *Biol Psychiatry* 45(11): 1488-97.
- Morton, A. J., M. A. Hickey, et al. (2001). "Methamphetamine toxicity in mice is potentiated by exposure to loud music." *Neuroreport* 12(15): 3277-81.
- Yui, K., T. Miura, et al. (1994). "Stereotyped behavioral responses to an auditory stimulus in the course of repeated treatment with methamphetamine plus scopolamine and methamphetamine in rats." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(3): 169-78.

South Africa

- Parry, C. D., A. Pluddemann, et al. (2005). "Cannabis and other drug use among trauma patients in three South African cities, 1999-2001." *S Afr Med J* 95(6): 429-32.
- Parry, C. D., B. Myers, et al. (2004). "Drug policy for methamphetamine use urgently needed." *S Afr Med J* 94(12): 964-5.

South Dakota

- Anonymous (2005). "Meth use increases HIV cases in South Dakota." *AIDS Patient Care STDS* 19(9): 619-20.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.

Spain

- March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

Speech

- Sim, T., S. L. Simon, et al. (2002). "Cognitive deficits among methamphetamine users with attention deficit hyperactivity disorder symptomatology." *J Addict Dis* 21(1): 75-89.
- Stitzer, M. L., R. R. Griffiths, et al. (1978). "Effects of d-amphetamine on speaking in isolated humans." *Pharmacol Biochem Behav* 9(1): 57-63.
- Woods, S. P., J. D. Rippeth, et al. (2005). "Deficient strategic control of verbal encoding and retrieval in individuals with methamphetamine dependence." *Neuropsychology* 19(1): 35-43.

Stereotypic Behaviors

- Ferrando, R. L., E. McCorvey, Jr., et al. (1988). "Bizarre behavior following the ingestion of levo-desoxyephedrine." *Drug Intell Clin Pharm* 22(3): 214-7.
- Sato, M., Y. Numachi, et al. (1992). "Relapse of paranoid psychotic state in methamphetamine model of schizophrenia." *Schizophr Bull* 18(1): 115-22.

Stereotypic Behaviors (animals)

- Abekawa, T., T. Ohmori, et al. (1997). "Effect of no synthesis inhibition on striatal dopamine release and stereotyped behavior induced by a single administration of methamphetamine." *Prog Neuropsychopharmacol Biol Psychiatry* 21(5): 831-8.
- Abekawa, T., T. Ohmori, et al. (1995). "Effects of nitric oxide (NO) synthesis inhibition on the development of supersensitivity to stereotypy and locomotion stimulating effects of methamphetamine." *Brain Res* 679(2): 200-4.
- Abekawa, T., T. Ohmori, et al. (1994). "Effect of NO synthase inhibition on behavioral changes induced by a single administration of methamphetamine." *Brain Res* 666(1): 147-50.
- Akita, H., M. Hashimoto, et al. (1990). "[Behavioral characteristics associated with acoustic stimulation and the neurochemical alterations of monoaminergic systems in rat brain at the steady state of repeated methamphetamine administration]." *Nippon Yakurigaku Zasshi* 95(6): 327-33.
- Akiyama, K., H. Ujike, et al. (1998). "Effect of 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(f)quinoxaline on methamphetamine- and cocaine-induced behavioral sensitization." *Pharmacol Biochem Behav* 61(4): 419-26.

- Akiyama, K., T. Ishihara, et al. (1996). "Effect of acute and chronic administration of methamphetamine on activator protein-1 binding activities in the rat brain regions." *Ann N Y Acad Sci* 801: 13-28.
- Ali, S. F., K. J. Kordsmeier, et al. (1995). "Drug-induced circling preference in rats. Correlation with monoamine levels." *Mol Neurobiol* 11(1-3): 145-54.
- Atkins, A. L., M. L. Helms, et al. (2001). "Stereotypic behaviors in mice selectively bred for high and low methamphetamine-induced stereotypic chewing." *Psychopharmacology (Berl)* 157(1): 96-104.
- Balsara, J. J., T. R. Bapat, et al. (1985). "Effect of ergometrine on methamphetamine and apomorphine stereotypy in the guinea-pig." *J Pharm Pharmacol* 37(7): 514-7.
- Balsara, J. J., N. V. Nandal, et al. (1984). "Effects of naloxone on methamphetamine and apomorphine stereotypy and on haloperidol catalepsy in rats." *Psychopharmacology (Berl)* 82(3): 237-40.
- Balsara, J. J., T. R. Bapat, et al. (1982). "Small doses of apomorphine induce catalepsy and antagonize methamphetamine stereotypy in rats." *Psychopharmacology (Berl)* 78(2): 192-4.
- Balsara, J. J., M. P. Muley, et al. (1981). "Effects of baclofen on dopamine-dependent behaviors in mice." *Psychopharmacology (Berl)* 75(4): 396-9.
- Balsara, J. J., J. H. Jadhav, et al. (1979). "Effect of drugs influencing central serotonergic mechanisms on methamphetamine-induced stereotyped behavior in the rat." *Psychopharmacology (Berl)* 64(3): 303-7.
- Bende, M. M., T. R. Bapat, et al. (1990). "Effects of yohimbine on dopamine dependent behaviours in rats and mice." *Indian J Physiol Pharmacol* 34(3): 195-200.
- Bittner, S. E., G. C. Wagner, et al. (1981). "Effects of a high-dose treatment of methamphetamine on caudate dopamine and anorexia in rats." *Pharmacol Biochem Behav* 14(4): 481-6.
- Camp, D. M., K. E. Browman, et al. (1994). "The effects of methamphetamine and cocaine on motor behavior and extracellular dopamine in the ventral striatum of Lewis versus Fischer 344 rats." *Brain Res* 668(1-2): 180-93.
- Consroe, P., B. Jones, et al. (1976). "EEG and behavioral effects of delta9-tetrahydrocannabinol in combination with stimulant drugs in rabbits." *Psychopharmacology (Berl)* 50(1): 47-52.
- Ellinwood, E. H., Jr. and M. M. Kilbey (1975). "Amphetamine stereotypy: the influence of environmental factors and prepotent behavioral patterns on its topography and development." *Biol Psychiatry* 10(1): 3-16.
- Eradiri, O. L. and M. S. Starr (1999). "Striatal dopamine depletion and behavioural sensitization induced by methamphetamine and 3-nitropropionic acid." *Eur J Pharmacol* 386(2-3): 217-26.
- Finnegan, K. T., L. Calder, et al. (1993). "Effects of L-type calcium channel antagonists on the serotonin-depleting actions of MDMA in rats." *Brain Res* 603(1): 134-8.
- Fog, R. (1972). "On stereotypy and catalepsy: Studies on the effect of amphetamines and neuroleptics in rats." *Acta Neurol Scand Suppl* 50: 3-66.
- Fukuzako, H., I. Nagatomo, et al. (1988). "Alterations of accumbens neuronal activity in freely moving rats following methamphetamine." *Jpn J Psychiatry Neurol* 42(2): 331-5.
- Gada, V. P., V. V. Joshi, et al. (1984). "Antagonism of apomorphine-induced cage climbing behaviour and methamphetamine stereotypy by fenfluramine in mice." *Indian J Physiol Pharmacol* 28(4): 326-30.
- Gentry, W. B., A. U. Ghafoor, et al. (2004). "(+)-Methamphetamine-induced spontaneous behavior in rats depends on route of (+)METH administration." *Pharmacol Biochem Behav* 79(4): 751-60.
- Glickstein, S. B. and C. Schmauss (2004). "Effect of methamphetamine on cognition and repetitive motor behavior of mice deficient for dopamine D2 and D3 receptors." *Ann N Y Acad Sci* 1025: 110-8.
- Izumi, K., M. Nomoto, et al. (1984). "Phenytin potentiates methamphetamine-induced behavior in mice." *Pharmacol Biochem Behav* 20(5): 803-6.
- Janowsky, A., C. Mah, et al. (2001). "Mapping genes that regulate density of dopamine transporters and correlated behaviors in recombinant inbred mice." *J Pharmacol Exp Ther* 298(2): 634-43.
- Joshi, V. V., J. J. Balsara, et al. (1981). "Effect of L-histidine and chlorcyclizine on apomorphine-induced climbing behaviour and methamphetamine stereotypy in mice." *Eur J Pharmacol* 69(4): 499-502.
- Kabai, P., A. Liker, et al. (1999). "Methamphetamine-induced stereotypies in newly-hatched decerebrated domestic chicks." *Neurochem Res* 24(12): 1563-9.
- Kadota, T. and K. Kadota (2004). "Neurotoxic morphological changes induced in the medial prefrontal cortex of rats behaviorally sensitized to methamphetamine." *Arch Histol Cytol* 67(3): 241-51.
- Kashiwabara, K. (1983). "[A long-term qualitative behavioral change following chronic methamphetamine administration in Japanese monkeys (*Macaca fuscata*)]." *Yakubutsu Seishin Kodo* 3(3): 137-48.
- Kawakami, Y., K. Suemaru, et al. (1996). "[Behavioral changes induced by repeated administration of mazindol, an anorexiant, in rats]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 16(4): 139-43.

- Khanzode, S. D., S. M. Mahakalkar, et al. (1996). "Effect of pre-treatment of some calcium channel blockers on catalepsy and stereotypic behaviour in rats." *Indian J Physiol Pharmacol* 40(2): 159-62.
- Kifune, A. and S. Tadokoro (1991). "[Modification of stereotypy-producing and ambulation-increasing effects following repeated administration of methamphetamine in rats]." *Yakubutsu Seishin Kodo* 11(3): 207-14.
- Koshikawa, N., S. Aoki, et al. (1986). "Effects of sulphiride injected into the dorsal striatum and the nucleus accumbens on dopamine-mediated oral stereotypy and hyperlocomotion in rats." *J Nihon Univ Sch Dent* 28(2): 109-16.
- Kuczenski, R. and D. S. Segal (2001). "Caudate-putamen and nucleus accumbens extracellular acetylcholine responses to methamphetamine binges." *Brain Res* 923(1-2): 32-8.
- Kuczenski, R., D. S. Segal, et al. (1995). "Hippocampus norepinephrine, caudate dopamine and serotonin, and behavioral responses to the stereoisomers of amphetamine and methamphetamine." *J Neurosci* 15(2): 1308-17.
- Lobo, L. L., R. de Medeiros, et al. (1995). "Atropine increases pilocarpine-induced yawning behavior in paradoxical sleep deprived rats." *Pharmacol Biochem Behav* 52(3): 485-8.
- Machiyama, Y. (1992). "Chronic methamphetamine intoxication model of schizophrenia in animals." *Schizophr Bull* 18(1): 107-13.
- Mattei, R. and E. A. Carlini (1996). "A comparative study of the anorectic and behavioral effects of fenproporex on male and female rats." *Braz J Med Biol Res* 29(8): 1025-30.
- Mickley, K. R. and D. E. Dluzen (2004). "Dose-response effects of estrogen and tamoxifen upon methamphetamine-induced behavioral responses and neurotoxicity of the nigrostriatal dopaminergic system in female mice." *Neuroendocrinology* 79(6): 305-16.
- Miyauchi, T., K. Kikuchi, et al. (1981). "Further studies on the potentiating effect of lithium chloride on methamphetamine-induced stereotypy in mice." *Jpn J Pharmacol* 31(1): 61-8.
- Mori, A., K. Okuyama, et al. (2002). "Alteration of methamphetamine-induced striatal dopamine release in mint-1 knockout mice." *Neurosci Res* 43(3): 251-7.
- Morton, A. J., M. A. Hickey, et al. (2001). "Methamphetamine toxicity in mice is potentiated by exposure to loud music." *Neuroreport* 12(15): 3277-81.
- Muley, M. P., J. J. Balsara, et al. (1979). "Effect of L-histidine pretreatment on methamphetamine induced stereotyped behaviour in rats." *Indian J Physiol Pharmacol* 23(4): 291-6.
- Nakajima, H., R. Shigehara, et al. (1981). "[Effect of alpha-methyl-para-tyrosine on "methamphetamine-induced stereotype and hypermotility" of reserpinized rats (author's transl)]." *Nippon Yakurigaku Zasshi* 78(6): 557-69.
- Nakamura, K., Y. Ozawa, et al. (1985). "[Behavioral and pharmacological studies of methamphetamine-induced stereotypy of mice by the open field method]." *Yakugaku Zasshi* 105(8): 775-83.
- Namima, M., K. Sugihara, et al. (1999). "Quantitative analysis of the effects of lithium on the reverse tolerance and the c-Fos expression induced by methamphetamine in mice." *Brain Res Brain Res Protoc* 4(1): 11-8.
- Nomura, Y., S. Ashikari, et al. (1982). "[Effect of dopamine intracerebrally injected by the Valzelli method on methamphetamine-stereotypy and hypermotility]." *Yakubutsu Seishin Kodo* 2(1): 25-37.
- Numachi, Y., S. Yoshida, et al. (2000). "Two inbred strains of rats, Fischer 344 and Lewis, showed differential behavior and brain expression of corticosterone receptor mRNA induced by methamphetamine." *Ann N Y Acad Sci* 914: 33-45.
- Ohmori, T., T. Abekawa, et al. (1995). "Scopolamine prevents augmentation of stereotypy induced by chronic methamphetamine treatment." *Psychopharmacology (Berl)* 121(2): 158-63.
- Ozawa, H. and T. Miyauchi (1977). "Potentiating effect of lithium chloride on methamphetamine-induced stereotypy in mice." *Eur J Pharmacol* 41(2): 213-6.
- Randrup, A., G. Sorensen, et al. (1988). "Stereotyped behaviour in animals induced by stimulant drugs or by a restricted cage environment: Relation to disintegrated behaviour, brain dopamine and psychiatric disease." *Yakubutsu Seishin Kodo* 8(2): 313-27.
- Saito, T. R., S. Aoki, et al. (1991). "Effects of methamphetamine on copulatory behavior in male rats." *Jikken Dobutsu* 40(4): 447-52.
- Sano, H., Y. Totsuka, et al. (1982). "[Methamphetamine-stereotypy and hypermotility" in rats chronically treated with reserpine--the effect of intracerebral injection of chlorpromazine]." *Nippon Yakurigaku Zasshi* 80(2): 113-24.
- Segal, D. S., R. Kuczenski, et al. (2005). "Prolonged exposure of rats to intravenous methamphetamine: Behavioral and neurochemical characterization." *Psychopharmacology (Berl)* 180(3): 501-12.
- Segal, D. S., R. Kuczenski, et al. (2003). "Escalating dose methamphetamine pretreatment alters the behavioral and neurochemical profiles associated with exposure to a high-dose methamphetamine binge." *Neuropsychopharmacology* 28(10): 1730-40.
- Segal, D. S. and R. Kuczenski (1999). "Escalating dose-binge stimulant exposure: Relationship between emergent behavioral profile and differential caudate-putamen and nucleus accumbens dopamine responses." *Psychopharmacology (Berl)* 142(2): 182-92.
- Segal, D. S. and R. Kuczenski (1997). "Repeated binge exposures to amphetamine and methamphetamine: Behavioral and neurochemical characterization." *J Pharmacol Exp Ther* 282(2): 561-73.

- Semba, J., N. Tanaka, et al. (2001). "Neonatal phencyclidine treatment selectively attenuates mesolimbic dopamine function in adult rats as revealed by methamphetamine-induced behavior and c-fos mRNA expression in the brain." *Synapse* 40(1): 11-8.
- Semba, J., H. Watanabe, et al. (2000). "Neonatal treatment with L-name (NG-nitro-L-arginine methyl ester) attenuates stereotyped behavior induced by acute methamphetamine but not development of behavioral sensitization to methamphetamine." *Prog Neuropsychopharmacol Biol Psychiatry* 24(6): 1017-23.
- Shimosato, K. and S. Watanabe (1989). "Modification of behavioral responses to methamphetamine evoked by the stimulant's metabolite p-hydroxynorephedrine in rats." *Pharmacol Biochem Behav* 33(2): 423-9.
- Slamberova, R., P. Charousova, et al. (2005). "Maternal behavior is impaired by methamphetamine administered during pre-mating, gestation and lactation." *Reprod Toxicol* 20(1): 103-10.
- Slamberova, R., P. Charousova, et al. (2005). "Methamphetamine administration during gestation impairs maternal behavior." *Dev Psychobiol* 46(1): 57-65.
- Slamberova, R. and R. Rokyta (2005). "Occurrence of bicuculline-, NMDA- and kainic acid-induced seizures in prenatally methamphetamine-exposed adult male rats." *Naunyn Schmiedebergs Arch Pharmacol* 372(3): 236-41.
- Subarnas, A., T. Tadano, et al. (1993). "Pharmacological properties of beta-amyrin palmitate, a novel centrally acting compound, isolated from *Lobelia inflata* leaves." *J Pharm Pharmacol* 45(6): 545-50.
- Sumiyoshi, T., M. Tsunoda, et al. (2004). "Enhanced locomotor activity in rats with excitotoxic lesions of the entorhinal cortex, a neurodevelopmental animal model of schizophrenia: Behavioral and in vivo microdialysis studies." *Neurosci Lett* 364(2): 124-9.
- Suzuki, H., T. Shishido, et al. (1997). "Changes of behavior and monoamine metabolites in the rat brain after repeated methamphetamine administration: Effects of duration of repeated administration." *Prog Neuropsychopharmacol Biol Psychiatry* 21(2): 359-69.
- Szumliński, K. K., M. Y. Balogun, et al. (2000). "Interactions between iboga agents and methamphetamine sensitization: studies of locomotion and stereotypy in rats." *Psychopharmacology (Berl)* 151(2-3): 234-41.
- Takahashi, S., T. Miwa, et al. (2000). "Involvement of sigma 1 receptors in methamphetamine-induced behavioral sensitization in rats." *Neurosci Lett* 289(1): 21-4.
- Takigawa, M., H. Maeda, et al. (1993). "A dual approach to self-stimulation and locomotor trace affected by chronic methamphetamine treatment for an animal model of schizophrenia." *Can J Physiol Pharmacol* 71(5-6): 321-5.
- Tatsuta, T., N. Kitanaka, et al. (2005). "Effects of monoamine oxidase inhibitors on methamphetamine-induced stereotypy in mice and rats." *Neurochem Res* 30(11): 1377-85.
- Tadokoro, S. and H. Kuribara (1990). "[Modification of the behavioral effects of drugs after repeated administration--special reference to the reverse tolerance of amphetamines]." *Nippon Yakurigaku Zasshi* 95(5): 229-38.
- Takigawa, M., H. Wang, et al. (2000). "Directed coherence of EEG on ICSS rats with methamphetamine-induced hyperactivity and stereotyped behavior." *Ann N Y Acad Sci* 914: 311-5.
- Ujike, H., A. Kanzaki, et al. (1992). "Sigma (sigma) antagonist BMY 14802 prevents methamphetamine-induced sensitization." *Life Sci* 50(16): PL129-34.
- Ujike, H., H. Tsuchida, et al. (1992). "Competitive and non-competitive N-methyl-D-aspartate antagonists fail to prevent the induction of methamphetamine-induced sensitization." *Life Sci* 50(22): 1673-81.
- Ujike, H., K. Akiyama, et al. (1990). "D-2 but not D-1 dopamine agonists produce augmented behavioral response in rats after subchronic treatment with methamphetamine or cocaine." *Psychopharmacology (Berl)* 102(4): 459-64.
- Ujike, H., T. Onoue, et al. (1989). "Effects of selective D-1 and D-2 dopamine antagonists on development of methamphetamine-induced behavioral sensitization." *Psychopharmacology (Berl)* 98(1): 89-92.
- Wagner, G. C., N. Avena, et al. (2004). "Risperidone reduction of amphetamine-induced self-injurious behavior in mice." *Neuropharmacology* 46(5): 700-8.
- Wakamatsu, Y., M. Iwasaki, et al. (1974). "Proceedings: Influence of L-DOPA on brain noradrenaline contents and stereotypy in methamphetamine-treated rats." *Jpn J Pharmacol* 24(0): s:61.
- Wallace, T. L., G. A. Gudelsky, et al. (2001). "Neurotoxic regimen of methamphetamine produces evidence of behavioral sensitization in the rat." *Synapse* 39(1): 1-7.
- Wallace, T. L., G. A. Gudelsky, et al. (1999). "Methamphetamine-induced neurotoxicity alters locomotor activity, stereotypic behavior, and stimulated dopamine release in the rat." *J Neurosci* 19(20): 9141-8.
- Weihmuller, F. B., S. J. O'Dell, et al. (1991). "MK-801 attenuates the dopamine-releasing but not the behavioral effects of methamphetamine: an in vivo microdialysis study." *Brain Res* 549(2): 230-5.
- Witkin, J. M., N. Savtchenko, et al. (1999). "Behavioral, toxic, and neurochemical effects of sydnocarb, a novel psychomotor stimulant: comparisons with methamphetamine." *J Pharmacol Exp Ther* 288(3): 1298-310.
- Yamanaka, Y., R. Takano, et al. (1986). "Methamphetamine-induced behavioral alterations following repeated administration of methamphetamine." *Jpn J Pharmacol* 41(2): 147-54.

- Yamauchi, J., S. Marukawa, et al. (2000). "[Simultaneous administration of ethanol emphasizes the effect of methamphetamine on central nervous system in rat with high alcohol preference]." *Nihon Arukoru Yakubutsu Igakkai Zasshi* 35(1): 28-47.
- Yoshida, S., Y. Numachi, et al. (2000). "The absence of impairment of cliff avoidance reaction induced by subchronic methamphetamine treatment in inbred strains of mice." *Tohoku J Exp Med* 190(3): 205-12.
- Yoshida, S., Y. Numachi, et al. (1995). "[Reverse-tolerance phenomenon in methamphetamine-induced behavioral stereotypy and impairment of cliff avoidance reaction after subchronic methamphetamine administration in rats]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(5): 397-403.
- Yui, K. and T. Miura (1996). "Behavioral responses induced by repeated treatment with methamphetamine alone and in combination with scopolamine in rats." *Neuropsychobiology* 33(1): 21-7.
- Yui, K., T. Miura, et al. (1994). "Stereotyped behavioral responses to an auditory stimulus in the course of repeated treatment with methamphetamine plus scopolamine and methamphetamine in rats." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(3): 169-78.
- Yui, K. and T. Miura (1991). "[Cholinergic modulation on stereotyped behavior and behavioral hypersensitivity (reverse tolerance) in rats]." *Yakubutsu Seishin Kodo* 11(2): 141-56.

Stigma

- Semple, S. J., I. Grant, et al. (2005). "Utilization of drug treatment programs by methamphetamine users: The role of social stigma." *Am J Addict* 14(4): 367-80.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.

Stress

- Harris, D. S., V. I. Reus, et al. (2005). "Repeated psychological stress testing in stimulant-dependent patients." *Prog Neuropsychopharmacol Biol Psychiatry* 29(5): 669-77.
- Ibanez, G. E., D. W. Purcell, et al. (2005). "Sexual risk, substance use, and psychological distress in HIV-positive gay and bisexual men who also inject drugs." *AIDS* 19: S49-S55.
- Soderpalm, A., L. Nikolayev, et al. (2003). "Effects of stress on responses to methamphetamine in humans." *Psychopharmacology (Berl)* 170(2): 188-99.
- Yui, K., K. Goto, et al. (2004). "The role of noradrenergic and dopaminergic hyperactivity in the development of spontaneous recurrence of methamphetamine psychosis and susceptibility to episode recurrence." *Ann N Y Acad Sci* 1025: 296-306.
- Yui, K. and S. Ikemoto (2004). "[Stress sensitization induced by stressor and methamphetamine]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 24(3): 151-7.
- Yui, K., K. Goto, et al. (2001). "Susceptibility to subsequent episodes of spontaneous recurrence of methamphetamine psychosis." *Drug Alcohol Depend* 64(2): 133-42.
- Yui, K., K. Goto, et al. (2000). "Stress induced spontaneous recurrence of methamphetamine psychosis: The relation between stressful experiences and sensitivity to stress." *Drug Alcohol Depend* 58(1-2): 67-75.
- Yui, K., K. Goto, et al. (1999). "Increased sensitivity to stress and episode recurrence in spontaneous recurrence of methamphetamine psychosis." *Psychopharmacology (Berl)* 145(3): 267-72.

Strokes

See [Brain Hemorrhages and Strokes](#)

Suicide and Suicidal Ideation

See also [Self-Inflicted Injury](#)

- Callor, W. B., E. Petersen, et al. (2005). "Preliminary findings of noncompliance with psychotropic medication and prevalence of methamphetamine intoxication associated with suicide completion." *Crisis* 26(2): 78-84.
- Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.
- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: a preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Clatts, M. C., L. A. Goldsamt, et al. (2005). "Club drug use among young men who have sex with men in NYC: A preliminary epidemiological profile." *Subst Use Misuse* 40(9): 1317-30.

- Goldstein, D. J., A. H. Rampey, Jr., et al. (1993). "Analyses of suicidality in double-blind, placebo-controlled trials of pharmacotherapy for weight reduction." *J Clin Psychiatry* 54(8): 309-16.
- Kalechstein, A. D., T. F. Newton, D. Longshore, M. D. Anglin, W. G. van Gorp and F. H. Gawin (2000). "Psychiatric comorbidity of methamphetamine dependence in a forensic sample." *J Neuropsychiatry Clin Neurosci* 12(4): 480-4.
- Logan, B. K., C. L. Fligner, et al. (1998). "Cause and manner of death in fatalities involving methamphetamine." *J Forensic Sci* 43(1): 28-34.
- Noble, P., T. Hart, et al. (1972). "Correlates and outcome of illicit drug use by adolescent girls." *Br J Psychiatry* 120(558): 497-504.
- Operario, D. and T. Nemoto (2005). "Sexual risk behavior and substance use among a sample of Asian Pacific Islander transgendered women." *AIDS Educ Prev* 17(5): 430-43.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Sheridan, J., S. Bennett, et al. (2006). "Injury associated with methamphetamine use: A review of the literature." *Harm Reduct J* 3(1): 14.
- Yen, C. F. and B. L. Shieh (2005). "Suicidal ideation and correlates in Taiwanese adolescent methamphetamine users." *J Nerv Ment Dis* 193(7): 444-9.
- Zweben, J. E., J. B. Cohen, et al. (2004). "Psychiatric symptoms in methamphetamine users." *Am J Addict* 13(2): 181-90.

Supervised Smoking Facilities

- Collins, C. L., T. Kerr, et al. (2005). "Potential uptake and correlates of willingness to use a supervised smoking facility for noninjection illicit drug use." *J Urban Health* 82(2): 276-84.

Syringe Exchange and Syringe Access

- Bobkov, A. F., L. M. Selimova, et al. (2005). "Human immunodeficiency virus type 1 in illicit-drug solutions used intravenously retains infectivity." *J Clin Microbiol* 43(4): 1937-9.
- Bogart, L. M., A. H. Kral, et al. (2005). "Sexual risk among injection drug users recruited from syringe exchange programs in California." *Sex Transm Dis* 32(1): 27-34.
- Braine, N., D. C. Des Jarlais, et al. (2005). "HIV risk behavior among amphetamine injectors at U.S. syringe exchange programs." *AIDS Educ Prev* 17(6): 515-24.
- Braine, N., D. C. Des Jarlais, S. Ahmad, D. Purchase and C. Turner (2004). "Long-term effects of syringe exchange on risk behavior and HIV prevention." *AIDS Educ Prev* 16(3): 264-75.
- Buavirat, A., K. Page-Shafer, et al. (2003). "Risk of prevalent HIV infection associated with incarceration among injecting drug users in Bangkok, Thailand: Case-control study." *BMJ* 326(7384): 308.
- Darke, S., J. Cohen, et al. (1994). "Transitions between routes of administration of regular amphetamine users." *Addiction* 89(9): 1077-83.
- Darke, S., W. Hall, et al. (1992). "Benzodiazepine use and HIV risk-taking behaviour among injecting drug users." *Drug Alcohol Depend* 31(1): 31-6.
- Darke, S., J. Ross, et al. (1994). "The use of benzodiazepines among regular amphetamine users." *Addiction* 89(12): 1683-90.
- Hahn, J. A., K. Page-Shafer, P. J. Lum, K. Ochoa and A. R. Moss (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Hall, W., S. Darke, et al. (1993). "Patterns of drug use and risk-taking among injecting amphetamine and opioid drug users in Sydney, Australia." *Addiction* 88(4): 509-16.
- Heinzerling, K. G., A. H. Kral, et al. (2006). "Unmet need for recommended preventive health services among clients of California syringe exchange programs: Implications for quality improvement." *Drug Alcohol Depend* 81(2): 167-78.
- Kerr, T., E. Wood, E. Grafstein, T. Ishida, K. Shannon, C. Lai, J. Montaner and M. W. Tyndall (2004). "High rates of primary care and emergency department use among injection drug users in Vancouver." *J Public Health (Oxf)*.
- Kral, A. H., J. Lorvick, et al. (2005). "HIV prevalence and risk behaviors among men who have sex with men and inject drugs in San Francisco." *J Urban Health* 82(1 Suppl 1): i43-50.
- Kral, A. H., J. Lorvick, et al. (2000). "Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco." *J Acquir Immune Defic Syndr* 24(2): 162-7.
- Kral, A. H., R. N. Bluthenthal, et al. (1999). "Risk factors among IDUs who give injections to or receive injections from other drug users." *Addiction* 94(5): 675-83.
- Lum, P. J., C. Sears, et al. (2005). "Injection risk behavior among women syringe exchangers in San Francisco." *Subst Use Misuse* 40(11): 1681-96.

- Richard, A. J., V. Mosier, et al. (2002). "New syringe acquisition and multi-person use of syringes among illegal drug users." *J Public Health Policy* 23(3): 324-43.
- Roxburgh, A., L. Degenhardt, et al. (2005). "Drug use and risk behaviours among injecting drug users: A comparison between sex workers and non-sex workers in Sydney, Australia." *Harm Reduct J* 2(1): 7.
- Sears, C., J. R. Gyuish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.
- Wada, K. (2004). "[HCV infection among narcotics/methamphetamine abusers]." *Nippon Rinsho* 62 Suppl 7(Pt 1): 326-9.

Tacoma

- Braine, N., D. C. Des Jarlais, S. Ahmad, D. Purchase and C. Turner (2004). "Long-term effects of syringe exchange on risk behavior and HIV prevention." *AIDS Educ Prev* 16(3): 264-75.

Taiwan

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.
- Chen, C. K., S. K. Lin, et al. (2005). "Morbid risk for psychiatric disorder among the relatives of methamphetamine users with and without psychosis." *Am J Med Genet B Neuropsychiatr Genet* 136(1): 87-91.
- Chen, C. K., X. Hu, et al. (2004). "Association analysis of dopamine D2-like receptor genes and methamphetamine abuse." *Psychiatr Genet* 14(4): 223-226.
- Chen, C. K., S. K. Lin, et al. (2003). "Pre-morbid characteristics and co-morbidity of methamphetamine users with and without psychosis." *Psychol Med* 33(8): 1407-14.
- Chan, P., J. H. Chen, et al. (1994). "Fatal and nonfatal methamphetamine intoxication in the intensive care unit." *J Toxicol Clin Toxicol* 32(2): 147-55.
- Cheng, C. Y., C. J. Hong, et al. (2005). "Brain-derived neurotrophic factor (Val66Met) genetic polymorphism is associated with substance abuse in males." *Brain Res Mol Brain Res* 140(1-2): 86-90.
- Li, T., C. K. Chen, et al. (2004). "Association analysis of the DRD4 and COMT genes in methamphetamine abuse." *Am J Med Genet* 129B(1): 120-4.
- Lin, S. K., D. Ball, et al. (2004). "Psychiatric comorbidity and gender differences of persons incarcerated for methamphetamine abuse in Taiwan." *Psychiatry Clin Neurosci* 58(2): 206-12.
- Lin, S. K., C. K. Chen, et al. (2003). "Gender-specific contribution of the GABA(A) subunit genes on 5q33 in methamphetamine use disorder." *Pharmacogenomics J* 3(6): 349-55.
- Liu, H. C., S. K. Lin, et al. (2004). "DAT polymorphism and diverse clinical manifestations in methamphetamine abusers." *Psychiatr Genet* 14(1): 33-7.
- Shaw, K. P. (1999). "Human methamphetamine-related fatalities in Taiwan during 1991-1996." *J Forensic Sci* 44(1): 27-31.
- Tsai, S. J., C. Y. Cheng, et al. (2002). "No association for D2 and D4 dopamine receptor polymorphisms and methamphetamine abuse in Chinese males." *Psychiatr Genet* 12(1): 29-33.
- Yeh, P. S., A. Yuan, et al. (2001). "Acute respiratory distress syndrome in a woman with heroin and methamphetamine misuse." *J Formos Med Assoc* 100(8): 553-6.
- Yen, C. F. and M. Y. Chong (2006). "Comorbid psychiatric disorders, sex, and methamphetamine use in adolescents: A case-control study." *Compr Psychiatry* 47(3): 215-20.
- Yen, C. F. and Y. C. Su (2006). "The associations of early-onset methamphetamine use with psychiatric morbidity among Taiwanese adolescents." *Subst Use Misuse* 41(1): 35-44.
- Yen, C. F. and Y. P. Chang (2005). "Relapse antecedents for methamphetamine use and related factors in Taiwanese adolescents." *Psychiatry Clin Neurosci* 59(1): 77-82.
- Yen, C. F., C. H. Ko, et al. (2005). "Areca quid chewing and methamphetamine use in Taiwanese adolescents." *Public Health* 119(1): 50-4.
- Yen, C. F. and B. L. Shieh (2005). "Suicidal ideation and correlates in Taiwanese adolescent methamphetamine users." *J Nerv Ment Dis* 193(7): 444-9.
- Yen, C. F. (2004). "Relationship between methamphetamine use and risky sexual behavior in adolescents." *Kaohsiung J Med Sci* 20(4): 160-5.

Teeth

See Dental Diseases and Oral Health

Tennessee

Boulard, G. (2005). "The meth menace: battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Texas

- Atkinson, J., V. L. Brown, et al. (2004). "Personal adjustment and substance abuse problems in a longitudinal study of TANF recipients and the potential need for treatment." *Am J Drug Alcohol Abuse* 30(3): 643-57.
- Bost, R. O., P. Kemp, et al. (1989). "Tissue distribution of methamphetamine and amphetamine in premature infants." *J Anal Toxicol* 13(5): 300-2.
- Boulard, G. (2005). "The meth menace: battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Johnson, B. A., J. D. Roache, et al. (2005). "Effects of isradipine on methamphetamine-induced changes in attentional and perceptual-motor skills of cognition." *Psychopharmacology (Berl)* 178(2-3): 296-302.
- Little, B. B., L. M. Snell, et al. (1988). "Methamphetamine abuse during pregnancy: outcome and fetal effects." *Obstet Gynecol* 72(4): 541-4.
- Maxwell, J. C. and R. T. Spence (2005). "Profiles of club drug users in treatment." *Subst Use Misuse* 40(9): 1409-26.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Richard, A. J., V. Mosier, et al. (2002). "New syringe acquisition and multi-person use of syringes among illegal drug users." *J Public Health Policy* 23(3): 324-43.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- Williams, M. L., J. Atkinson, et al. (2005). "Spatial bridging in a network of drug-using male sex workers." *J Urban Health* 82(1 Suppl 1): i35-42.
- Zule, W. A. and D. P. Desmond (1999). "An ethnographic comparison of HIV risk behaviors among heroin and methamphetamine injectors." *Am J Drug Alcohol Abuse* 25(1): 1-23.

Thailand

- Ahmad, K. (2003). "Asia grapples with spreading amphetamine abuse." *Lancet* 361(9372): 1878-9.
- Ando, E., M. Hayashida, et al. (2004). "[GC-MS analysis of methamphetamine and amphetamine in hair of Thai drug addicts]." *Nihon Arukoru Yakubutsu Igakkai Zasshi* 39(3): 168-79.
- Barrett, M. E. (2003). "Correlates of illicit drug use in Karen villages in Northern Thailand." *Subst Use Misuse* 38(11-13): 1615-49.
- Beyrer, C., M. H. Razak, et al. (2004). "Methamphetamine users in northern Thailand: Changing demographics and risks for HIV and STD among treatment-seeking substance abusers." *Int J STD AIDS* 15(10): 697-704.
- Buavirat, A., K. Page-Shafer, et al. (2003). "Risk of prevalent HIV infection associated with incarceration among injecting drug users in Bangkok, Thailand: Case-control study." *BMJ* 326(7384): 308.
- Chomchai, C., N. Na Manorom, et al. (2004). "Methamphetamine abuse during pregnancy and its health impact on neonates born at Siriraj Hospital, Bangkok, Thailand." *Southeast Asian J Trop Med Public Health* 35(1): 228-31.
- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.
- McGregor, C., M. Srisurapanont, et al. (2005). "The nature, time course and severity of methamphetamine withdrawal." *Addiction* 100(9): 1320-9.
- Newton, P. N., W. Chierakul, et al. (2003). "Malaria and amphetamine 'horse tablets' in Thailand." *Trop Med Int Health* 8(1): 17-8.
- Obert, J. L., E. D. London, et al. (2002). "Incorporating brain research findings into standard treatment: An example using the Matrix Model." *J Subst Abuse Treat* 23(2): 107-13.
- Poshyachinda, V. (1993). "Drug injecting and HIV infection among the population of drug abusers in Asia." *Bull Narc* 45(1): 77-90.
- Puthaviriyakorn, V., N. Siriviriyasomboon, et al. (2002). "Identification of impurities and statistical classification of methamphetamine tablets (Ya-Ba) seized in Thailand." *Forensic Sci Int* 126(2): 105-13.
- Razak, M. H., J. Jittiwutikarn, et al. (2003). "HIV prevalence and risks among injection and noninjection drug users in northern Thailand: Need for comprehensive HIV prevention programs." *J Acquir Immune Defic Syndr* 33(2): 259-66.

- Sattah, M. V., S. Supawitkul, et al. (2002). "Prevalence of and risk factors for methamphetamine use in northern Thai youth: results of an audio-computer-assisted self-interviewing survey with urine testing." *Addiction* 97(7): 801-8.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Sribanditmongkol, P., M. Chokjamsai, et al. (2000). "Methamphetamine overdose and fatality: 2 cases report." *J Med Assoc Thai* 83(9): 1120-3.
- Srisurapanont, M., R. Ali, et al. (2003). "Psychotic symptoms in methamphetamine psychotic in-patients." *Int J Neuropsychopharmacol* 6(4): 347-52.
- Suwanwela, C. and V. Poshyachinda (1986). "Drug abuse in Asia." *Bull Narc* 38(1-2): 41-53.
- van Griensvan, F., J. Keawkungwal, et al. (2004). "Lack of increased HIV risk behavior among injection drug users participating in the AIDS VAX B/E HIV vaccine trial in Bangkok, Thailand." *AIDS* 18(2): 295-301.
- van Griensven, F., S. Supawitkul, et al. (2001). "Rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection." *Pediatrics* 108(1): E13.
- Verachai, V., T. Phutiprawan, et al. (2005). "HIV infection among substance abusers in Thanyarak Institute On Drug Abuse, Thailand, 1987-2002." *J Med Assoc Thai* 88(1): 76-9.
- Verachai, V., T. Phutiprawan, et al. (2002). "Prevalence and genotypes of hepatitis C virus infection among drug addicts and blood donors in Thailand." *Southeast Asian J Trop Med Public Health* 33(4): 849-51.
- Verachai, V., S. Dechongkit, et al. (2001). "Drug addicts treatment for ten years in Thanyarak Hospital (1989-1998)." *J Med Assoc Thai* 84(1): 24-9.
- Vitsupakorn, K., S. Teerawatsakul, et al. (2003). "The validity of peer responses as a tool for screening at-risk students: a preliminary analysis." *Southeast Asian J Trop Med Public Health* 34(3): 682-6.
- Vongsheree, S., P. Sri-Ngam, et al. (2001). "High HIV-1 prevalence among methamphetamine users in central Thailand, 1999-2000." *J Med Assoc Thai* 84(9): 1263-7.

Therapeutic Uses

See Medical Uses

Tijuana

- Strathdee, S. A., W. D. Fraga, et al. (2005). "'Vivo para consumirla y la consumo para vivir' ["I live to inject and inject to live"]: High-risk injection behaviors in Tijuana, Mexico." *J Urban Health* 82(3 Suppl 4): iv58-73.
- Viani, R. M., M. R. Araneta, et al. (2006). "Perinatal HIV counseling and rapid testing in Tijuana, Baja California, Mexico: Seroprevalence and correlates of HIV infection." *J Acquir Immune Defic Syndr* 41(1): 87-92.

Tobacco

See Nicotine and Tobacco

Tolerance

- Brauer, L. H., J. Ambre, et al. (1996). "Acute tolerance to subjective but not cardiovascular effects of d-amphetamine in normal, healthy men." *J Clin Psychopharmacol* 16(1): 72-6.
- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Comer, S. D., C. L. Hart, et al. (2001). "Effects of repeated oral methamphetamine administration in humans." *Psychopharmacology (Berl)* 155(4): 397-404.
- Derlet, R. W. and B. Heischouer (1990). "Methamphetamine. Stimulant of the 1990s?" *West J Med* 153(6): 625-8.
- Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.
- Osugi, T., Y. Aoki, et al. (1994). "[Involvement of gene expression in drug tolerance and dependence]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 14(4): 185-93.
- Perez-Reyes, M., W. R. White, et al. (1991). "Clinical effects of daily methamphetamine administration." *Clin Neuropharmacol* 14(4): 352-8.
- Tadokoro, S. and H. Kuribara (1990). "[Modification of the behavioral effects of drugs after repeated administration--special reference to the reverse tolerance of amphetamines]." *Nippon Yakurigaku Zasshi* 95(5): 229-38.

Wachtel, S. R. and H. de Wit (1999). "Subjective and behavioral effects of repeated d-amphetamine in humans." *Behav Pharmacol* 10(3): 271-81.

Tolerance (animals)

- Akita, H., M. Hashimoto, et al. (1990). "[Behavioral characteristics associated with acoustic stimulation and the neurochemical alterations of monoaminergic systems in rat brain at the steady state of repeated methamphetamine administration]." *Nippon Yakurigaku Zasshi* 95(6): 327-33.
- Kuczenski, R. and D. S. Segal (2001). "Caudate-putamen and nucleus accumbens extracellular acetylcholine responses to methamphetamine binges." *Brain Res* 923(1-2): 32-8.
- Namima, M., K. Sugihara, et al. (1999). "Quantitative analysis of the effects of lithium on the reverse tolerance and the c-Fos expression induced by methamphetamine in mice." *Brain Res Brain Res Protoc* 4(1): 11-8.
- Peltier, R. L., D. H. Li, et al. (1996). "Chronic d-amphetamine or methamphetamine produces cross-tolerance to the discriminative and reinforcing stimulus effects of cocaine." *J Pharmacol Exp Ther* 277(1): 212-8.
- Segal, D. S. and R. Kuczenski (2006). "Human methamphetamine pharmacokinetics simulated in the rat: single daily intravenous administration reveals elements of sensitization and tolerance." *Neuropsychopharmacology* 31(5): 941-55.
- Segal, D. S. and R. Kuczenski (1999). "Escalating dose-binge stimulant exposure: Relationship between emergent behavioral profile and differential caudate-putamen and nucleus accumbens dopamine responses." *Psychopharmacology (Berl)* 142(2): 182-92.
- Tadokoro, S. and H. Kuribara (1990). "[Modification of the behavioral effects of drugs after repeated administration--Special reference to the reverse tolerance of amphetamines]." *Nippon Yakurigaku Zasshi* 95(5): 229-38.
- Takahashi, M. and S. Tokuyama (1998). "Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants." *Methods Find Exp Clin Pharmacol* 20(1): 77-84.
- Takigawa, M., H. Maeda, et al. (1993). "A dual approach to self-stimulation and locomotor trace affected by chronic methamphetamine treatment for an animal model of schizophrenia." *Can J Physiol Pharmacol* 71(5-6): 321-5.
- Thomas, D. M. and D. M. Kuhn (2005). "Attenuated microglial activation mediates tolerance to the neurotoxic effects of methamphetamine." *J Neurochem* 92(4): 790-7.
- Yoshida, S., Y. Numachi, et al. (1998). "Impairment of cliff avoidance reaction induced by subchronic methamphetamine administration and restraint stress: Comparison between two inbred strains of rats." *Prog Neuropsychopharmacol Biol Psychiatry* 22(6): 1023-32.
- Yoshida, S., Y. Numachi, et al. (1995). "[Reverse-tolerance phenomenon in methamphetamine-induced behavioral stereotypy and impairment of cliff avoidance reaction after subchronic methamphetamine administration in rats]." *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(5): 397-403.
- Zacny, J. P., R. M. Virus, et al. (1990). "Tolerance and cross-tolerance to 3,4-methylenedioxymethamphetamine (MDMA), methamphetamine and methylenedioxyamphetamine." *Pharmacol Biochem Behav* 35(3): 637-42.

Toronto

- Cox, C. and R. G. Smart (1972). "Social and psychological aspects of speed use. A study of types of speed users in Toronto." *Int J Addict* 7(2): 201-17.
- Kalasinaky, K. S., J. Hugel, et al. (2004). "Use of MDA (the "love drug") and methamphetamine in Toronto by unsuspecting users of ecstasy (MDMA)." *J Forensic Sci* 49(5): 1106-12.

Toxicity

See Neurotoxicity; Neurotoxicity (animals)

Transgendered Individuals

- Operario, D. and T. Nemoto (2005). "Sexual risk behavior and substance use among a sample of Asian Pacific Islander transgendered women." *AIDS Educ Prev* 17(5): 430-43.

Trauma

See also Aggression and Violence; Emergency Care; Self-Inflicted Injury; Suicide and Suicidal Ideation

- Burchell, S. A., H. C. Ho, et al. (2000). "Effects of methamphetamine on trauma patients: A cause of severe metabolic acidosis?" *Crit Care Med* 28(6): 2112-5.

- Demetriades, D., G. Gkiokas, et al. (2004). "Alcohol and illicit drugs in traumatic deaths: Prevalence and association with type and severity of injuries." *J Am Coll Surg* 199(5): 687-92.
- Horiguchi, T., S. Hori, et al. (1999). "A case of traumatic shock complicated by methamphetamine intoxication." *Intensive Care Med* 25(7): 758-60.
- Parry, C. D., A. Pluddemann, et al. (2005). "Cannabis and other drug use among trauma patients in three South African cities, 1999-2001." *S Afr Med J* 95(6): 429-32.
- Richards, J. R., S. W. Bretz, E. B. Johnson, S. D. Turnipseed, B. T. Brofeldt and R. W. Derlet (1999). "Methamphetamine abuse and emergency department utilization." *West J Med* 170(4): 198-202.
- Schermer, C. R. and D. H. Wisner (1999). "Methamphetamine use in trauma patients: A population-based study." *J Am Coll Surg* 189(5): 442-9.

Treatment

See Acupuncture; Drug Courts and Court-Mandated Treatment; Harm Reduction; Pharmacological Interventions; Psychotherapy; Vaccination, Drug Treatment; and treatment headings below

Treatment, Cognitive and Behavioral

- Anonymous (2002). "Behavioral intervention for meth-using MSM. Researchers want to spread word." *AIDS Alert* 17(11): 143-4.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Campos, M. and S. Shoptaw (2005). "Evidence-based treatments for methamphetamine abuse." *Focus* 20(6): 5-6.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Domier, C. P., S. L. Simon, R. A. Rawson, A. Huber and W. Ling (2000). "A comparison of injecting and noninjecting methamphetamine users." *J Psychoactive Drugs* 32(2): 229-32.
- Freese, T. E., J. Obert, et al. (2000). "Methamphetamine abuse: Issues for special populations." *J Psychoactive Drugs* 32(2): 177-82.
- Gunter, T. D., D. W. Black, et al. (2004). "Drug and alcohol treatment services effective for methamphetamine abuse." *Ann Clin Psychiatry* 16(4): 195-200.
- Hamilton Brown, A. (2004). "Integrating research and practice in the CSAT Methamphetamine Treatment Project." *J Subst Abuse Treat* 26(2): 103-8.
- Hawke, J. M., N. Jainchill and G. De Leon (2000). "Adolescent amphetamine users in treatment: Client profiles and treatment outcomes." *J Psychoactive Drugs* 32(1): 95-105.
- Huber, A., R. H. Lord, et al. (2000). "The CSAT methamphetamine treatment program: Research design accommodations for "real world" application." *J Psychoactive Drugs* 32(2): 149-56.
- Huber, A., W. Ling, et al. (1997). "Integrating treatments for methamphetamine abuse: A psychosocial perspective." *J Addict Dis* 16(4): 41-50.
- Obert, J. L., A. H. Brown, et al. (2005). "When treatment meets research: Clinical perspectives from the CSAT Methamphetamine Treatment Project." *J Subst Abuse Treat* 28(3): 231-7.
- Obert, J. L., E. D. London, et al. (2002). "Incorporating brain research findings into standard treatment: An example using the Matrix Model." *J Subst Abuse Treat* 23(2): 107-13.
- Obert, J. L., M. J. McCann, et al. (2000). "The Matrix model of outpatient stimulant abuse treatment: history and description." *J Psychoactive Drugs* 32(2): 157-64.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Petry, N. M., J. M. Peirce, et al. (2005). "Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a national drug abuse treatment clinical trials network study." *Arch Gen Psychiatry* 62(10): 1148-56.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., P. Marinelli-Casey, et al. (2004). "A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence." *Addiction* 99(6): 708-17.

- Rawson, R. A., R. Gonzales, et al. (2002). "Treatment of methamphetamine use disorders: An update." *J Subst Abuse Treat* 23(2): 145-50.
- Rawson, R. A., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2002). "Status of methamphetamine users 2-5 years after outpatient treatment." *J Addict Dis* 21(1): 107-19.
- Shoptaw, S., A. Huber, et al. (2006). "Randomized, placebo-controlled trial of sertraline and contingency management for the treatment of methamphetamine dependence." *Drug Alcohol Depend*.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., C. J. Reback, D. L. Frosch and R. A. Rawson (1998). "Stimulant abuse treatment as HIV prevention." *J Addict Dis* 17(4): 19-32.
- Shoptaw, S., R. A. Rawson, et al. (1994). "The Matrix model of outpatient stimulant abuse treatment: Evidence of efficacy." *J Addict Dis* 13(4): 129-41.
- Smith, T. L., F. R. Volpe, J. N. Hashima and M. A. Schuckit (1999). "Impact of a stimulant-focused enhanced program on the outcome of alcohol- and/or stimulant-dependent men." *Alcohol Clin Exp Res* 23(11): 1772-9.
- Vazquez, E. (2005). "Crystal meth recovery. A step-by-step guide." *Posit Aware* 16(5): 20-2, 25.
- Yen, C. F., H. Y. Wu, et al. (2004). "Effects of brief cognitive-behavioral interventions on confidence to resist the urges to use heroin and methamphetamine in relapse-related situations." *J Nerv Ment Dis* 192(11): 788-91.
- Zweben, J. E., J. B. Cohen, et al. (2000). "Conducting trials in community settings: The provider perspective." *J Psychoactive Drugs* 32(2): 193-9.

Treatment, Methamphetamine Users in

- Beyrer, C., M. H. Razak, et al. (2004). "Methamphetamine users in northern Thailand: Changing demographics and risks for HIV and STD among treatment-seeking substance abusers." *Int J STD AIDS* 15(10): 697-704.
- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Brecht, M. L., M. D. Anglin, et al. (2005). "Coerced treatment for methamphetamine abuse: Differential patient characteristics and outcomes." *Am J Drug Alcohol Abuse* 31(2): 337-56.
- Brecht, M. L., A. O'Brien, et al. (2004). "Methamphetamine use behaviors and gender differences." *Addict Behav* 29(1): 89-106.
- Buavirat, A., K. Page-Shafer, G. J. van Griensven, J. S. Mandel, J. Evans, J. Chuaratanaphong, S. Chiamwongpat, R. Sacks and A. Moss (2003). "Risk of prevalent HIV infection associated with incarceration among injecting drug users in Bangkok, Thailand: Case-control study." *BMJ* 326(7384): 308.
- Cohen, J. B., A. Dickow, et al. (2003). "Abuse and violence history of men and women in treatment for methamphetamine dependence." *Am J Addict* 12(5): 377-85.
- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Cretzmeyer, M., M. V. Sarrazin, et al. (2003). "Treatment of methamphetamine abuse: Research findings and clinical directions." *J Subst Abuse Treat* 24(3): 267-77.
- Domier, C. P., S. L. Simon, R. A. Rawson, A. Huber and W. Ling (2000). "A comparison of injecting and noninjecting methamphetamine users." *J Psychoactive Drugs* 32(2): 229-32.
- Evans, E. and D. Longshore (2004). "Evaluation of the substance abuse and crime prevention act: Treatment clients and program types during the first year of implementation." *J Psychoactive Drugs Suppl*(2): 165-74.
- Galloway, G. P., J. Newmeyer, T. Knapp, S. A. Stalcup and D. Smith (1996). "A controlled trial of imipramine for the treatment of methamphetamine dependence." *J Subst Abuse Treat* 13(6): 493-7.
- Galloway, G. P., J. Newmeyer, T. Knapp, S. A. Stalcup and D. Smith (1994). "Imipramine for the treatment of cocaine and methamphetamine dependence." *J Addict Dis* 13(4): 201-16.
- Gonzalez Castro, F., E. H. Barrington, M. A. Walton and R. A. Rawson (2000). "Cocaine and methamphetamine: Differential addiction rates." *Psychol Addict Behav* 14(4): 390-6.
- Gordon, S. M., F. Tulak, et al. (2004). "Prevalence and characteristics of adolescents patients with co-occurring ADHD and substance dependence." *J Addict Dis* 23(4): 31-40.
- Greenwell, L. and M. L. Brecht (2003). "Self-reported health status among treated methamphetamine users." *Am J Drug Alcohol Abuse* 29(1): 75-104.
- Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl* 30(1): 55-73.

- Harris, D. S., V. I. Reus, et al. (2005). "Repeated psychological stress testing in stimulant-dependent patients." *Prog Neuropsychopharmacol Biol Psychiatry* 29(5): 669-77.
- Hartz, D. T., S. L. Frederick-Osborne and G. P. Galloway (2001). "Craving predicts use during treatment for methamphetamine dependence: A prospective, repeated-measures, within-subject analysis." *Drug Alcohol Depend* 63(3): 269-76.
- Hawke, J. M., N. Jainchill and G. De Leon (2000). "Adolescent amphetamine users in treatment: Client profiles and treatment outcomes." *J Psychoactive Drugs* 32(1): 95-105.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Hser, Y. I., E. Evans, et al. (2005). "Treatment outcomes among women and men methamphetamine abusers in California." *J Subst Abuse Treat* 28(1): 77-85.
- Hser, Y. I., C. Teruya, et al. (2003). "Treating drug-abusing offenders. Initial findings from a five-county study on the impact of California's Proposition 36 on the treatment system and patient outcomes." *Eval Rev* 27(5): 479-505.
- Huber, A., R. H. Lord, et al. (2000). "The CSAT methamphetamine treatment program: Research design accommodations for "real world" application." *J Psychoactive Drugs* 32(2): 149-56.
- Huber, A., W. Ling, et al. (1997). "Integrating treatments for methamphetamine abuse: A psychosocial perspective." *J Addict Dis* 16(4): 41-50.
- Larkins, S., C. J. Reback, et al. (2005). "Methamphetamine-dependent gay men's disclosure of their HIV status to sexual partners." *AIDS Care* 17(4): 521-32.
- Maglione, M., B. Chao, et al. (2000). "Correlates of outpatient drug treatment drop-out among methamphetamine users." *J Psychoactive Drugs* 32(2): 221-8.
- Maxwell, J. C. and R. T. Spence (2005). "Profiles of club drug users in treatment." *Subst Use Misuse* 40(9): 1409-26.
- McGregor, C., M. Srisurapanont, et al. (2005). "The nature, time course and severity of methamphetamine withdrawal." *Addiction* 100(9): 1320-9.
- Molitor, F., J. D. Ruiz, N. Flynn, J. N. Mikanda, R. K. Sun and R. Anderson (1999). "Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users." *Am J Drug Alcohol Abuse* 25(3): 475-93.
- Nordahl, T. E., R. Salo, et al. (2005). "Methamphetamine users in sustained abstinence: A proton magnetic resonance spectroscopy study." *Arch Gen Psychiatry* 62(4): 444-52.
- Obert, J. L., A. H. Brown, et al. (2005). "When treatment meets research: Clinical perspectives from the CSAT Methamphetamine Treatment Project." *J Subst Abuse Treat* 28(3): 231-7.
- Paul, J. P., R. Stall and F. Davis (1993). "Sexual risk for HIV transmission among gay/bisexual men in substance-abuse treatment." *AIDS Educ Prev* 5(1): 11-24.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Peck, J. A., S. Shoptaw, et al. (2005). "HIV-associated medical, behavioral, and psychiatric characteristics of treatment-seeking, methamphetamine-dependent men who have sex with men." *J Addict Dis* 24(3): 115-32.
- Petry, N. M., J. M. Peirce, et al. (2005). "Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a national drug abuse treatment clinical trials network study." *Arch Gen Psychiatry* 62(10): 1148-56.
- Pugatch, D. L., B. G. Levesque, M. A. Lally, S. E. Reinert, W. J. Filippone, C. M. Combs, T. P. Flanigan and L. K. Brown (2001). "HIV testing among young adults and older adolescents in the setting of acute substance abuse treatment." *Journal of Acquired Immune Deficiency Syndromes: JAIDS* 27(2): 135-42.
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rawson, R. A., P. Marinelli-Casey, et al. (2004). "A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence." *Addiction* 99(6): 708-17.
- Rawson, R. A., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2002). "Status of methamphetamine users 2-5 years after outpatient treatment." *J Addict Dis* 21(1): 107-19.
- Rawson, R., A. Huber, P. Brethen, J. Obert, V. Gulati, S. Shoptaw and W. Ling (2000). "Methamphetamine and cocaine users: Differences in characteristics and treatment retention." *J Psychoactive Drugs* 32(2): 233-8.
- Reback, C. J., S. Larkins and S. Shoptaw (2004). "Changes in the meaning of sexual risk behaviors among gay and bisexual male methamphetamine abusers before and after drug treatment." *AIDS Behav* 8(1): 87-98.
- Riehm, K. S., M. Y. Iguchi and M. D. Anglin (2002). "Depressive symptoms among amphetamine and cocaine users before and after substance abuse treatment." *Psychol Addict Behav* 16(4): 333-7.
- Russell, L. C., B. Sharp and B. Gilbertson (2000). "Acupuncture for addicted patients with chronic histories of arrest. A pilot study of the consortium treatment center." *J Subst Abuse Treat* 19(2): 199-205.

- Sattar, S. P., S. C. Bhatia, et al. (2004). "Potential benefits of quetiapine in the treatment of substance dependence disorders." *J Psychiatry Neurosci* 29(6): 452-7.
- Semple, S. J., I. Grant, et al. (2005). "Utilization of drug treatment programs by methamphetamine users: The role of social stigma." *Am J Addict* 14(4): 367-80.
- Shoptaw, S., C. J. Reback, et al. (2005). "Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men." *Drug Alcohol Depend* 78(2): 125-34.
- Shoptaw, S., J. Peck, C. J. Reback and E. Rotheram-Fuller (2003). "Psychiatric and substance dependence comorbidities, sexually transmitted diseases, and risk behaviors among methamphetamine-dependent gay and bisexual men seeking outpatient drug abuse treatment." *J Psychoactive Drugs* 35(Suppl 1): 161-8.
- Shoptaw, S., C. J. Reback, D. L. Frosch and R. A. Rawson (1998). "Stimulant abuse treatment as HIV prevention." *J Addict Dis* 17(4): 19-32.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Verachai, V., T. Phutiprawan, et al. (2005). "HIV infection among substance abusers in Thanyarak Institute On Drug Abuse, Thailand, 1987-2002." *J Med Assoc Thai* 88(1): 76-9.
- Verachai, V., S. Dechongkit, et al. (2001). "Drug addicts treatment for ten years in Thanyarak Hospital (1989-1998)." *J Med Assoc Thai* 84(1): 24-9.
- von Mayrhauser, C., M. L. Brecht and M. D. Anglin (2002). "Use ecology and drug use motivations of methamphetamine users admitted to substance abuse treatment facilities in Los Angeles: An emerging profile." *J Addict Dis* 21(1): 45-60.
- Wenzel, S. L., P. A. Ebener, et al. (1996). "Drug-abusing homeless clients in California's substance abuse treatment system." *J Psychoactive Drugs* 28(2): 147-59.
- Wermuth, L. (2000). "Methamphetamine use: Hazards and social influences." *J Drug Educ* 30(4): 423-33.

Treatment (HIV) Adherence

- Copeland, A. L. and J. L. Sorensen (2001). "Differences between methamphetamine users and cocaine users in treatment." *Drug Alcohol Depend* 62(1): 91-5.
- Reback, C. J., S. Larkins, et al. (2003). "Methamphetamine abuse as a barrier to HIV medication adherence among gay and bisexual men." *AIDS Care* 15(6): 775-85.

Treatment Preferences of Methamphetamine Users

- Brecht, M. L., L. Greenwell, et al. (2005). "Methamphetamine treatment: Trends and predictors of retention and completion in a large state treatment system (1992-2002)." *J Subst Abuse Treat* 29(4): 295-306.
- Hando, J., L. Topp, et al. (1997). "Amphetamine-related harms and treatment preferences of regular amphetamine users in Sydney, Australia." *Drug Alcohol Depend* 46(1-2): 105-13.

Treatment Readiness

- John, D., C. F. Kwiatkowski, et al. (2001). "Differences among out-of-treatment drug injectors who use stimulants only, opiates only or both: implications for treatment entry." *Drug Alcohol Depend* 64(2): 165-72.

Tremors

See also [Parkinsonism and Parkinson's Disease](#)

- Oro, A. S. and S. D. Dixon (1987). "Perinatal cocaine and methamphetamine exposure: Maternal and neonatal correlates." *J Pediatr* 111(4): 571-8.

Tremors (animals)

See also [Parkinsonism and Parkinson's Disease \(animals\)](#)

- Baker, W. W., D. Zivanovic, et al. (1976). "Tremorogenic effects of intracaudate d-amphetamine and their suppression by dopamine." *Arch Int Pharmacodyn Ther* 223(2): 271-81.
- Izumi, K., M. Nomoto, et al. (1984). "Phenytoin potentiates methamphetamine-induced behavior in mice." *Pharmacol Biochem Behav* 20(5): 803-6.

Johanson, C. E., T. G. Aigner, et al. (1979). "The effects of methamphetamine on fine motor control in rhesus monkeys." *Pharmacol Biochem Behav* 11(3): 273-8.

McKinney, P. E., C. Tomaszewski, et al. (1994). "Methamphetamine toxicity prevented by activated charcoal in a mouse model." *Ann Emerg Med* 24(2): 220-3.

Tulsa

Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.

Tucson

Glittenberg, J. and C. Anderson (1999). "Methamphetamines: Use and trafficking in the Tucson-Nogales area." *Subst Use Misuse* 34(14): 1977-89.

United Kingdom

Bingham, C., M. Beaman, et al. (1998). "Necrotizing renal vasculopathy resulting in chronic renal failure after ingestion of methamphetamine and 3,4-methylenedioxyamphetamine ('ecstasy')." *Nephrol Dial Transplant* 13(10): 2654-5.

March, J. C., E. Oviedo-Joekes, et al. (2006). "Drugs and social exclusion in ten European cities." *Eur Addict Res* 12(1): 33-41.

McCarrick, H. (1968). "Methedrine: The new restriction." *Nurs Times* 64(42): 1419.

Noble, P., T. Hart, et al. (1972). "Correlates and outcome of illicit drug use by adolescent girls." *Br J Psychiatry* 120(558): 497-504.

White, R. (2000). "Dexamphetamine substitution in the treatment of amphetamine abuse: An initial investigation." *Addiction* 95(2): 229-38.

Youdim, M. B., O. Bar Am, et al. (2005). "Rasagiline: Neurodegeneration, neuroprotection, and mitochondrial permeability transition." *J Neurosci Res* 79(1-2): 172-9.

United States Regional Variations

Rawson, R. A., S. L. Simon and W. Ling (2002). "If a US drug abuse epidemic fails to include a major east coast city, can it be called an epidemic?" *J Addict Dis* 21(1): 1-4.

Rawson, R. A., R. Gonzales and P. Brethen (2002). "Treatment of methamphetamine use disorders: An update." *J Subst Abuse Treat* 23(2): 145-50.

Stoops, W. W., M. S. Tindall, et al. (2005). "Methamphetamine use in nonurban and urban drug court clients." *Int J Offender Ther Comp Criminol* 49(3): 260-76.

Sullivan, P. S., A. K. Nakashima, D. W. Purcell and J. W. Ward (1998). "Geographic differences in noninjection and injection substance use among HIV-seropositive men who have sex with men: Western United States versus other regions. Supplement to HIV/AIDS surveillance Study Group." *J Acquir Immune Defic Syndr Hum Retrovirol* 19(3): 266-73.

Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

Wolkoff, D. A. (1997). "Methamphetamine abuse: An overview for health care professionals." *Hawaii Med J* 56(2): 34-6, 44.

Urinary Conditions

Delgado, J. H., M. J. Caruso, J. C. Waksman, B. Honigman and D. Stillman (2004). "Acute, transient urinary retention from combined ecstasy and methamphetamine use." *J Emerg Med* 26(2): 173-5.

Doleys, D. M. (1977). "Behavioral treatments for nocturnal enuresis in children: A review of the recent literature." *Psychol Bull* 84(1): 30-54.

Marshall, G. A., C. M. Dixon, et al. (1991). "Substance abuse-related spontaneous bladder rupture: Report of 2 cases and review of the literature." *J Urol* 145(1): 135-7.

Young, G. C. and R. T. Morgan (1973). "Rapidity of response to the treatment of enuresis." *Dev Med Child Neurol* 15(4): 488-96.

Young, G. C. and R. K. Turner (1965). "CNS stimulant drugs and conditioning treatment of nocturnal enuresis." *Behav Res Ther* 3(2): 93-101.

Usage Patterns and Dosing

See also [Binge Use](#); [Injection of Methamphetamine](#); [Polydrug Use](#); [Smoking Methamphetamine](#); [Snorting Methamphetamine](#)

- Cho, A. K. and W. P. Melega (2002). "Patterns of methamphetamine abuse and their consequences." *J Addict Dis* 21(1): 21-34.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Darke, S., S. Kaye, et al. (1999). "Transitions between the injection of heroin and amphetamines." *Addiction* 94(12): 1795-803.
- Domier, C. P., S. L. Simon, R. A. Rawson, A. Huber and W. Ling (2000). "A comparison of injecting and noninjecting methamphetamine users." *J Psychoactive Drugs* 32(2): 229-32.
- Dore, G. and M. Sweeting (2006). "Drug-induced psychosis associated with crystalline methamphetamine." *Australas Psychiatry* 14(1): 86-9.
- Halkitis, P. N. and M. T. Shrem (2006). "Psychological differences between binge and chronic methamphetamine using gay and bisexual men." *Addict Behav* 31(3): 549-52.
- Halkitis, P. N., K. A. Green, et al. (2005). "Longitudinal investigation of methamphetamine use among gay and bisexual men in New York City: findings from Project BUMPS." *J Urban Health* 82(1 Suppl 1): i18-25.
- Hall, W., J. Hando, et al. (1996). "Psychological morbidity and route of administration among amphetamine users in Sydney, Australia." *Addiction* 91(1): 81-7.
- Hall, W., S. Darke, et al. (1993). "Patterns of drug use and risk-taking among injecting amphetamine and opioid drug users in Sydney, Australia." *Addiction* 88(4): 509-16.
- Irwin, T. W. and J. Morgenstern (2005). "Drug-use patterns among men who have sex with men presenting for alcohol treatment: Differences in ethnic and sexual identity." *J Urban Health*.
- Kaye, S. and S. Darke (2000). "A comparison of the harms associated with the injection of heroin and amphetamines." *Drug Alcohol Depend* 58(1-2): 189-95.
- Meredith, C. W., C. Jaffe, et al. (2005). "Implications of chronic methamphetamine use: A literature review." *Harv Rev Psychiatry* 13(3): 141-54.
- Peck, J. A., C. J. Reback, et al. (2005). "Sustained reductions in drug use and depression symptoms from treatment for drug abuse in methamphetamine-dependent gay and bisexual men." *J Urban Health* 82(1 Suppl 1): i100-8.
- Roxburgh, A., L. Degenhardt, et al. (2005). "Drug use and risk behaviours among injecting drug users: A comparison between sex workers and non-sex workers in Sydney, Australia." *Harm Reduct J* 2(1): 7.
- Semple, S. J., I. Grant, et al. (2005). "Negative self-perceptions and sexual risk behavior among heterosexual methamphetamine users." *Substance Use & Misuse* 40(12): 1797-1810.
- Semple, S. J., T. L. Patterson and I. Grant (2004). "The context of sexual risk behavior among heterosexual methamphetamine users." *Addict Behav* 29(4): 807-10.
- Semple, S. J., T. L. Patterson, et al. (2004). "A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men." *Drug Alcohol Depend* 76(2): 203-12.
- Semple, S. J., T. L. Patterson, et al. (2004). "Determinants of condom use stage of change among heterosexually-identified methamphetamine users." *AIDS Behav* 8(4): 391-400.
- Uitermark, J. and P. Cohen (2004). *Amphetamine users in Amsterdam: Patterns of use and modes of self-regulation*, Centrum voor drugsonderzoek.

Usage Patterns and Dosing (animals)

See also [Binge Use \(animals\)](#); [Polydrug Use \(animals\)](#)

- Brummelte, S., T. Grund, et al. (2006). "Long-term effects of a single adult methamphetamine challenge: Minor impact on dopamine fibre density in limbic brain areas of gerbils." *Behav Brain Funct* 2: 12.
- Byrnes-Blake, K. A., E. M. Laurenzana, et al. (2005). "Monoclonal IgG affinity and treatment time alters antagonism of (+)-methamphetamine effects in rats." *Eur J Pharmacol* 521(1-3): 86-94.
- Davidson, C., T. H. Lee, et al. (2005). "Acute and chronic continuous methamphetamine have different long-term behavioral and neurochemical consequences." *Neurochem Int* 46(3): 189-203.
- Gentry, W. B., A. U. Ghafoor, et al. (2004). "(+)-Methamphetamine-induced spontaneous behavior in rats depends on route of (+)METH administration." *Pharmacol Biochem Behav* 79(4): 751-60.
- Kita, T., Y. Matsunari, et al. (2000). "Methamphetamine-induced striatal dopamine release, behavior changes and neurotoxicity in BALB/c mice." *Int J Dev Neurosci* 18(6): 521-30.

- Kitamura, O., S. Wee, et al. (2006). "Escalation of methamphetamine self-administration in rats: A dose-effect function." *Psychopharmacology (Berl)* 186(1): 48-53.
- Kuczenski, R. and D. S. Segal (2001). "Caudate-putamen and nucleus accumbens extracellular acetylcholine responses to methamphetamine binges." *Brain Res* 923(1-2): 32-8.
- Kuczenski, R., D. S. Segal, et al. (1995). "Hippocampus norepinephrine, caudate dopamine and serotonin, and behavioral responses to the stereoisomers of amphetamine and methamphetamine." *J Neurosci* 15(2): 1308-17.
- Madden, L. J., C. T. Flynn, et al. (2005). "Modeling human methamphetamine exposure in nonhuman primates: Chronic dosing in the rhesus macaque leads to behavioral and physiological abnormalities." *Neuropsychopharmacology* 30(2): 350-9.
- Segal, D. S., R. Kuczenski, et al. (2005). "Prolonged exposure of rats to intravenous methamphetamine: behavioral and neurochemical characterization." *Psychopharmacology (Berl)* 180(3): 501-12.
- Suzuki, H., T. Shishido, et al. (1997). "Changes of behavior and monoamine metabolites in the rat brain after repeated methamphetamine administration: Effects of duration of repeated administration." *Prog Neuropsychopharmacol Biol Psychiatry* 21(2): 359-69.
- Suzuki, T., H. J. Fan Chiang, et al. (1987). "Effects of quinidine and cimetidine on methamphetamine stereotypy in rats." *J Pharmacobiodyn* 10(3): 152-5.
- Suzuki, T., H. J. Chiang, et al. (1986). "Studies on the mechanism of interaction between methamphetamine and quinine in rats." *J Pharmacobiodyn* 9(3): 234-8.
- Ujike, H., H. Tsuchida, et al. (1992). "Competitive and non-competitive N-methyl-D-aspartate antagonists fail to prevent the induction of methamphetamine-induced sensitization." *Life Sci* 50(22): 1673-81.
- Ujike, H., K. Akiyama, et al. (1990). "D-2 but not D-1 dopamine agonists produce augmented behavioral response in rats after subchronic treatment with methamphetamine or cocaine." *Psychopharmacology (Berl)* 102(4): 459-64.
- Yoshida, S., Y. Numachi, et al. (2000). "The absence of impairment of cliff avoidance reaction induced by subchronic methamphetamine treatment in inbred strains of mice." *Tohoku J Exp Med* 190(3): 205-12.
- Yoshida, S., Y. Numachi, et al. (1998). "Impairment of cliff avoidance reaction induced by subchronic methamphetamine administration and restraint stress: Comparison between two inbred strains of rats." *Prog Neuropsychopharmacol Biol Psychiatry* 22(6): 1023-32.
- Zhu, J. P., W. Xu, et al. (2006). "Methamphetamine-induced striatal apoptosis in the mouse brain: Comparison of a binge to an acute bolus drug administration." *Neurotoxicology* 27(1): 131-6.

Utah

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Buchi, K. F., S. Zone, K. Langheinrich and M. W. Varner (2003). "Changing prevalence of prenatal substance abuse in Utah." *Obstet Gynecol* 102(1): 27-30.
- Callor, W. B., E. Petersen, et al. (2005). "Preliminary findings of noncompliance with psychotropic medication and prevalence of methamphetamine intoxication associated with suicide completion." *Crisis* 26(2): 78-84.
- Mecham, N. and J. Melini (2002). "Unintentional victims: Development of a protocol for the care of children exposed to chemicals at methamphetamine laboratories." *Pediatr Emerg Care* 18(4): 327-32.

Vaccination, Drug Treatment

- Haney, M. and T. R. Kosten (2004). "Therapeutic vaccines for substance dependence." *Expert Rev Vaccines* 3(1): 11-8.
- Kantak, K. M. (2003). "Vaccines against drugs of abuse: A viable treatment option?" *Drugs* 63(4): 341-52.
- Kosten, T. and S. M. Owens (2005). "Immunotherapy for the treatment of drug abuse." *Pharmacol Ther.*

Vaccination, Hepatitis A

- Hutin, Y. J., B. P. Bell, et al. (1999). "Identifying target groups for a potential vaccination program during a hepatitis A communitywide outbreak." *Am J Public Health* 89(6): 918-21.
- Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.
- Vong, S., A. E. Fiore, et al. (2005). "Vaccination in the county jail as a strategy to reach high risk adults during a community-based hepatitis A outbreak among methamphetamine drug users." *Vaccine* 23(8): 1021-8.

Vaccination, Hepatitis B

Kahraman, A., M. Miller, et al. (2006). "Non-alcoholic fatty liver disease in HIV-positive patients predisposes for acute-on-chronic liver failure: Two cases." *Eur J Gastroenterol Hepatol* 18(1): 101-105.

Vancouver (BC)

Collins, C. L., T. Kerr, et al. (2005). "Rationale to evaluate medically supervised safer smoking facilities for non-injection illicit drug users." *Can J Public Health* 96(5): 344-7.

Collins, C. L., T. Kerr, et al. (2005). "Potential uptake and correlates of willingness to use a supervised smoking facility for noninjection illicit drug use." *J Urban Health* 82(2): 276-84.

Kerr, T., E. Wood, et al. (2005). "High rates of primary care and emergency department use among injection drug users in Vancouver." *J Public Health (Oxf)* 27(1): 62-6.

Lampinen, T. M., D. McGhee, et al. (2006). "Increased risk of "club" drug use among gay and bisexual high school students in British Columbia." *J Adolesc Health* 38(4): 458-61.

Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.

Rusch, M., T. M. Lampinen, A. Schilder and R. S. Hogg (2004). "Unprotected anal intercourse associated with recreational drug use among young men who have sex with men depends on partner type and intercourse role." *Sex Transm Dis* 31(8): 492-8.

Schilder, A. J., T. M. Lampinen, et al. (2005). "Crystal methamphetamine and ecstasy differ in relation to unsafe sex among young gay men." *Can J Public Health* 96(5): 340-3.

Vascular Disease

See also Brain Hemorrhages and Strokes; Cardiovascular Effects and Disease

Anzalone, B., W. T. Crow and S. K. Costalas (2002). "If the bubble bursts.... EMS response to aortic aneurysms & dissections." *JEMS* 27(1): 84-8, 90-5; quiz 96-7.

Berankova, K., V. Habrdova, et al. (2005). "Methamphetamine in hair and interpretation of forensic findings in a fatal case." *Forensic Sci Int* 153(1): 93-7.

Brannan, T. A., S. Soundararajan, et al. (2004). "Methamphetamine-associated shock with intestinal infarction." *MedGenMed* 6(4): 6.

Davis, G. G. and C. I. Swallow (1996). "The incidence of acute cocaine or methamphetamine intoxication in deaths due to ruptured cerebral (berry) aneurysms." *J Forensic Sci* 41(4): 626-8.

Davis, G. G. and C. I. Swallow (1994). "Acute aortic dissections and ruptured berry aneurysms associated with methamphetamine abuse." *J Forensic Sci* 39(6): 1481-5.

Karch, S. B., B. G. Stephens and C. H. Ho (1999). "Methamphetamine-related deaths in San Francisco: Demographic, pathologic, and toxicologic profiles." *J Forensic Sci* 44(2): 359-68.

Leithauser, B., A. C. Langheinrich, et al. (2005). "A 22-year-old woman with lower limb arteriopathy. Buerger's disease, or methamphetamine- or cannabis-induced arteritis?" *Heart Vessels* 20(1): 39-43.

Longstreth, P. L. and M. Korobkin (1976). "Intrarenal arterial aneurysms." *CRC Crit Rev Clin Radiol Nucl Med* 8(1): 129-51.

McGee, S. M., D. N. McGee, et al. (2004). "Spontaneous intracerebral hemorrhage related to methamphetamine abuse: Autopsy findings and clinical correlation." *Am J Forensic Med Pathol* 25(4): 334-7.

Vascular Disease (animals)

See also Brain Hemorrhages and Strokes (animals); Cardiovascular Effects and Disease (animals)

Cannon, M. S., E. D. Kapes, et al. (1986). "Effects of methamphetamine on arterioles of rat caudate nucleus and midbrain." *Acta Anat (Basel)* 127(3): 226-9.

Shybut, G. T., W. R. Richter, et al. (1976). "Absence of pathological changes following intravenous methamphetamine and intra-arterial iothalamate meglumine." *Res Commun Chem Pathol Pharmacol* 15(1): 53-73.

Viagra

See [Erectile Dysfunction Drugs](#)

Victoria (BC)

Lampinen, T. M., D. McGhee, et al. (2006). "Increased risk of "club" drug use among gay and bisexual high school students in British Columbia." *J Adolesc Health* 38(4): 458-61.

Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.

Violence

See [Aggression and Violence; Self-Inflicted Injury and Mutilation; Suicide and Suicidal Ideation](#)

Vision

See [Eye Conditions and Injuries](#)

Washington State

Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Braine, N., D. C. Des Jarlais, S. Ahmad, D. Purchase and C. Turner (2004). "Long-term effects of syringe exchange on risk behavior and HIV prevention." *AIDS Educ Prev* 16(3): 264-75.

Couper, F. J., M. Pemberton, et al. (2002). "Prevalence of drug use in commercial tractor-trailer drivers." *J Forensic Sci* 47(3): 562-7.

Gorbach, P. M., J. T. Galea, B. Amani, A. Shin, C. Celum, P. Kerndt and M. R. Golden (2004). "Don't ask, don't tell: Patterns of HIV disclosure among HIV positive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle." *Sex Transm Infect* 80(6): 512-7.

Gorman, E. M. and R. T. Carroll (2000). "Substance abuse and HIV: Considerations with regard to methamphetamines and other recreational drugs for nursing practice and research." *J Assoc Nurses AIDS Care* 11(2): 51-62.

Logan, B. K., C. L. Fligner, et al. (1998). "Cause and manner of death in fatalities involving methamphetamine." *J Forensic Sci* 43(1): 28-34.

Logan, B. K. (1996). "Methamphetamine and driving impairment." *J Forensic Sci* 41(3): 457-64.

Logan, B. K., E. L. Weiss, et al. (1996). "Case report: Distribution of methamphetamine in a massive fatal ingestion." *J Forensic Sci* 41(2): 322-3.

Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.

Soellner, R. (2005). "Club drug use in Germany." *Subst Use Misuse* 40(9): 1279-93.

Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.

Wisconsin

Morin, S. F., W. T. Steward, et al. (2005). "Predicting HIV transmission risk among HIV-infected men who have sex with men: Findings from the Healthy Living Project." *J Acquir Immune Defic Syndr* 40(2): 226-235.

Withdrawal

Broom, S. L. and B. K. Yamamoto (2005). "Effects of subchronic methamphetamine exposure on basal dopamine and stress-induced dopamine release in the nucleus accumbens shell of rats." *Psychopharmacology (Berl)*: 1-10.

Kosten, T. R. and P. G. O'Connor (2003). "Management of drug and alcohol withdrawal." *N Engl J Med* 348(18): 1786-95.

McGregor, C., M. Srisurapanont, et al. (2005). "The nature, time course and severity of methamphetamine withdrawal." *Addiction* 100(9): 1320-9.

Murray, J. B. (1998). "Psychophysiological aspects of amphetamine-methamphetamine abuse." *J Psychol* 132(2): 227-37.

- Oro, A. S. and S. D. Dixon (1987). "Perinatal cocaine and methamphetamine exposure: Maternal and neonatal correlates." *J Pediatr* 111(4): 571-8.
- Smith, L., M. L. Yonekura, et al. (2003). "Effects of prenatal methamphetamine exposure on fetal growth and drug withdrawal symptoms in infants born at term." *J Dev Behav Pediatr* 24(1): 17-23.
- Srisurapanont, M., N. Jarusuraisin and P. Kittirattanapaiboon (2001). "Treatment for amphetamine withdrawal." *Cochrane Database Syst Rev*(4): CD003021.

Withdrawal (animals)

- Zhang, Y., T. M. Loonam, et al. (2001). "Comparison of cocaine- and methamphetamine-evoked dopamine and glutamate overflow in somatodendritic and terminal field regions of the rat brain during acute, chronic, and early withdrawal conditions." *Ann N Y Acad Sci* 937: 93-120.
- Zhang, Y. and J. A. Angulo (1996). "Contrasting effects of repeated treatment vs. withdrawal of methamphetamine on tyrosine hydroxylase messenger RNA levels in the ventral tegmental area and substantia nigra zona compacta of the rat brain." *Synapse* 24(3): 218-23.

Women

See also Gender Factors; Heterosexuals; Pregnancy; and other populations

- Arria, A. M., C. Derauf, et al. (2006). "Methamphetamine and other substance use during pregnancy: Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) Study." *Matern Child Health J*: 1-10.
- Grella, C. E., Y. I. Hser, et al. (2006). "Mothers in substance abuse treatment: Differences in characteristics based on involvement with child welfare services." *Child Abuse Negl* 30(1): 55-73.
- Hser, Y. I., E. Evans, et al. (2005). "Treatment outcomes among women and men methamphetamine abusers in California." *J Subst Abuse Treat* 28(1): 77-85.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Lum, P. J., C. Sears, et al. (2005). "Injection risk behavior among women syringe exchangers in San Francisco." *Subst Use Misuse* 40(11): 1681-96.
- Noble, P., T. Hart, et al. (1972). "Correlates and outcome of illicit drug use by adolescent girls." *Br J Psychiatry* 120(558): 497-504.
- Operario, D. and T. Nemoto (2005). "Sexual risk behavior and substance use among a sample of Asian Pacific Islander transgendered women." *AIDS Educ Prev* 17(5): 430-43.
- Semple, S. J., I. Grant, et al. (2004). "Female methamphetamine users: Social characteristics and sexual risk behavior." *Women Health* 40(3): 35-50.
- Simbulan, N. P., A. S. Aguilar, et al. (2001). "High-risk behaviors and the prevalence of sexually transmitted diseases among women prisoners at the women state penitentiary in Metro Manila." *Soc Sci Med* 52(4): 599-608.
- Somlai, A. M., J. A. Kelly, et al. (2003). "Predictors of HIV sexual risk behaviors in a community sample of injection drug-using men and women." *AIDS Behav* 7(4): 383-93.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Twitchell, G. R., A. Huber, et al. (2002). "Comparison of general and detailed HIV risk assessments among methamphetamine abusers." *AIDS and Behavior* 6(2): 153-162.
- Viani, R. M., M. R. Araneta, et al. (2006). "Perinatal HIV counseling and rapid testing in Tijuana, Baja California, Mexico: Seroprevalence and correlates of HIV infection." *J Acquir Immune Defic Syndr* 41(1): 87-92.
- Yui, K., S. Ikemoto, et al. (2002). "Spontaneous recurrence of methamphetamine-induced paranoid-hallucinatory states in female subjects: Susceptibility to psychotic states and implications for relapse of schizophrenia." *Pharmacopsychiatry* 35(2): 62-71.
- Yui, K., K. Goto, et al. (1995). "Spontaneous recurrence of methamphetamine psychosis: Process and monoamine neurotransmitter function." *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(4): 363-74.

Wyoming

- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.

Young People

See also Childhood Attention-Deficit Hyperactivity Disorder; Children, Methamphetamine-Endangered; Children, Methamphetamine Ingestion by; Child Welfare System

- Anonymous (2002). "Methamphetamine use is heightening risks among gay youth. 'club drugs' dull safe-sex sensibilities." *AIDS Alert* 17(10): 121, 123-5.
- Banken, J. A. (2004). "Drug abuse trends among youth in the United States." *Ann N Y Acad Sci* 1025: 465-71.
- Barrett, M. E. (2003). "Correlates of illicit drug use in Karen villages in Northern Thailand." *Subst Use Misuse* 38(11-13): 1615-49.
- Baskin-Sommers, A. and I. Sommers (2006). "The co-occurrence of substance use and high-risk behaviors." *J Adolesc Health* 38(5): 609-11.
- Boulard, G. (2005). "The meth menace: Battling the fast-paced spread of methamphetamine may mean attacking it from several fronts." *State Legis* 31(5): 14-8.
- Braine, N., D. C. Des Jarlais, et al. (2005). "HIV risk behavior among amphetamine injectors at U.S. syringe exchange programs." *AIDS Educ Prev* 17(6): 515-24.
- Braine, N., D. C. Des Jarlais, S. Ahmad, D. Purchase and C. Turner (2004). "Long-term effects of syringe exchange on risk behavior and HIV prevention." *AIDS Educ Prev* 16(3): 264-75.
- Callor, W. B., E. Petersen, et al. (2005). "Preliminary findings of noncompliance with psychotropic medication and prevalence of methamphetamine intoxication associated with suicide completion." *Crisis* 26(2): 78-84.
- Chorpita, B. F. and J. O. Viesselman (2005). "Staying in the clinical ballpark while running the evidence bases." *J Am Acad Child Adolesc Psychiatry* 44(11): 1193-7.
- Chung, H., M. Park, et al. (2004). "Recent trends of drug abuse and drug-associated deaths in Korea." *Ann N Y Acad Sci* 1025: 458-64.
- Clatts, M. C., L. Goldsamt, et al. (2005). "Homelessness and drug abuse among young men who have sex with men in New York city: A preliminary epidemiological trajectory." *J Adolesc* 28(2): 201-14.
- Clatts, M. C., L. A. Goldsamt, et al. (2005). "Club drug use among young men who have sex with men in NYC: A preliminary epidemiological profile." *Subst Use Misuse* 40(9): 1317-30.
- Colfax, G., T. J. Coates, et al. (2005). "Longitudinal patterns of methamphetamine, popper (amyl nitrite), and cocaine use and high-risk sexual behavior among a cohort of San Francisco men who have sex with men." *J Urban Health* 82(1 Suppl 1): i62-70.
- Csemy, L., L. Kubicka, et al. (2002). "Drug scene in the Czech Republic and Slovakia during the period of transformation." *Eur Addict Res* 8(4): 159-65.
- Doherty, M. C., R. S. Garfein, E. Monterroso, D. Brown and D. Vlahov (2000). "Correlates of HIV infection among young adult short-term injection drug users." *AIDS* 14(6): 717-26.
- Doleys, D. M. (1977). "Behavioral treatments for nocturnal enuresis in children: A review of the recent literature." *Psychol Bull* 84(1): 30-54.
- Duterte, M., S. O'Neil, et al. (2001). "Walking the tightrope: Balancing health and drug use." *J Psychoactive Drugs* 33(2): 173-83.
- Gettig, J. P., S. E. Grady, et al. (2006). "Methamphetamine: Putting the brakes on speed." *J Sch Nurs* 22(2): 66-73.
- Gibson, D. R., M. H. Leamon and N. Flynn (2002). "Epidemiology and public health consequences of methamphetamine use in California's Central Valley." *J Psychoactive Drugs* 34(3): 313-9.
- Gleghorn, A. A., R. Marx, et al. (1998). "Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California." *Drug Alcohol Depend* 51(3): 219-27.
- Goldsamt, L. A., J. O'Brien, et al. (2005). "The relationship between club drug use and other drug use: A survey of New York City middle school students." *Subst Use Misuse* 40(9): 1539-55.
- Gordon, S. M., F. Tulak, et al. (2004). "Prevalence and characteristics of adolescents patients with co-occurring ADHD and substance dependence." *J Addict Dis* 23(4): 31-40.
- Hahn, J. A., K. Page-Shafer, P. J. Lum, K. Ochoa and A. R. Moss (2001). "Hepatitis C virus infection and needle exchange use among young injection drug users in San Francisco." *Hepatology* 34(1): 180-7.
- Hall, J. A., S. W. Henggeler, et al. (1993). "Adolescent substance use during pregnancy." *J Pediatr Psychol* 18(2): 265-71.
- Hawke, J. M., N. Jainchill and G. De Leon (2000). "Adolescent amphetamine users in treatment: Client profiles and treatment outcomes." *J Psychoactive Drugs* 32(1): 95-105.
- Hopfer, C., B. Mendelson, et al. (2006). "Club drug use among youths in treatment for substance abuse." *Am J Addict* 15(1): 94-9.
- Irvine, R. J., M. Keane, et al. (2006). "Plasma drug concentrations and physiological measures in 'dance party' participants." *Neuropsychopharmacology* 31(2): 424-30.
- Jernigan, T. L., A. C. Gamst, et al. (2005). "Effects of methamphetamine dependence and HIV infection on cerebral morphology." *Am J Psychiatry* 162(8): 1461-72.

- Joe Laidler, K. A. (2005). "The rise of club drugs in a heroin society: The case of Hong Kong." *Subst Use Misuse* 40(9-10): 1257-78.
- Kipke, M. D., S. O'Connor, et al. (1995). "Street youth in Los Angeles. Profile of a group at high risk for human immunodeficiency virus infection." *Arch Pediatr Adolesc Med* 149(5): 513-9.
- Kohrs, F. P., C. Mann and R. Greenberg (2004). "The use of amphetamine in gamma-hydroxybutyrate overdose: A case report." *J Psychoactive Drugs* 36(3): 401-2.
- Kral, A. H., J. Lorvick, et al. (2000). "Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco." *J Acquir Immune Defic Syndr* 24(2): 162-7.
- Kulsudjarit, K. (2004). "Drug problem in southeast and southwest Asia." *Ann N Y Acad Sci* 1025: 446-57.
- Lagerspetz, M. and J. Moskalewicz (2002). "Drugs in the postsocialist transitions of Estonia, Latvia, Lithuania and Poland." *Eur Addict Res* 8(4): 177-83.
- Lampinen, T. M., D. McGhee, et al. (2006). "Increased risk of "club" drug use among gay and bisexual high school students in British Columbia." *J Adolesc Health* 38(4): 458-61.
- Lampinen, T. M., D. McGhee, et al. (2006). "Use of crystal methamphetamine and other club drugs among high school students in Vancouver and Victoria." *BC Medical Journal* 48(1): 22-27.
- Maxwell, J. C. and R. T. Spence (2005). "Profiles of club drug users in treatment." *Subst Use Misuse* 40(9): 1409-26.
- McCaughan, J. A., R. G. Carlson, et al. (2005). "From "Candy Kids" to "Chemi-Kids": A typology of young adults who attend raves in the midwestern United States." *Subst Use Misuse* 40(9): 1503-23.
- Morgan, J. P. (1992). "Amphetamine and methamphetamine during the 1990s." *Pediatr Rev* 13(9): 330-3.
- Noble, P., T. Hart, et al. (1972). "Correlates and outcome of illicit drug use by adolescent girls." *Br J Psychiatry* 120(558): 497-504.
- Ochoa, K. C., P. J. Davidson, et al. (2005). "Heroin overdose among young injection drug users in San Francisco." *Drug Alcohol Depend* 80(3): 297-302.
- Parsons, J. T., B. C. Kelly, et al. (2006). "Differences in club drug use between heterosexual and lesbian/bisexual females." *Addict Behav*.
- Perdue, T., H. Hagan, et al. (2003). "Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men." *AIDS Educ Prev* 15(1): 81-92.
- Pugatch, D. L., B. G. Levesque, et al. (2001). "HIV testing among young adults and older adolescents in the setting of acute substance abuse treatment." *Journal of Acquired Immune Deficiency Syndromes: JAIDS*. 27(2): 135-42.x
- Rawson, R. A., R. Gonzales, et al. (2005). "Methamphetamine use among treatment-seeking adolescents in Southern California: Participant characteristics and treatment response." *J Subst Abuse Treat* 29(2): 67-74.
- Rimsza, M. E. and K. S. Moses (2005). "Substance abuse on the college campus." *Pediatr Clin North Am* 52(1): 307-19, xii.
- Rusch, M., T. M. Lampinen, A. Schilder and R. S. Hogg (2004). "Unprotected anal intercourse associated with recreational drug use among young men who have sex with men depends on partner type and intercourse role." *Sex Transm Dis* 31(8): 492-8.
- Sattah, M. V., S. Supawitkul, et al. (2002). "Prevalence of and risk factors for methamphetamine use in northern Thai youth: results of an audio-computer-assisted self-interviewing survey with urine testing." *Addiction* 97(7): 801-8.
- Schilder, A. J., T. M. Lampinen, et al. (2005). "Crystal methamphetamine and ecstasy differ in relation to unsafe sex among young gay men." *Can J Public Health* 96(5): 340-3.
- Seage, G. R., 3rd, K. H. Mayer, et al. (1998). "The social context of drinking, drug use, and unsafe sex in the Boston Young Men Study." *J Acquir Immune Defic Syndr Hum Retrovirol* 17(4): 368-75.
- Sears, C., J. R. Gudyish, et al. (2001). "Investigation of a secondary syringe exchange program for homeless young adult injection drug users in San Francisco, California, U.S.A." *J Acquir Immune Defic Syndr* 27(2): 193-201.
- Simons, J. S., M. N. Oliver, et al. (2005). "Methamphetamine and alcohol abuse and dependence symptoms: Associations with affect lability and impulsivity in a rural treatment population." *Addict Behav* 30(7): 1370-81.
- Smith, D. E. (1969). "Runaways and their health problems in Haight-Ashbury during the summer of 1967." *Am J Public Health Nations Health* 59(11): 2046-50.
- Sommers, I., D. Baskin, et al. (2005). "Methamphetamine use among young adults: Health and social consequences." *Addict Behav*.
- Srirak, N., S. Kawichai, et al. (2005). "HIV infection among female drug users in Northern Thailand." *Drug Alcohol Depend* 78(2): 141-5.
- Tellier, P. P. (2002). "Club drugs: Is it all ecstasy?" *Pediatr Ann* 31(9): 550-6.
- Thiede, H., L. A. Valleroy, et al. (2003). "Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas." *Am J Public Health* 93(11): 1915-21.
- van Griensven, F., S. Supawitkul, et al. (2001). "Rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection." *Pediatrics* 108(1): E13.

- Van Leeuwen, J. M., C. Hopfer, et al. (2004). "A snapshot of substance abuse among homeless and runaway youth in Denver, Colorado." *J Community Health* 29(3): 217-29.
- Vitsupakorn, K., S. Teerawatsakul, et al. (2003). "The validity of peer responses as a tool for screening at-risk students: a preliminary analysis." *Southeast Asian J Trop Med Public Health* 34(3): 682-6.
- Waldo, C. R., W. McFarland, M. H. Katz, D. MacKellar and L. A. Valleroy (2000). "Very young gay and bisexual men are at risk for HIV infection: The San Francisco Bay Area Young Men's Survey II." *J Acquir Immune Defic Syndr* 24(2): 168-74.
- Wu, L. T., W. E. Schlenger, et al. (2006). "Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths." *Drug Alcohol Depend*.
- Yen, C. F. and M. Y. Chong (2006). "Comorbid psychiatric disorders, sex, and methamphetamine use in adolescents: A case-control study." *Compr Psychiatry* 47(3): 215-20.
- Yen, C. F. and Y. C. Su (2006). "The associations of early-onset methamphetamine use with psychiatric morbidity among Taiwanese adolescents." *Subst Use Misuse* 41(1): 35-44.
- Yen, C. F. and Y. P. Chang (2005). "Relapse antecedents for methamphetamine use and related factors in Taiwanese adolescents." *Psychiatry Clin Neurosci* 59(1): 77-82.
- Yen, C. F., C. H. Ko, et al. (2005). "Areca quid chewing and methamphetamine use in Taiwanese adolescents." *Public Health* 119(1): 50-4.
- Yen, C. F. and B. L. Shieh (2005). "Suicidal ideation and correlates in Taiwanese adolescent methamphetamine users." *J Nerv Ment Dis* 193(7): 444-9.
- Yen, C. F. (2004). "Relationship between methamphetamine use and risky sexual behavior in adolescents." *Kaohsiung J Med Sci* 20(4): 160-5.

