

Percentage¹ of Tuberculosis Cases with Risk Factors by Selected Counties, Texas 2004

Risk	Bexar	Dallas	El Paso	Harris	Nueces	Tarrant	Travis	TDCJ	State Total
Foreign Born	42%	44%	63%	46%	9%	50%	53%	14%	45%
Low Income ²	31%	8%	84%	62%	61%	54%	31%	5%	43%
Alcohol Abuse ³	15%	20%	40%	20%	32%	8%	16%	0%	19%
Diabetes ²	19%	10%	33%	12%	13%	6%	5%	10%	15%
Prison/Jail Inmate ^{2, 4}	5%	9%	13%	13%	13%	12%	20%	100%	12%
HIV/AIDS Co-Infection	15%	18%	9%	21%	0%	38%	19%	31%	17%
Noninjecting Drug Abuse ³	3%	3%	7%	7%	5%	2%	10%	5%	6%
In Jail at Diagnosis	3%	4%	13%	6%	9%	4%	8%	100%	7%
Homeless ⁴	4%	7%	1%	8%	0%	9%	6%	5%	5%
Injecting Drug Abuse ³	0%	4%	7%	0%	0%	1%	3%	0%	2%
Health Care Worker ⁴	4%	3%	1%	3%	0%	4%	0%	0%	3%
Migrant/Farm Worker ⁴	0%	0%	1%	0%	0%	0%	0%	0%	0%
Prison/Jail Employee ⁴	0%	0%	0%	1%	0%	0%	0%	0%	0%

¹ Except where indicated, analysis excludes cases where risk factor information is unknown. HIV analysis also excludes those that were tested but results unknown.

² Denominator includes all cases. Number of unknowns not available.

³ Risk within past year.

⁴ Risk within past 2 years.

Note: Patients can have multiple risk factors.